

Kate Taylor

From: Scott Hopkins
Sent: Monday, January 29, 2024 9:34 AM
To: 'Josh Bell'; 'Travis Maitland'; 'Verhey, Patrick M (DFW)'; 'Mark Peterschmidt'; 'Breean Zimmerman'; 'damon.roberts@ecy.wa.gov'; 'Kari Grover Wier'; 'Hugh Anthony'; 'Rawhouser, Ashley K'; 'jody.walters@noaa.gov'; 'Justin Yeager'; 'fisheries@ctuir.org'; 'Bret Nine'; 'blod@yakamafish-nsn.gov'; 'info@mansonparks.com'; 'wfarris@cityofchelan.us'; Bill Towey; 'Thomas O'Keefe'; 'Nelle, RD'; 'mayor@cityofchelan.us'; 'Fety, Stuart B'; 'Willard, Paul - FS, WA'; 'Scott Carlon - NOAA Federal'; 'King, Leslie (DFW)'; 'Robison, Douglas L (DFW)'; 'Cerro, Ana - FS, WA'; 'Kevin Wright'
Cc: Kate Taylor; Meaghan Connell; Martha Whiteman
Subject: 2023 Chelan River Temperature Data - 4th Quarter Reports
Attachments: 2023 Chelan River Daily Average Temperature Data 4th Quarterly Report.pdf; 2023 Chelan River Hourly Temperature Data 4th Quarterly Report.pdf
Categories: .Post Filing

To: Department of Ecology
Water Quality Program
Central Regional Office

Chelan River Fishery Forum:
Washington Department of Ecology
Washington Department of Fish and Wildlife
United States Forest Service
National Park Service
United States Fish and Wildlife Service
National Marine Fisheries Service
CCT (Colville)
YN (Yakama)
CTUIR (Umatilla tribe)
United States Geological Survey
Washington State Parks and Recreation Commission
Washington State Recreation and Conservation Office
City of Chelan
Manson Parks and Recreation Department
Lake Chelan Recreation Association
American Whitewater

From: Scott Hopkins, Fisheries Biologist III
Public Utility District No. 1 of Chelan County (Chelan PUD)
scott.hopkins@chelanpud.org
(509)661-4763

Re: Lake Chelan Hydroelectric Project No. 637 (Project)
Appendix D 401 Water Quality Certification Condition V.C.i)
Water Temperature Data Reports: 4th Quarter 2023

Dear Ecology Water Quality Program, Chelan River Fishery Forum, and Other Parties:

Water temperature monitoring data for 4th Quarter 2023 are provided in the attached files. This information will be posted to the Chelan County PUD external website under “River Flows, Water Temperatures and Total Dissolved Gas” (link below).

<https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance, calibration, or other miscellaneous events have been denoted with “NA” to designate these periods when data was either unavailable or inaccurate. Noteworthy events are explained below.

- All data available and reported.

Please feel free to call or email any questions or comments.



Scott Hopkins
Fisheries Biologist III
Chelan County P.U.D.
P: (509) 661-4763
C: (509) 630-2708

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/1/2023	17.4	17.3	16.8	16.6	17.1	17.0	17.7	17.5
10/2/2023	17.3	17.3	16.9	16.7	17.1	17.0	17.6	17.4
10/3/2023	17.4	17.4	17.4	17.4	17.4	17.4	17.7	17.5
10/4/2023	17.5	17.6	17.6	17.5	17.6	17.5	17.9	17.7
10/5/2023	17.7	17.7	17.7	17.7	17.7	17.7	18.0	17.8
10/6/2023	17.7	17.8	17.6	17.6	17.8	17.7	18.1	17.9
10/7/2023	17.7	17.7	17.4	17.3	17.6	17.6	18.1	17.9
10/8/2023	17.8	17.8	17.7	17.6	17.8	17.7	18.1	17.9
10/9/2023	17.8	17.8	17.5	17.5	17.8	17.7	18.2	17.9
10/10/2023	17.5	17.5	16.8	16.7	17.3	17.1	17.9	17.6
10/11/2023	17.2	17.2	16.8	16.7	17.1	17.0	17.6	17.3
10/12/2023	16.9	16.9	16.4	16.3	16.8	16.7	17.3	17.1
10/13/2023	16.7	16.7	16.3	16.2	16.7	16.7	17.1	16.9
10/14/2023	16.6	16.6	16.3	16.2	16.6	16.6	17.0	16.8
10/15/2023	16.5	16.5	16.0	16.0	16.5	16.5	16.9	16.6
10/16/2023	16.3	16.4	16.0	16.1	16.4	16.4	16.7	16.5
10/17/2023	16.0	16.0	15.6	15.5	16.0	16.0	16.4	16.2
10/18/2023	16.0	15.9	15.6	15.5	15.9	16.0	16.3	16.1
10/19/2023	15.9	15.9	15.5	15.4	15.9	15.9	16.3	16.1
10/20/2023	16.0	16.0	15.8	15.8	16.0	16.1	16.4	16.2
10/21/2023	15.9	16.0	15.6	15.6	16.0	16.0	16.3	16.1
10/22/2023	15.9	16.0	15.7	15.8	16.0	16.0	16.3	16.1
10/23/2023	15.6	15.6	14.7	14.6	15.5	15.5	16.0	15.8
10/24/2023	15.1	15.0	14.0	13.7	14.9	14.8	15.4	15.2
10/25/2023	14.5	14.4	13.1	12.8	14.2	14.2	14.8	14.6
10/26/2023	14.1	14.0	13.1	12.8	13.9	13.9	14.4	14.2
10/27/2023	13.6	13.5	12.3	12.0	13.3	13.3	13.9	13.7
10/28/2023	13.2	13.1	11.8	11.4	13.0	12.9	13.6	13.4
10/29/2023	13.0	12.9	11.7	11.3	12.7	12.7	13.3	13.1
10/30/2023	12.8	12.6	11.6	11.2	12.5	12.5	13.1	12.9
10/31/2023	12.6	12.5	11.5	11.2	12.4	12.4	13.0	12.8
11/1/2023	12.5	12.5	11.7	11.3	12.3	12.3	12.9	12.7
11/2/2023	12.5	12.5	12.0	11.9	12.5	12.5	12.9	12.7
11/3/2023	12.6	12.5	12.1	11.9	12.5	12.5	12.9	12.7
11/4/2023	12.6	12.7	12.3	12.2	12.6	12.7	13.0	12.8
11/5/2023	12.5	12.5	12.1	12.1	12.5	12.5	12.9	12.7
11/6/2023	12.5	12.5	12.1	12.1	12.5	12.5	12.9	12.6
11/7/2023	12.4	12.5	12.1	12.0	12.4	12.5	12.8	12.6
11/8/2023	12.2	12.2	11.6	11.5	12.2	12.2	12.6	12.4
11/9/2023	12.1	12.1	11.3	11.1	12.0	12.0	12.5	12.3
11/10/2023	11.9	11.9	11.3	11.2	11.9	11.9	12.3	12.1
11/11/2023	11.8	11.8	11.3	11.2	11.8	11.8	12.2	12.0
11/12/2023	11.6	11.6	11.0	10.8	11.6	11.5	12.0	11.7
11/13/2023	11.5	11.5	11.0	10.9	11.5	11.5	11.9	11.7
11/14/2023	11.3	11.3	10.4	10.1	11.3	11.2	11.7	11.5
11/15/2023	11.0	11.0	10.0	9.8	10.9	10.9	11.4	11.2

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/16/2023	10.8	10.7	9.7	9.5	10.6	10.6	11.1	10.9
11/17/2023	10.6	10.6	9.6	9.3	10.5	10.4	11.0	10.8
11/18/2023	10.5	10.5	9.9	9.6	10.4	10.4	10.8	10.6
11/19/2023	10.6	10.5	10.1	10.0	10.5	10.5	10.9	10.7
11/20/2023	10.3	10.3	9.5	9.3	10.3	10.2	10.7	10.5
11/21/2023	10.2	10.1	9.5	9.2	10.1	10.1	10.5	10.3
11/22/2023	10.2	10.2	9.6	9.4	10.1	10.1	10.6	10.4
11/23/2023	10.2	10.2	9.5	9.3	10.1	10.1	10.6	10.4
11/24/2023	9.9	9.8	8.9	8.7	9.7	9.7	10.2	10.1
11/25/2023	9.7	9.6	8.7	8.4	9.5	9.5	10.0	9.9
11/26/2023	9.5	9.4	8.7	8.4	9.3	9.3	9.8	9.6
11/27/2023	9.4	9.3	8.8	8.6	9.3	9.3	9.7	9.5
11/28/2023	9.4	9.4	8.8	8.7	9.3	9.3	9.7	9.6
11/29/2023	9.3	9.2	8.5	8.3	9.2	9.1	9.6	9.4
11/30/2023	9.1	9.0	8.4	8.3	9.0	9.0	9.4	9.2
12/1/2023	8.8	8.8	8.0	7.8	8.7	8.7	9.1	9.0
12/2/2023	8.5	8.5	7.7	7.5	8.4	8.4	8.8	8.7
12/3/2023	8.5	8.5	7.6	7.4	8.4	8.3	8.8	8.7
12/4/2023	8.3	8.3	7.8	7.7	8.0	8.0	8.6	8.5
12/5/2023	8.5	8.5	8.3	8.2	8.1	8.1	8.9	8.7
12/6/2023	8.7	8.7	8.7	8.6	8.6	8.6	9.1	8.9
12/7/2023	8.8	8.8	8.7	8.7	8.7	8.7	9.2	9.0
12/8/2023	8.6	8.6	8.0	8.0	8.0	7.9	9.0	8.8
12/9/2023	8.3	8.2	7.4	7.2	7.2	7.1	8.6	8.4
12/10/2023	8.2	8.2	7.9	7.7	7.6	7.6	8.5	8.3
12/11/2023	8.2	8.2	7.8	7.8	7.7	7.7	8.5	8.3
12/12/2023	8.3	8.3	8.0	7.8	7.8	7.8	8.6	8.4
12/13/2023	8.2	8.2	7.9	7.8	7.8	7.7	8.5	8.3
12/14/2023	8.2	8.1	7.9	7.8	7.8	7.8	8.5	8.3
12/15/2023	8.2	8.2	8.0	7.9	7.9	7.9	8.5	8.3
12/16/2023	8.1	8.1	7.9	7.8	7.8	7.8	8.4	8.2
12/17/2023	8.0	8.0	7.7	7.7	7.7	7.6	8.4	8.2
12/18/2023	8.0	8.0	7.8	7.7	7.6	7.6	8.3	8.1
12/19/2023	7.9	7.9	7.7	7.6	7.6	7.6	8.3	8.1
12/20/2023	8.0	8.0	8.0	8.0	7.9	7.9	8.3	8.1
12/21/2023	8.0	8.0	7.9	7.9	7.9	7.9	8.3	8.1
12/22/2023	8.0	8.0	7.7	7.8	7.8	7.7	8.3	8.1
12/23/2023	7.7	7.6	6.9	6.8	6.8	6.8	8.0	7.8
12/24/2023	7.2	7.1	6.4	6.2	6.2	6.1	7.5	7.3
12/25/2023	7.2	7.1	6.7	6.6	6.5	6.5	7.5	7.3
12/26/2023	7.1	7.0	6.8	6.7	6.6	6.6	7.4	7.2
12/27/2023	7.3	7.2	7.1	7.0	6.9	6.9	7.6	7.4
12/28/2023	7.3	7.3	7.2	7.2	7.2	7.2	7.6	7.4
12/29/2023	7.2	7.2	7.2	7.2	7.2	7.2	7.6	7.4
12/30/2023	7.3	7.3	7.3	7.2	7.2	7.2	7.6	7.4
12/31/2023	7.3	7.3	7.4	7.5	7.4	7.4	7.6	7.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/1/2023	1	17.5	17.3	16.1	16.3	17.2	16.9	17.8	17.6
10/1/2023	2	17.5	17.3	16.0	16.1	17.0	16.8	17.8	17.6
10/1/2023	3	17.4	17.3	15.9	15.9	17.0	16.7	17.7	17.6
10/1/2023	4	17.4	17.3	15.8	15.8	16.9	16.6	17.7	17.5
10/1/2023	5	17.4	17.2	15.7	15.7	16.8	16.5	17.7	17.5
10/1/2023	6	17.4	17.2	15.6	15.5	16.8	16.5	17.7	17.4
10/1/2023	7	17.3	17.2	15.6	15.4	16.7	16.4	17.6	17.4
10/1/2023	8	17.3	17.2	15.6	15.3	16.7	16.3	17.6	17.4
10/1/2023	9	17.3	17.2	15.7	15.4	16.7	16.3	17.6	17.4
10/1/2023	10	17.2	17.2	16.2	15.6	16.7	16.5	17.6	17.3
10/1/2023	11	17.2	17.2	16.7	15.6	16.7	16.6	17.6	17.4
10/1/2023	12	17.3	17.3	17.5	15.8	16.8	16.7	17.6	17.4
10/1/2023	13	17.3	17.3	18.2	16.1	16.9	16.9	17.6	17.4
10/1/2023	14	17.3	17.3	18.7	16.7	17.1	17.1	17.6	17.5
10/1/2023	15	17.4	17.3	19.0	17.3	17.4	17.4	17.6	17.5
10/1/2023	16	17.4	17.4	18.9	17.8	17.6	17.6	17.6	17.6
10/1/2023	17	17.4	17.4	18.5	18.3	17.7	17.8	17.6	17.5
10/1/2023	18	17.5	17.4	18.0	18.6	17.7	17.8	17.7	17.5
10/1/2023	19	17.4	17.4	17.6	18.4	17.8	17.8	17.7	17.6
10/1/2023	20	17.4	17.4	17.1	18.2	17.7	17.7	17.7	17.6
10/1/2023	21	17.4	17.3	16.7	17.8	17.6	17.6	17.7	17.5
10/1/2023	22	17.4	17.3	16.5	17.4	17.5	17.4	17.7	17.5
10/1/2023	23	17.4	17.3	16.4	17.0	17.3	17.2	17.7	17.5
10/1/2023	24	17.4	17.3	16.3	16.7	17.2	17.0	17.7	17.5
10/2/2023	1	17.4	17.2	16.2	16.4	17.1	16.9	17.7	17.4
10/2/2023	2	17.3	17.2	16.2	16.2	17.0	16.8	17.7	17.4
10/2/2023	3	17.3	17.2	16.1	16.1	17.0	16.7	17.7	17.4
10/2/2023	4	17.3	17.2	16.0	16.0	16.9	16.7	17.7	17.4
10/2/2023	5	17.2	17.2	16.0	15.9	16.9	16.6	17.6	17.4
10/2/2023	6	17.2	17.2	16.0	15.8	16.8	16.6	17.6	17.3
10/2/2023	7	17.2	17.2	16.0	15.8	16.8	16.6	17.6	17.3
10/2/2023	8	17.2	17.2	16.1	15.8	16.8	16.6	17.6	17.3
10/2/2023	9	17.2	17.1	16.2	15.9	16.8	16.6	17.6	17.3
10/2/2023	10	17.2	17.2	16.6	16.1	16.8	16.7	17.6	17.3
10/2/2023	11	17.2	17.2	17.1	16.1	16.9	16.8	17.6	17.3
10/2/2023	12	17.2	17.3	17.4	16.2	16.9	16.8	17.6	17.4
10/2/2023	13	17.2	17.3	17.6	16.5	17.0	16.9	17.6	17.4
10/2/2023	14	17.3	17.3	17.7	16.9	17.2	17.1	17.6	17.4
10/2/2023	15	17.3	17.3	18.1	17.3	17.4	17.4	17.6	17.4
10/2/2023	16	17.3	17.4	18.0	17.4	17.4	17.4	17.6	17.5
10/2/2023	17	17.4	17.4	18.0	17.7	17.5	17.5	17.6	17.5
10/2/2023	18	17.4	17.4	17.8	17.8	17.5	17.5	17.6	17.5
10/2/2023	19	17.4	17.4	17.5	17.8	17.6	17.5	17.6	17.5
10/2/2023	20	17.4	17.4	17.3	17.7	17.5	17.5	17.6	17.5
10/2/2023	21	17.4	17.3	17.2	17.6	17.5	17.5	17.6	17.5
10/2/2023	22	17.3	17.3	17.0	17.5	17.5	17.4	17.6	17.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/2/2023	23	17.3	17.3	17.0	17.3	17.4	17.3	17.6	17.4
10/2/2023	24	17.3	17.3	17.0	17.2	17.3	17.3	17.6	17.4
10/3/2023	1	17.3	17.3	16.9	17.1	17.3	17.2	17.6	17.4
10/3/2023	2	17.3	17.3	16.8	17.0	17.3	17.2	17.6	17.4
10/3/2023	3	17.3	17.2	16.7	16.9	17.2	17.1	17.6	17.4
10/3/2023	4	17.3	17.2	16.6	16.8	17.2	17.0	17.6	17.4
10/3/2023	5	17.2	17.2	16.5	16.7	17.2	17.0	17.6	17.3
10/3/2023	6	17.2	17.2	16.4	16.6	17.1	16.9	17.6	17.3
10/3/2023	7	17.2	17.2	16.4	16.5	17.1	16.9	17.6	17.3
10/3/2023	8	17.2	17.2	16.5	16.4	17.0	16.8	17.6	17.3
10/3/2023	9	17.2	17.2	16.6	16.5	17.0	16.8	17.6	17.3
10/3/2023	10	17.2	17.2	17.0	16.6	17.1	17.0	17.6	17.3
10/3/2023	11	17.2	17.2	17.4	16.7	17.1	17.1	17.6	17.3
10/3/2023	12	17.2	17.3	18.1	16.9	17.2	17.2	17.7	17.4
10/3/2023	13	17.3	17.4	18.7	17.2	17.3	17.4	17.7	17.4
10/3/2023	14	17.3	17.4	19.2	17.6	17.5	17.6	17.7	17.5
10/3/2023	15	17.4	17.5	19.5	18.1	17.7	17.8	17.7	17.6
10/3/2023	16	17.5	17.5	19.3	18.6	17.8	18.0	17.7	17.6
10/3/2023	17	17.5	17.6	18.8	19.0	17.9	18.1	17.7	17.7
10/3/2023	18	17.5	17.6	18.3	19.1	18.0	18.2	17.8	17.7
10/3/2023	19	17.6	17.6	17.9	18.9	18.0	18.1	17.8	17.7
10/3/2023	20	17.6	17.6	17.4	18.6	17.9	18.0	17.8	17.7
10/3/2023	21	17.6	17.6	17.0	18.2	17.8	17.8	17.8	17.7
10/3/2023	22	17.6	17.6	16.8	17.8	17.7	17.7	17.8	17.7
10/3/2023	23	17.6	17.6	16.7	17.4	17.6	17.5	17.8	17.7
10/3/2023	24	17.5	17.5	16.7	17.1	17.5	17.3	17.8	17.7
10/4/2023	1	17.5	17.5	16.7	16.8	17.4	17.2	17.8	17.6
10/4/2023	2	17.5	17.5	16.6	16.6	17.3	17.1	17.8	17.6
10/4/2023	3	17.5	17.4	16.6	16.5	17.2	17.0	17.8	17.6
10/4/2023	4	17.4	17.4	16.5	16.4	17.2	17.0	17.8	17.5
10/4/2023	5	17.4	17.4	16.5	16.4	17.2	16.9	17.8	17.5
10/4/2023	6	17.4	17.4	16.5	16.4	17.1	16.9	17.8	17.5
10/4/2023	7	17.4	17.4	16.5	16.3	17.1	16.9	17.8	17.5
10/4/2023	8	17.4	17.4	16.5	16.3	17.1	16.9	17.8	17.5
10/4/2023	9	17.4	17.4	16.7	16.5	17.1	16.9	17.8	17.5
10/4/2023	10	17.4	17.4	17.1	16.6	17.2	17.1	17.8	17.5
10/4/2023	11	17.4	17.5	17.6	16.8	17.2	17.2	17.8	17.5
10/4/2023	12	17.4	17.5	18.3	16.9	17.3	17.3	17.9	17.6
10/4/2023	13	17.5	17.6	19.2	17.3	17.5	17.6	17.9	17.6
10/4/2023	14	17.5	17.7	19.3	17.7	17.6	17.6	17.9	17.7
10/4/2023	15	17.6	17.7	19.5	18.4	17.9	18.1	17.9	17.7
10/4/2023	16	17.6	17.7	19.4	18.8	18.0	18.2	17.9	17.8
10/4/2023	17	17.7	17.7	19.0	19.2	18.1	18.3	17.9	17.8
10/4/2023	18	17.7	17.7	18.7	19.3	18.2	18.4	17.9	17.8
10/4/2023	19	17.7	17.7	18.2	19.2	18.2	18.4	17.9	17.9
10/4/2023	20	17.7	17.7	17.7	18.9	18.2	18.3	17.9	17.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/4/2023	21	17.7	17.7	17.4	18.6	18.1	18.1	18.0	17.8
10/4/2023	22	17.7	17.7	17.2	18.2	18.0	18.0	18.0	17.8
10/4/2023	23	17.7	17.7	17.1	17.9	17.9	17.8	18.0	17.8
10/4/2023	24	17.7	17.7	17.0	17.5	17.7	17.6	18.0	17.8
10/5/2023	1	17.6	17.7	16.9	17.3	17.7	17.5	18.0	17.8
10/5/2023	2	17.6	17.6	16.8	17.1	17.6	17.4	18.0	17.8
10/5/2023	3	17.6	17.6	16.8	17.0	17.5	17.3	18.0	17.7
10/5/2023	4	17.6	17.6	16.7	16.8	17.4	17.2	18.0	17.7
10/5/2023	5	17.6	17.6	16.7	16.7	17.4	17.2	18.0	17.7
10/5/2023	6	17.5	17.5	16.6	16.6	17.3	17.1	17.9	17.7
10/5/2023	7	17.5	17.5	16.5	16.6	17.3	17.1	17.9	17.7
10/5/2023	8	17.5	17.5	16.4	16.5	17.2	17.0	18.0	17.6
10/5/2023	9	17.5	17.5	16.6	16.6	17.2	17.0	18.0	17.6
10/5/2023	10	17.5	17.5	17.0	16.7	17.3	17.2	18.0	17.6
10/5/2023	11	17.5	17.6	17.6	16.8	17.3	17.3	18.0	17.7
10/5/2023	12	17.5	17.6	18.2	16.9	17.4	17.4	18.0	17.7
10/5/2023	13	17.6	17.7	19.0	17.2	17.6	17.6	18.0	17.8
10/5/2023	14	17.7	17.8	19.5	17.7	17.7	17.8	18.0	17.8
10/5/2023	15	17.7	17.9	19.7	18.3	18.0	18.1	18.0	17.9
10/5/2023	16	17.8	17.9	19.7	18.8	18.2	18.3	18.1	18.0
10/5/2023	17	17.9	18.0	19.2	19.3	18.3	18.5	18.1	18.1
10/5/2023	18	17.9	18.0	18.8	19.5	18.4	18.6	18.1	18.1
10/5/2023	19	17.9	18.0	18.3	19.4	18.4	18.6	18.1	18.1
10/5/2023	20	17.9	17.9	17.9	19.1	18.4	18.5	18.1	18.1
10/5/2023	21	17.9	17.9	17.6	18.7	18.2	18.3	18.1	18.0
10/5/2023	22	17.8	17.9	17.4	18.4	18.1	18.1	18.1	18.0
10/5/2023	23	17.8	17.8	17.2	18.0	18.0	17.9	18.1	17.9
10/5/2023	24	17.8	17.8	17.2	17.7	17.9	17.8	18.1	17.9
10/6/2023	1	17.7	17.8	17.1	17.4	17.8	17.7	18.1	17.9
10/6/2023	2	17.7	17.7	17.0	17.2	17.7	17.5	18.1	17.9
10/6/2023	3	17.7	17.7	16.8	17.1	17.6	17.4	18.1	17.9
10/6/2023	4	17.7	17.7	16.7	16.9	17.6	17.4	18.1	17.8
10/6/2023	5	17.7	17.7	16.6	16.8	17.5	17.3	18.1	17.8
10/6/2023	6	17.6	17.6	16.5	16.7	17.4	17.2	18.1	17.8
10/6/2023	7	17.6	17.6	16.4	16.5	17.4	17.1	18.1	17.7
10/6/2023	8	17.6	17.6	16.4	16.4	17.3	17.1	18.1	17.7
10/6/2023	9	17.6	17.6	16.5	16.5	17.3	17.1	18.1	17.7
10/6/2023	10	17.6	17.6	17.0	16.6	17.3	17.2	18.1	17.7
10/6/2023	11	17.6	17.7	17.5	16.6	17.4	17.3	18.1	17.7
10/6/2023	12	17.6	17.7	18.2	16.8	17.4	17.4	18.1	17.8
10/6/2023	13	17.7	17.8	18.9	17.1	17.6	17.6	18.1	17.9
10/6/2023	14	17.7	17.8	19.4	17.6	17.8	17.8	18.1	17.9
10/6/2023	15	17.8	17.9	19.7	18.2	18.0	18.1	18.1	18.0
10/6/2023	16	17.8	17.9	19.6	18.7	18.2	18.3	18.1	18.0
10/6/2023	17	17.9	17.9	19.1	19.2	18.3	18.5	18.1	18.1
10/6/2023	18	17.9	17.9	18.7	19.4	18.4	18.5	18.1	18.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/6/2023	19	17.9	17.9	18.2	19.3	18.4	18.5	18.2	18.0
10/6/2023	20	17.9	17.9	17.7	19.0	18.3	18.4	18.2	18.1
10/6/2023	21	17.9	17.9	17.4	18.6	18.2	18.2	18.2	18.0
10/6/2023	22	17.8	17.8	17.1	18.2	18.1	18.0	18.2	18.0
10/6/2023	23	17.8	17.8	16.9	17.7	17.9	17.8	18.2	18.0
10/6/2023	24	17.8	17.7	16.7	17.3	17.8	17.6	18.2	17.9
10/7/2023	1	17.7	17.7	16.6	17.0	17.7	17.5	18.1	17.9
10/7/2023	2	17.7	17.7	16.5	16.8	17.6	17.3	18.1	17.9
10/7/2023	3	17.7	17.7	16.5	16.6	17.5	17.2	18.1	17.8
10/7/2023	4	17.7	17.6	16.4	16.4	17.4	17.1	18.1	17.8
10/7/2023	5	17.6	17.6	16.3	16.3	17.3	17.1	18.1	17.8
10/7/2023	6	17.6	17.6	16.2	16.2	17.2	17.0	18.0	17.7
10/7/2023	7	17.6	17.5	16.2	16.1	17.2	16.9	18.0	17.7
10/7/2023	8	17.6	17.5	16.1	16.0	17.2	16.9	18.0	17.7
10/7/2023	9	17.6	17.5	16.2	16.1	17.2	16.9	18.0	17.7
10/7/2023	10	17.5	17.6	16.7	16.2	17.2	17.0	18.0	17.7
10/7/2023	11	17.5	17.6	17.3	16.4	17.2	17.1	18.0	17.7
10/7/2023	12	17.6	17.6	17.9	16.5	17.2	17.2	18.0	17.7
10/7/2023	13	17.6	17.7	18.7	16.8	17.4	17.4	18.0	17.8
10/7/2023	14	17.7	17.8	19.2	17.3	17.6	17.6	18.0	17.8
10/7/2023	15	17.7	17.8	19.6	17.9	17.8	17.9	18.0	17.9
10/7/2023	16	17.8	17.8	19.5	18.4	18.0	18.2	18.0	18.0
10/7/2023	17	17.8	17.9	19.0	19.0	18.2	18.3	18.1	18.0
10/7/2023	18	17.8	17.9	18.6	19.2	18.2	18.4	18.1	18.0
10/7/2023	19	17.8	17.8	18.1	19.1	18.3	18.4	18.1	18.0
10/7/2023	20	17.8	17.8	17.7	18.9	18.2	18.3	18.1	18.0
10/7/2023	21	17.8	17.8	17.4	18.5	18.2	18.2	18.1	18.0
10/7/2023	22	17.8	17.8	17.2	18.1	18.1	18.0	18.1	18.0
10/7/2023	23	17.8	17.8	17.0	17.7	17.9	17.8	18.1	18.0
10/7/2023	24	17.8	17.8	16.9	17.4	17.8	17.7	18.1	17.9
10/8/2023	1	17.8	17.8	16.8	17.1	17.7	17.5	18.1	17.9
10/8/2023	2	17.7	17.7	16.7	16.9	17.6	17.4	18.1	17.9
10/8/2023	3	17.7	17.7	16.7	16.8	17.5	17.3	18.1	17.9
10/8/2023	4	17.7	17.7	16.6	16.6	17.5	17.2	18.1	17.8
10/8/2023	5	17.7	17.7	16.5	16.5	17.4	17.2	18.1	17.8
10/8/2023	6	17.7	17.7	16.5	16.4	17.4	17.1	18.1	17.8
10/8/2023	7	17.6	17.6	16.5	16.4	17.3	17.1	18.1	17.8
10/8/2023	8	17.6	17.6	16.4	16.3	17.3	17.0	18.1	17.7
10/8/2023	9	17.6	17.6	16.6	16.4	17.3	17.0	18.1	17.7
10/8/2023	10	17.6	17.7	17.0	16.6	17.3	17.2	18.1	17.7
10/8/2023	11	17.6	17.7	17.6	16.7	17.4	17.3	18.1	17.8
10/8/2023	12	17.6	17.7	18.2	16.9	17.5	17.4	18.1	17.8
10/8/2023	13	17.7	17.8	18.9	17.2	17.6	17.6	18.1	17.9
10/8/2023	14	17.8	17.9	19.5	17.7	17.8	17.8	18.1	17.9
10/8/2023	15	17.8	17.9	19.7	18.2	18.0	18.1	18.1	18.0
10/8/2023	16	17.9	18.0	19.7	18.8	18.2	18.4	18.2	18.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/8/2023	17	18.0	18.0	19.2	19.3	18.4	18.5	18.2	18.1
10/8/2023	18	18.0	18.1	18.9	19.5	18.5	18.7	18.2	18.2
10/8/2023	19	18.0	18.0	18.4	19.4	18.5	18.6	18.2	18.2
10/8/2023	20	18.0	18.0	17.9	19.1	18.4	18.5	18.2	18.2
10/8/2023	21	18.0	18.0	17.6	18.8	18.3	18.4	18.2	18.2
10/8/2023	22	18.0	18.0	17.4	18.4	18.2	18.2	18.3	18.1
10/8/2023	23	17.9	18.0	17.3	18.0	18.1	18.0	18.3	18.1
10/8/2023	24	17.9	17.9	17.2	17.7	18.0	17.9	18.3	18.1
10/9/2023	1	17.9	17.9	17.1	17.4	17.9	17.7	18.3	18.1
10/9/2023	2	17.9	17.9	17.0	17.2	17.8	17.6	18.2	18.1
10/9/2023	3	17.9	17.9	16.9	17.1	17.7	17.5	18.2	18.0
10/9/2023	4	17.8	17.8	16.8	17.0	17.7	17.5	18.2	18.0
10/9/2023	5	17.8	17.8	16.8	16.9	17.6	17.4	18.2	17.9
10/9/2023	6	17.8	17.8	16.7	16.8	17.6	17.3	18.2	17.9
10/9/2023	7	17.7	17.7	16.7	16.7	17.5	17.3	18.2	17.9
10/9/2023	8	17.7	17.7	16.7	16.6	17.5	17.2	18.2	17.9
10/9/2023	9	17.7	17.7	16.8	16.6	17.5	17.2	18.2	17.9
10/9/2023	10	17.7	17.8	17.1	16.6	17.4	17.3	18.2	17.8
10/9/2023	11	17.7	17.8	17.5	16.8	17.5	17.4	18.2	17.9
10/9/2023	12	17.7	17.8	18.0	17.0	17.6	17.5	18.2	17.9
10/9/2023	13	17.7	17.9	18.4	17.2	17.7	17.6	18.1	17.9
10/9/2023	14	17.8	17.9	18.9	17.7	17.8	17.9	18.1	17.9
10/9/2023	15	17.8	17.9	18.8	18.0	17.9	17.9	18.1	18.0
10/9/2023	16	17.8	17.9	18.6	18.3	18.0	18.0	18.1	18.0
10/9/2023	17	17.8	17.9	18.4	18.6	18.1	18.2	18.1	18.0
10/9/2023	18	17.8	17.9	18.1	18.6	18.2	18.2	18.2	18.0
10/9/2023	19	17.8	17.9	17.8	18.5	18.1	18.2	18.2	18.0
10/9/2023	20	17.8	17.9	17.7	18.3	18.1	18.1	18.1	17.9
10/9/2023	21	17.8	17.8	17.5	18.1	18.0	18.0	18.1	17.9
10/9/2023	22	17.8	17.8	17.4	17.9	17.9	17.8	18.1	17.9
10/9/2023	23	17.7	17.7	17.2	17.7	17.8	17.7	18.1	17.9
10/9/2023	24	17.7	17.7	17.0	17.4	17.7	17.6	18.1	17.8
10/10/2023	1	17.7	17.7	16.9	17.2	17.7	17.5	18.1	17.8
10/10/2023	2	17.7	17.7	16.7	17.1	17.6	17.4	18.0	17.8
10/10/2023	3	17.6	17.6	16.7	16.9	17.5	17.3	18.0	17.7
10/10/2023	4	17.6	17.6	16.6	16.7	17.4	17.2	18.0	17.7
10/10/2023	5	17.6	17.6	16.5	16.6	17.4	17.2	18.0	17.7
10/10/2023	6	17.6	17.5	16.5	16.5	17.3	17.1	18.0	17.7
10/10/2023	7	17.5	17.5	16.5	16.4	17.2	17.0	18.0	17.7
10/10/2023	8	17.5	17.5	16.5	16.3	17.2	17.0	17.9	17.6
10/10/2023	9	17.5	17.5	16.6	16.3	17.2	17.0	17.9	17.6
10/10/2023	10	17.5	17.5	16.7	16.3	17.2	17.0	17.9	17.6
10/10/2023	11	17.5	17.5	16.9	16.4	17.2	17.0	17.9	17.6
10/10/2023	12	17.5	17.5	17.2	16.5	17.2	17.1	17.9	17.6
10/10/2023	13	17.5	17.5	17.3	16.6	17.2	17.1	17.9	17.6
10/10/2023	14	17.5	17.5	17.3	16.8	17.3	17.2	17.9	17.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/10/2023	15	17.5	17.5	17.2	16.9	17.3	17.2	17.9	17.6
10/10/2023	16	17.5	17.5	17.2	17.0	17.4	17.2	17.8	17.6
10/10/2023	17	17.5	17.5	17.1	17.0	17.4	17.2	17.8	17.6
10/10/2023	18	17.5	17.5	17.0	17.0	17.4	17.2	17.8	17.6
10/10/2023	19	17.4	17.4	16.9	17.0	17.4	17.2	17.8	17.6
10/10/2023	20	17.4	17.4	16.8	16.9	17.3	17.2	17.8	17.5
10/10/2023	21	17.4	17.4	16.6	16.8	17.3	17.1	17.8	17.5
10/10/2023	22	17.4	17.4	16.6	16.7	17.2	17.1	17.8	17.5
10/10/2023	23	17.4	17.4	16.6	16.6	17.2	17.0	17.7	17.5
10/10/2023	24	17.3	17.3	16.6	16.5	17.2	17.0	17.7	17.4
10/11/2023	1	17.3	17.3	16.6	16.5	17.1	16.9	17.7	17.4
10/11/2023	2	17.3	17.3	16.6	16.4	17.1	16.9	17.7	17.4
10/11/2023	3	17.3	17.3	16.6	16.4	17.1	16.9	17.7	17.4
10/11/2023	4	17.2	17.2	16.5	16.4	17.1	16.8	17.6	17.4
10/11/2023	5	17.2	17.2	16.5	16.4	17.0	16.8	17.6	17.3
10/11/2023	6	17.2	17.2	16.3	16.3	16.8	16.7	17.6	17.3
10/11/2023	7	17.2	17.2	16.2	16.2	16.9	16.7	17.6	17.3
10/11/2023	8	17.2	17.1	16.2	16.2	16.9	16.7	17.6	17.2
10/11/2023	9	17.1	17.2	16.2	16.2	16.9	16.7	17.6	17.2
10/11/2023	10	17.1	17.2	16.6	16.3	16.9	16.7	17.5	17.2
10/11/2023	11	17.1	17.2	17.2	16.3	16.9	16.9	17.5	17.2
10/11/2023	12	17.1	17.2	17.4	16.3	16.9	16.8	17.6	17.3
10/11/2023	13	17.2	17.2	17.6	16.3	16.9	16.8	17.6	17.3
10/11/2023	14	17.2	17.2	17.8	16.8	17.1	17.0	17.5	17.3
10/11/2023	15	17.2	17.2	18.0	17.2	17.3	17.3	17.4	17.3
10/11/2023	16	17.2	17.2	18.0	17.3	17.3	17.3	17.4	17.4
10/11/2023	17	17.2	17.2	17.6	17.6	17.4	17.4	17.5	17.4
10/11/2023	18	17.2	17.2	17.2	17.7	17.4	17.4	17.5	17.3
10/11/2023	19	17.2	17.2	16.8	17.7	17.4	17.4	17.6	17.3
10/11/2023	20	17.2	17.2	16.6	17.4	17.3	17.3	17.6	17.3
10/11/2023	21	17.1	17.1	16.3	17.1	17.2	17.1	17.6	17.3
10/11/2023	22	17.1	17.1	16.2	16.7	17.1	17.0	17.5	17.2
10/11/2023	23	17.1	17.1	16.2	16.5	17.0	16.8	17.5	17.2
10/11/2023	24	17.1	17.1	16.1	16.2	16.9	16.7	17.5	17.2
10/12/2023	1	17.1	17.0	16.0	16.1	16.8	16.6	17.5	17.2
10/12/2023	2	17.0	17.0	15.9	15.9	16.8	16.5	17.4	17.2
10/12/2023	3	17.0	16.9	15.7	15.8	16.7	16.5	17.4	17.1
10/12/2023	4	17.0	16.9	15.7	15.7	16.7	16.4	17.3	17.1
10/12/2023	5	17.0	16.9	15.6	15.6	16.6	16.3	17.3	17.1
10/12/2023	6	16.9	16.8	15.5	15.5	16.5	16.2	17.3	17.0
10/12/2023	7	16.9	16.8	15.4	15.3	16.5	16.2	17.2	17.0
10/12/2023	8	16.9	16.7	15.4	15.2	16.4	16.1	17.2	16.9
10/12/2023	9	16.8	16.8	15.4	15.3	16.4	16.1	17.3	16.9
10/12/2023	10	16.8	16.8	15.9	15.5	16.4	16.2	17.3	16.9
10/12/2023	11	16.8	16.8	16.3	15.6	16.4	16.3	17.3	16.9
10/12/2023	12	16.8	16.9	17.0	15.7	16.4	16.4	17.3	16.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/12/2023	13	16.9	16.9	17.6	15.9	16.5	16.5	17.3	17.0
10/12/2023	14	16.9	16.9	18.0	16.3	17.0	16.7	17.3	17.1
10/12/2023	15	16.9	17.0	18.2	16.8	17.0	17.0	17.3	17.1
10/12/2023	16	17.0	17.0	18.2	17.2	17.1	17.2	17.3	17.2
10/12/2023	17	17.0	17.0	17.7	17.7	17.2	17.2	17.3	17.2
10/12/2023	18	17.0	17.0	17.3	17.9	17.2	17.2	17.3	17.2
10/12/2023	19	17.0	17.0	16.9	17.8	17.2	17.2	17.3	17.2
10/12/2023	20	17.0	17.0	16.4	17.5	17.2	17.2	17.3	17.2
10/12/2023	21	17.0	16.9	16.2	17.2	17.1	17.1	17.3	17.2
10/12/2023	22	16.9	16.9	16.0	16.8	17.0	17.0	17.3	17.1
10/12/2023	23	16.9	16.9	15.9	16.4	16.9	16.9	17.3	17.1
10/12/2023	24	16.9	16.9	15.8	16.1	16.9	16.9	17.3	17.1
10/13/2023	1	16.9	16.8	15.7	15.9	16.8	16.8	17.3	17.1
10/13/2023	2	16.9	16.8	15.7	15.8	16.7	16.7	17.3	17.0
10/13/2023	3	16.8	16.8	15.7	15.7	16.7	16.7	17.2	17.0
10/13/2023	4	16.8	16.7	15.6	15.6	16.6	16.6	17.2	17.0
10/13/2023	5	16.8	16.7	15.5	15.5	16.6	16.6	17.2	16.9
10/13/2023	6	16.7	16.7	15.4	15.4	16.5	16.5	17.2	16.9
10/13/2023	7	16.7	16.6	15.4	15.4	16.5	16.5	17.1	16.8
10/13/2023	8	16.6	16.6	15.5	15.3	16.5	16.5	17.1	16.8
10/13/2023	9	16.6	16.6	15.6	15.3	16.5	16.5	17.1	16.8
10/13/2023	10	16.6	16.6	15.8	15.5	16.5	16.5	17.0	16.8
10/13/2023	11	16.6	16.6	16.3	15.7	16.5	16.6	17.0	16.8
10/13/2023	12	16.6	16.7	16.8	15.8	16.5	16.6	17.0	16.8
10/13/2023	13	16.6	16.7	17.4	16.0	16.6	16.7	17.0	16.8
10/13/2023	14	16.7	16.7	17.7	16.2	16.7	16.7	17.0	16.9
10/13/2023	15	16.7	16.8	17.8	16.7	16.8	16.8	17.0	16.9
10/13/2023	16	16.7	16.8	17.7	17.1	16.8	16.9	17.0	16.9
10/13/2023	17	16.7	16.8	17.3	17.4	16.9	17.0	17.1	16.9
10/13/2023	18	16.7	16.7	17.0	17.6	16.9	17.0	17.1	16.9
10/13/2023	19	16.7	16.7	16.6	17.4	16.9	17.0	17.1	16.9
10/13/2023	20	16.7	16.7	16.3	17.2	16.9	16.9	17.1	16.9
10/13/2023	21	16.7	16.7	16.1	16.9	16.8	16.8	17.1	16.9
10/13/2023	22	16.7	16.7	15.9	16.6	16.7	16.8	17.1	16.9
10/13/2023	23	16.7	16.7	15.8	16.3	16.7	16.7	17.1	16.8
10/13/2023	24	16.6	16.6	15.7	16.1	16.6	16.6	17.1	16.8
10/14/2023	1	16.6	16.6	15.7	15.9	16.6	16.6	17.1	16.8
10/14/2023	2	16.6	16.6	15.8	15.8	16.6	16.6	17.0	16.8
10/14/2023	3	16.6	16.6	15.8	15.7	16.5	16.5	17.0	16.8
10/14/2023	4	16.6	16.6	15.8	15.7	16.5	16.5	17.0	16.7
10/14/2023	5	16.6	16.6	15.8	15.7	16.5	16.5	17.0	16.7
10/14/2023	6	16.5	16.6	15.8	15.7	16.5	16.5	17.0	16.7
10/14/2023	7	16.5	16.5	15.8	15.7	16.5	16.5	17.0	16.7
10/14/2023	8	16.5	16.5	15.8	15.7	16.4	16.5	17.0	16.7
10/14/2023	9	16.5	16.5	15.9	15.7	16.4	16.5	17.0	16.7
10/14/2023	10	16.5	16.5	15.9	15.7	16.4	16.5	17.0	16.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/14/2023	11	16.5	16.6	16.2	15.9	16.5	16.5	17.0	16.7
10/14/2023	12	16.5	16.6	16.6	16.1	16.5	16.6	17.0	16.7
10/14/2023	13	16.5	16.6	17.0	16.2	16.6	16.7	17.0	16.7
10/14/2023	14	16.6	16.7	17.3	16.4	16.6	16.7	17.0	16.8
10/14/2023	15	16.6	16.7	17.3	16.6	16.7	16.7	17.0	16.8
10/14/2023	16	16.6	16.7	17.2	16.9	16.7	16.8	17.0	16.8
10/14/2023	17	16.6	16.7	16.9	17.1	16.8	16.8	17.0	16.8
10/14/2023	18	16.6	16.7	16.7	17.1	16.8	16.8	17.0	16.8
10/14/2023	19	16.7	16.7	16.5	17.1	16.8	16.8	17.0	16.8
10/14/2023	20	16.6	16.7	16.4	16.9	16.8	16.8	17.0	16.8
10/14/2023	21	16.6	16.7	16.3	16.8	16.7	16.8	17.0	16.8
10/14/2023	22	16.6	16.7	16.2	16.6	16.7	16.7	17.0	16.8
10/14/2023	23	16.6	16.6	16.2	16.4	16.7	16.7	17.0	16.8
10/14/2023	24	16.6	16.6	16.1	16.3	16.6	16.6	17.0	16.8
10/15/2023	1	16.6	16.6	15.9	16.2	16.6	16.6	17.0	16.8
10/15/2023	2	16.6	16.6	15.8	16.1	16.6	16.5	17.0	16.7
10/15/2023	3	16.5	16.5	15.6	16.0	16.5	16.5	17.0	16.7
10/15/2023	4	16.5	16.5	15.5	15.8	16.5	16.5	16.9	16.7
10/15/2023	5	16.5	16.5	15.4	15.7	16.4	16.4	16.9	16.7
10/15/2023	6	16.5	16.4	15.3	15.5	16.4	16.4	16.9	16.7
10/15/2023	7	16.5	16.4	15.2	15.4	16.3	16.3	16.9	16.6
10/15/2023	8	16.4	16.4	15.2	15.3	16.3	16.3	16.8	16.6
10/15/2023	9	16.4	16.4	15.2	15.3	16.3	16.2	16.8	16.6
10/15/2023	10	16.4	16.4	15.6	15.4	16.3	16.3	16.8	16.6
10/15/2023	11	16.4	16.5	16.0	15.3	16.3	16.3	16.8	16.6
10/15/2023	12	16.4	16.5	16.4	15.3	16.3	16.4	16.8	16.6
10/15/2023	13	16.4	16.5	16.8	15.6	16.3	16.4	16.8	16.6
10/15/2023	14	16.5	16.5	17.0	16.0	16.4	16.5	16.9	16.6
10/15/2023	15	16.5	16.6	17.0	16.3	16.5	16.6	16.9	16.7
10/15/2023	16	16.5	16.5	16.9	16.6	16.6	16.6	16.9	16.7
10/15/2023	17	16.5	16.5	16.7	16.8	16.6	16.7	16.9	16.7
10/15/2023	18	16.5	16.5	16.6	16.9	16.6	16.7	16.9	16.7
10/15/2023	19	16.5	16.5	16.4	16.8	16.6	16.7	16.9	16.7
10/15/2023	20	16.5	16.5	16.3	16.7	16.6	16.6	16.9	16.7
10/15/2023	21	16.5	16.5	16.2	16.6	16.6	16.6	16.9	16.6
10/15/2023	22	16.5	16.5	16.0	16.4	16.5	16.5	16.9	16.6
10/15/2023	23	16.5	16.5	15.9	16.3	16.5	16.5	16.9	16.6
10/15/2023	24	16.4	16.4	15.8	16.2	16.4	16.5	16.8	16.6
10/16/2023	1	16.4	16.4	15.8	16.0	16.4	16.4	16.8	16.6
10/16/2023	2	16.4	16.4	15.8	15.9	16.4	16.4	16.8	16.6
10/16/2023	3	16.4	16.4	15.8	15.8	16.4	16.4	16.8	16.6
10/16/2023	4	16.4	16.4	15.8	15.8	16.3	16.4	16.8	16.5
10/16/2023	5	16.4	16.4	15.8	15.7	16.3	16.3	16.8	16.5
10/16/2023	6	16.4	16.4	15.9	15.7	16.3	16.3	16.8	16.5
10/16/2023	7	16.4	16.4	15.9	15.8	16.3	16.3	16.8	16.5
10/16/2023	8	16.4	16.4	15.8	15.8	16.3	16.3	16.7	16.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/16/2023	9	16.3	16.4	15.8	15.8	16.3	16.3	16.7	16.5
10/16/2023	10	16.3	16.4	15.9	15.8	16.3	16.3	16.7	16.5
10/16/2023	11	16.3	16.4	16.0	15.9	16.3	16.3	16.7	16.5
10/16/2023	12	16.3	16.4	16.1	15.9	16.3	16.3	16.7	16.5
10/16/2023	13	16.3	16.4	16.3	16.0	16.3	16.4	16.7	16.5
10/16/2023	14	16.3	16.4	16.5	16.2	16.4	16.4	16.7	16.5
10/16/2023	15	16.3	16.4	16.6	16.2	16.4	16.4	16.8	16.5
10/16/2023	16	16.4	16.4	16.7	16.4	16.4	16.5	16.8	16.5
10/16/2023	17	16.4	16.4	16.6	16.5	16.4	16.5	16.8	16.5
10/16/2023	18	16.4	16.4	16.5	16.6	16.4	16.5	16.7	16.5
10/16/2023	19	16.4	16.4	16.4	16.6	16.4	16.5	16.7	16.5
10/16/2023	20	16.3	16.4	16.2	16.6	16.4	16.5	16.7	16.5
10/16/2023	21	16.3	16.3	16.0	16.5	16.4	16.4	16.7	16.5
10/16/2023	22	16.3	16.3	15.7	16.3	16.4	16.4	16.7	16.5
10/16/2023	23	16.3	16.2	15.4	16.1	16.3	16.3	16.7	16.4
10/16/2023	24	16.3	16.2	15.1	15.8	16.2	16.2	16.7	16.4
10/17/2023	1	16.2	16.2	14.8	15.5	16.2	16.1	16.6	16.3
10/17/2023	2	16.2	16.2	14.7	15.2	16.1	16.0	16.6	16.3
10/17/2023	3	16.1	16.1	14.7	15.0	16.0	15.9	16.5	16.2
10/17/2023	4	16.1	16.1	14.8	14.8	15.9	15.8	16.4	16.2
10/17/2023	5	16.0	16.0	14.8	14.6	15.8	15.8	16.4	16.1
10/17/2023	6	16.0	15.9	14.7	14.6	15.7	15.7	16.3	16.1
10/17/2023	7	15.9	15.9	14.7	14.5	15.7	15.7	16.3	16.0
10/17/2023	8	15.9	15.8	14.7	14.5	15.7	15.7	16.3	16.0
10/17/2023	9	15.8	15.8	14.7	14.6	15.7	15.6	16.3	16.0
10/17/2023	10	15.8	15.8	15.1	14.8	15.7	15.7	16.3	16.0
10/17/2023	11	15.9	15.9	15.6	14.9	15.8	15.8	16.3	16.0
10/17/2023	12	15.9	15.9	16.0	14.9	15.8	15.8	16.3	16.1
10/17/2023	13	15.9	16.0	16.6	15.1	15.9	15.9	16.4	16.1
10/17/2023	14	16.0	16.0	17.0	15.6	16.0	16.1	16.4	16.2
10/17/2023	15	16.0	16.1	17.1	16.0	16.1	16.2	16.4	16.2
10/17/2023	16	16.0	16.1	16.9	16.4	16.2	16.2	16.4	16.2
10/17/2023	17	16.1	16.1	16.6	16.7	16.2	16.3	16.4	16.2
10/17/2023	18	16.1	16.1	16.2	16.8	16.2	16.3	16.4	16.2
10/17/2023	19	16.1	16.1	15.9	16.7	16.2	16.3	16.4	16.2
10/17/2023	20	16.1	16.1	15.7	16.5	16.2	16.2	16.4	16.2
10/17/2023	21	16.1	16.1	15.6	16.2	16.2	16.2	16.4	16.2
10/17/2023	22	16.0	16.1	15.5	15.9	16.1	16.1	16.4	16.2
10/17/2023	23	16.0	16.1	15.5	15.7	16.1	16.1	16.4	16.2
10/17/2023	24	16.0	16.0	15.4	15.6	16.0	16.0	16.4	16.2
10/18/2023	1	16.0	16.0	15.3	15.4	16.0	16.0	16.4	16.2
10/18/2023	2	16.0	16.0	15.2	15.4	16.0	15.9	16.4	16.2
10/18/2023	3	16.0	15.9	15.0	15.3	15.9	15.9	16.3	16.1
10/18/2023	4	16.0	15.9	14.9	15.2	15.9	15.8	16.3	16.1
10/18/2023	5	15.9	15.9	14.8	15.0	15.8	15.8	16.3	16.1
10/18/2023	6	15.9	15.8	14.7	14.9	15.8	15.7	16.3	16.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/18/2023	7	15.9	15.8	14.6	14.7	15.7	15.7	16.3	16.0
10/18/2023	8	15.8	15.8	14.6	14.6	15.7	15.7	16.2	16.0
10/18/2023	9	15.8	15.8	14.6	14.6	15.7	15.6	16.2	16.0
10/18/2023	10	15.8	15.8	15.0	14.7	15.7	15.7	16.2	16.0
10/18/2023	11	15.8	15.8	15.4	14.8	15.7	15.7	16.3	16.0
10/18/2023	12	15.8	15.8	15.9	14.9	15.7	15.8	16.3	16.0
10/18/2023	13	15.8	15.9	16.5	15.1	15.8	15.9	16.3	16.0
10/18/2023	14	15.9	15.9	17.0	15.4	15.9	16.0	16.3	16.1
10/18/2023	15	15.9	16.0	17.2	15.8	16.0	16.1	16.4	16.1
10/18/2023	16	16.0	16.0	17.2	16.3	16.1	16.2	16.4	16.2
10/18/2023	17	16.0	16.1	16.8	16.8	16.2	16.2	16.4	16.2
10/18/2023	18	16.0	16.1	16.4	17.0	16.2	16.3	16.4	16.2
10/18/2023	19	16.1	16.1	16.0	16.9	16.3	16.3	16.4	16.3
10/18/2023	20	16.1	16.1	15.7	16.6	16.2	16.3	16.4	16.3
10/18/2023	21	16.1	16.1	15.4	16.3	16.2	16.2	16.4	16.2
10/18/2023	22	16.1	16.1	15.2	16.0	16.2	16.1	16.4	16.2
10/18/2023	23	16.0	16.0	15.1	15.7	16.1	16.1	16.4	16.2
10/18/2023	24	16.0	16.0	15.0	15.4	16.0	16.0	16.4	16.2
10/19/2023	1	16.0	16.0	14.9	15.1	15.9	15.9	16.4	16.2
10/19/2023	2	16.0	15.9	14.8	15.0	15.9	15.8	16.3	16.1
10/19/2023	3	16.0	15.9	14.7	14.8	15.8	15.8	16.3	16.1
10/19/2023	4	15.9	15.8	14.6	14.7	15.8	15.7	16.3	16.1
10/19/2023	5	15.9	15.8	14.5	14.6	15.7	15.7	16.2	16.0
10/19/2023	6	15.9	15.8	14.5	14.5	15.7	15.6	16.2	16.0
10/19/2023	7	15.8	15.7	14.4	14.4	15.6	15.6	16.2	16.0
10/19/2023	8	15.8	15.7	14.4	14.3	15.6	15.6	16.1	15.9
10/19/2023	9	15.8	15.7	14.5	14.3	15.6	15.5	16.1	15.9
10/19/2023	10	15.7	15.7	14.9	14.5	15.6	15.6	16.2	15.9
10/19/2023	11	15.7	15.8	15.3	14.6	15.6	15.7	16.2	15.9
10/19/2023	12	15.8	15.8	15.9	14.6	15.6	15.7	16.2	15.9
10/19/2023	13	15.8	15.8	16.6	14.9	15.7	15.8	16.2	16.0
10/19/2023	14	15.8	15.9	17.1	15.3	15.8	15.9	16.3	16.0
10/19/2023	15	15.9	16.0	17.3	15.8	15.9	16.1	16.3	16.1
10/19/2023	16	16.0	16.0	17.2	16.4	16.1	16.2	16.3	16.2
10/19/2023	17	16.0	16.0	16.8	16.9	16.2	16.2	16.4	16.2
10/19/2023	18	16.0	16.1	16.5	17.1	16.2	16.3	16.4	16.2
10/19/2023	19	16.0	16.1	16.0	17.0	16.3	16.3	16.4	16.2
10/19/2023	20	16.0	16.1	15.7	16.8	16.2	16.3	16.4	16.2
10/19/2023	21	16.0	16.1	15.5	16.5	16.2	16.2	16.4	16.2
10/19/2023	22	16.0	16.0	15.4	16.2	16.1	16.2	16.4	16.2
10/19/2023	23	16.0	16.0	15.3	15.8	16.1	16.1	16.4	16.2
10/19/2023	24	16.0	16.0	15.2	15.6	16.0	16.0	16.4	16.2
10/20/2023	1	16.0	16.0	15.2	15.4	16.0	16.0	16.4	16.1
10/20/2023	2	16.0	16.0	15.2	15.3	15.9	15.9	16.4	16.1
10/20/2023	3	15.9	15.9	15.1	15.2	15.9	15.9	16.3	16.1
10/20/2023	4	15.9	15.9	15.1	15.1	15.8	15.8	16.3	16.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/20/2023	5	15.9	15.9	15.0	15.1	15.8	15.8	16.3	16.1
10/20/2023	6	15.9	15.9	15.0	15.0	15.8	15.8	16.3	16.0
10/20/2023	7	15.9	15.9	15.0	14.9	15.7	15.7	16.3	16.0
10/20/2023	8	15.8	15.8	15.0	14.9	15.7	15.7	16.3	16.0
10/20/2023	9	15.8	15.8	15.1	14.9	15.7	15.7	16.3	16.0
10/20/2023	10	15.8	15.9	15.3	15.1	15.7	15.8	16.3	16.0
10/20/2023	11	15.8	15.9	15.8	15.2	15.8	15.9	16.3	16.0
10/20/2023	12	15.9	15.9	16.4	15.4	15.8	15.9	16.3	16.0
10/20/2023	13	15.9	16.0	16.9	15.6	15.9	16.0	16.3	16.1
10/20/2023	14	15.9	16.0	17.3	15.9	16.0	16.2	16.3	16.2
10/20/2023	15	16.0	16.1	17.5	16.3	16.1	16.2	16.4	16.2
10/20/2023	16	16.1	16.2	17.3	16.8	16.2	16.4	16.4	16.3
10/20/2023	17	16.1	16.2	17.0	17.2	16.3	16.4	16.4	16.3
10/20/2023	18	16.2	16.2	16.6	17.3	16.4	16.5	16.4	16.4
10/20/2023	19	16.2	16.2	16.2	17.2	16.4	16.5	16.5	16.4
10/20/2023	20	16.2	16.2	15.9	16.9	16.4	16.4	16.5	16.3
10/20/2023	21	16.2	16.2	15.7	16.6	16.3	16.3	16.5	16.3
10/20/2023	22	16.1	16.1	15.5	16.3	16.2	16.2	16.5	16.2
10/20/2023	23	16.1	16.1	15.4	16.0	16.2	16.2	16.4	16.2
10/20/2023	24	16.0	16.1	15.4	15.8	16.1	16.1	16.4	16.2
10/21/2023	1	16.0	16.0	15.3	15.6	16.0	16.0	16.4	16.2
10/21/2023	2	16.0	16.0	15.2	15.4	16.0	16.0	16.4	16.2
10/21/2023	3	16.0	16.0	15.1	15.2	15.9	15.9	16.4	16.1
10/21/2023	4	15.9	15.9	15.0	15.1	15.9	15.8	16.3	16.1
10/21/2023	5	15.9	15.9	14.9	15.0	15.8	15.8	16.3	16.1
10/21/2023	6	15.9	15.9	14.8	14.9	15.8	15.8	16.3	16.1
10/21/2023	7	15.9	15.8	14.7	14.8	15.7	15.7	16.3	16.0
10/21/2023	8	15.8	15.8	14.7	14.7	15.7	15.7	16.3	16.0
10/21/2023	9	15.8	15.8	14.8	14.7	15.7	15.7	16.3	16.0
10/21/2023	10	15.8	15.8	15.1	14.8	15.7	15.7	16.3	16.0
10/21/2023	11	15.8	15.9	15.5	14.8	15.7	15.8	16.3	16.0
10/21/2023	12	15.8	15.9	16.0	15.1	15.8	15.9	16.3	16.0
10/21/2023	13	15.9	15.9	16.5	15.3	15.8	16.0	16.3	16.1
10/21/2023	14	15.9	16.0	16.8	15.6	15.9	16.0	16.3	16.1
10/21/2023	15	16.0	16.0	17.1	15.9	16.0	16.1	16.3	16.1
10/21/2023	16	16.0	16.1	17.0	16.3	16.1	16.2	16.3	16.2
10/21/2023	17	16.0	16.1	16.8	16.7	16.2	16.2	16.3	16.2
10/21/2023	18	16.1	16.1	16.4	16.8	16.2	16.3	16.3	16.2
10/21/2023	19	16.0	16.1	16.1	16.8	16.2	16.3	16.3	16.2
10/21/2023	20	16.0	16.1	15.8	16.6	16.2	16.2	16.4	16.2
10/21/2023	21	16.0	16.1	15.6	16.4	16.2	16.2	16.3	16.2
10/21/2023	22	16.0	16.0	15.5	16.1	16.1	16.1	16.3	16.2
10/21/2023	23	16.0	16.0	15.5	15.9	16.1	16.1	16.3	16.1
10/21/2023	24	16.0	16.0	15.4	15.7	16.0	16.0	16.3	16.1
10/22/2023	1	16.0	16.0	15.4	15.6	16.0	15.9	16.3	16.1
10/22/2023	2	15.9	15.9	15.3	15.4	15.9	15.9	16.3	16.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/22/2023	3	15.9	15.9	15.3	15.4	15.9	15.9	16.3	16.1
10/22/2023	4	15.9	15.9	15.3	15.3	15.9	15.9	16.3	16.0
10/22/2023	5	15.9	15.9	15.3	15.3	15.8	15.8	16.3	16.0
10/22/2023	6	15.9	15.8	15.2	15.3	15.8	15.8	16.3	16.0
10/22/2023	7	15.8	15.8	15.1	15.2	15.8	15.8	16.3	16.0
10/22/2023	8	15.8	15.8	15.1	15.2	15.8	15.8	16.3	16.0
10/22/2023	9	15.8	15.8	15.1	15.2	15.8	15.8	16.3	16.0
10/22/2023	10	15.8	15.8	15.4	15.3	15.8	15.8	16.3	16.0
10/22/2023	11	15.8	15.9	15.7	15.3	15.8	15.9	16.3	16.0
10/22/2023	12	15.8	15.9	16.2	15.4	15.8	15.9	16.3	16.0
10/22/2023	13	15.9	16.0	16.7	15.7	15.9	16.0	16.3	16.1
10/22/2023	14	15.9	16.1	17.2	16.0	16.0	16.1	16.3	16.1
10/22/2023	15	16.0	16.1	17.3	16.2	16.1	16.2	16.3	16.2
10/22/2023	16	16.0	16.1	17.2	16.6	16.2	16.2	16.4	16.2
10/22/2023	17	16.0	16.1	16.8	16.9	16.2	16.3	16.4	16.2
10/22/2023	18	16.0	16.1	16.3	17.0	16.3	16.3	16.4	16.2
10/22/2023	19	16.0	16.1	15.8	16.9	16.3	16.3	16.4	16.2
10/22/2023	20	16.0	16.0	15.5	16.7	16.2	16.2	16.4	16.2
10/22/2023	21	16.0	16.0	15.3	16.3	16.2	16.2	16.4	16.2
10/22/2023	22	16.0	16.0	15.1	15.9	16.1	16.0	16.4	16.1
10/22/2023	23	16.0	15.9	15.0	15.6	16.0	15.9	16.4	16.1
10/22/2023	24	15.9	15.9	14.9	15.3	15.9	15.9	16.3	16.1
10/23/2023	1	15.9	15.9	14.8	15.1	15.8	15.8	16.3	16.0
10/23/2023	2	15.9	15.8	14.7	14.9	15.8	15.7	16.3	16.0
10/23/2023	3	15.8	15.8	14.6	14.7	15.7	15.7	16.2	16.0
10/23/2023	4	15.8	15.7	14.5	14.6	15.7	15.6	16.2	16.0
10/23/2023	5	15.8	15.7	14.5	14.5	15.7	15.6	16.2	15.9
10/23/2023	6	15.8	15.7	14.4	14.4	15.6	15.6	16.2	15.9
10/23/2023	7	15.7	15.7	14.3	14.3	15.6	15.5	16.1	15.9
10/23/2023	8	15.7	15.7	14.3	14.2	15.5	15.5	16.1	15.8
10/23/2023	9	15.7	15.7	14.3	14.1	15.5	15.4	16.1	15.8
10/23/2023	10	15.6	15.6	14.5	14.2	15.4	15.4	16.1	15.8
10/23/2023	11	15.6	15.6	14.7	14.2	15.4	15.4	16.1	15.7
10/23/2023	12	15.6	15.6	15.3	14.5	15.5	15.6	16.0	15.8
10/23/2023	13	15.6	15.7	15.8	14.6	15.5	15.6	16.0	15.8
10/23/2023	14	15.7	15.7	16.2	14.7	15.6	15.6	16.0	15.8
10/23/2023	15	15.7	15.7	16.2	15.0	15.6	15.7	16.0	15.9
10/23/2023	16	15.7	15.7	15.9	15.3	15.7	15.7	16.0	15.9
10/23/2023	17	15.7	15.6	15.3	15.5	15.7	15.7	15.9	15.8
10/23/2023	18	15.6	15.6	14.8	15.4	15.7	15.6	15.9	15.7
10/23/2023	19	15.6	15.5	14.3	15.1	15.6	15.5	15.9	15.7
10/23/2023	20	15.5	15.5	14.0	14.7	15.4	15.4	15.9	15.6
10/23/2023	21	15.5	15.4	13.8	14.4	15.3	15.2	15.8	15.5
10/23/2023	22	15.4	15.4	13.8	14.1	15.2	15.2	15.8	15.5
10/23/2023	23	15.4	15.3	13.8	13.9	15.2	15.1	15.8	15.5
10/23/2023	24	15.3	15.2	13.8	13.7	15.1	15.0	15.7	15.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/24/2023	1	15.3	15.2	13.8	13.6	15.0	15.0	15.7	15.4
10/24/2023	2	15.2	15.1	13.7	13.5	15.0	14.9	15.6	15.4
10/24/2023	3	15.2	15.1	13.7	13.4	15.0	14.9	15.6	15.3
10/24/2023	4	15.2	15.1	13.6	13.4	14.9	14.9	15.6	15.3
10/24/2023	5	15.2	15.0	13.5	13.4	14.9	14.9	15.5	15.3
10/24/2023	6	15.2	15.0	13.5	13.3	14.9	14.8	15.5	15.3
10/24/2023	7	15.1	15.0	13.5	13.3	14.9	14.8	15.5	15.2
10/24/2023	8	15.1	15.0	13.5	13.2	14.8	14.8	15.5	15.2
10/24/2023	9	15.1	15.0	13.5	13.2	14.8	14.7	15.5	15.2
10/24/2023	10	15.0	15.0	13.6	13.2	14.7	14.7	15.4	15.1
10/24/2023	11	15.0	15.0	14.0	13.3	14.7	14.7	15.4	15.1
10/24/2023	12	15.0	15.0	14.4	13.5	14.8	14.8	15.4	15.2
10/24/2023	13	15.0	15.0	14.8	13.7	14.8	14.9	15.4	15.2
10/24/2023	14	15.0	15.0	14.9	13.8	14.9	14.9	15.4	15.2
10/24/2023	15	15.0	15.1	15.0	14.1	14.9	15.0	15.4	15.2
10/24/2023	16	15.1	15.1	14.9	14.4	15.0	15.0	15.4	15.2
10/24/2023	17	15.1	15.0	14.6	14.5	15.0	15.0	15.4	15.2
10/24/2023	18	15.0	15.0	14.3	14.5	15.0	14.9	15.4	15.2
10/24/2023	19	15.0	15.0	14.1	14.4	15.0	14.9	15.4	15.2
10/24/2023	20	15.0	15.0	13.9	14.2	14.9	14.9	15.4	15.1
10/24/2023	21	15.0	14.9	13.8	14.0	14.9	14.8	15.3	15.1
10/24/2023	22	15.0	14.9	13.8	13.8	14.8	14.8	15.3	15.1
10/24/2023	23	14.9	14.9	13.8	13.7	14.8	14.7	15.3	15.1
10/24/2023	24	14.9	14.8	13.7	13.5	14.7	14.7	15.2	15.0
10/25/2023	1	14.9	14.8	13.6	13.4	14.7	14.6	15.2	15.0
10/25/2023	2	14.9	14.8	13.5	13.4	14.6	14.6	15.2	14.9
10/25/2023	3	14.8	14.7	13.4	13.3	14.6	14.5	15.1	14.8
10/25/2023	4	14.8	14.6	13.3	13.2	14.5	14.5	15.1	14.9
10/25/2023	5	14.8	14.6	13.2	13.1	14.5	14.4	15.0	14.8
10/25/2023	6	14.7	14.5	13.0	12.9	14.4	14.3	15.0	14.8
10/25/2023	7	14.7	14.5	12.9	12.8	14.3	14.2	15.0	14.7
10/25/2023	8	14.6	14.4	12.8	12.7	14.3	14.2	14.9	14.6
10/25/2023	9	14.5	14.4	12.8	12.6	14.2	14.1	14.9	14.6
10/25/2023	10	14.4	14.3	12.8	12.5	14.1	14.1	14.8	14.5
10/25/2023	11	14.4	14.3	12.9	12.5	14.1	14.1	14.8	14.5
10/25/2023	12	14.4	14.3	13.0	12.5	14.1	14.1	14.7	14.5
10/25/2023	13	14.4	14.3	13.1	12.5	14.1	14.1	14.7	14.5
10/25/2023	14	14.4	14.3	13.2	12.7	14.1	14.1	14.7	14.5
10/25/2023	15	14.4	14.3	13.2	12.7	14.1	14.1	14.7	14.5
10/25/2023	16	14.4	14.3	13.2	12.8	14.1	14.1	14.6	14.5
10/25/2023	17	14.3	14.3	13.1	12.8	14.1	14.1	14.6	14.5
10/25/2023	18	14.3	14.2	13.1	12.9	14.1	14.0	14.6	14.4
10/25/2023	19	14.3	14.2	13.1	12.9	14.1	14.0	14.6	14.4
10/25/2023	20	14.2	14.1	13.0	12.8	14.1	14.0	14.6	14.4
10/25/2023	21	14.2	14.1	13.0	12.8	14.1	14.0	14.6	14.4
10/25/2023	22	14.3	14.2	12.9	12.8	14.1	14.0	14.6	14.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/25/2023	23	14.3	14.2	12.9	12.7	14.1	14.0	14.6	14.4
10/25/2023	24	14.3	14.2	12.8	12.7	14.1	14.0	14.6	14.4
10/26/2023	1	14.3	14.2	12.8	12.6	14.1	14.0	14.6	14.4
10/26/2023	2	14.3	14.2	12.9	12.6	14.1	14.0	14.6	14.4
10/26/2023	3	14.3	14.2	12.9	12.5	14.0	14.0	14.6	14.4
10/26/2023	4	14.3	14.2	13.0	12.5	14.0	14.0	14.6	14.4
10/26/2023	5	14.2	14.2	13.0	12.5	14.0	14.0	14.6	14.4
10/26/2023	6	14.2	14.1	13.0	12.6	14.0	13.9	14.5	14.3
10/26/2023	7	14.2	14.1	13.0	12.6	14.0	13.9	14.5	14.3
10/26/2023	8	14.2	14.1	13.0	12.6	13.9	13.9	14.5	14.3
10/26/2023	9	14.1	14.0	13.0	12.7	13.9	13.9	14.5	14.2
10/26/2023	10	14.1	14.0	13.0	12.7	13.9	13.8	14.4	14.2
10/26/2023	11	14.1	14.0	13.2	12.8	13.8	13.8	14.4	14.1
10/26/2023	12	14.0	14.0	13.3	12.8	13.8	13.8	14.4	14.1
10/26/2023	13	14.0	14.0	13.6	12.9	13.8	13.9	14.3	14.1
10/26/2023	14	14.0	14.0	13.7	13.0	13.8	13.8	14.3	14.1
10/26/2023	15	14.0	14.0	13.7	13.1	13.9	13.9	14.3	14.1
10/26/2023	16	14.0	13.9	13.7	13.3	13.9	13.9	14.3	14.1
10/26/2023	17	14.0	13.9	13.5	13.4	13.9	13.9	14.3	14.1
10/26/2023	18	14.0	13.9	13.4	13.4	13.9	13.9	14.3	14.1
10/26/2023	19	14.0	13.9	13.1	13.3	13.9	13.9	14.3	14.1
10/26/2023	20	14.0	13.9	12.9	13.2	13.9	13.9	14.3	14.1
10/26/2023	21	14.0	13.9	12.8	13.1	13.9	13.8	14.3	14.1
10/26/2023	22	14.0	13.9	12.7	12.9	13.8	13.8	14.3	14.1
10/26/2023	23	14.0	13.8	12.7	12.7	13.8	13.7	14.2	14.1
10/26/2023	24	13.9	13.8	12.6	12.5	13.7	13.7	14.2	14.1
10/27/2023	1	13.9	13.8	12.5	12.4	13.7	13.6	14.2	14.0
10/27/2023	2	13.8	13.8	12.4	12.3	13.6	13.6	14.1	14.0
10/27/2023	3	13.8	13.7	12.4	12.1	13.5	13.5	14.1	13.9
10/27/2023	4	13.8	13.6	12.2	12.0	13.5	13.4	14.1	13.9
10/27/2023	5	13.7	13.6	12.0	11.9	13.4	13.4	14.0	13.8
10/27/2023	6	13.7	13.5	11.9	11.8	13.4	13.3	14.0	13.8
10/27/2023	7	13.6	13.4	11.8	11.7	13.3	13.2	14.0	13.7
10/27/2023	8	13.6	13.4	11.6	11.6	13.2	13.2	13.9	13.7
10/27/2023	9	13.5	13.4	11.6	11.4	13.2	13.1	13.9	13.6
10/27/2023	10	13.5	13.4	11.8	11.6	13.2	13.1	13.9	13.6
10/27/2023	11	13.5	13.4	12.1	11.6	13.2	13.2	13.9	13.6
10/27/2023	12	13.5	13.4	12.6	11.6	13.1	13.2	13.8	13.6
10/27/2023	13	13.5	13.4	13.1	11.6	13.1	13.2	13.8	13.6
10/27/2023	14	13.5	13.4	13.5	11.8	13.2	13.2	13.8	13.6
10/27/2023	15	13.5	13.4	13.7	12.1	13.3	13.3	13.8	13.6
10/27/2023	16	13.5	13.4	13.4	12.6	13.4	13.3	13.8	13.7
10/27/2023	17	13.5	13.4	13.1	12.9	13.4	13.4	13.8	13.7
10/27/2023	18	13.5	13.4	12.7	13.0	13.5	13.4	13.8	13.7
10/27/2023	19	13.5	13.4	12.3	12.9	13.5	13.4	13.8	13.7
10/27/2023	20	13.6	13.4	12.0	12.6	13.4	13.4	13.9	13.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/27/2023	21	13.6	13.4	11.9	12.3	13.4	13.4	13.9	13.7
10/27/2023	22	13.5	13.4	11.7	12.0	13.4	13.3	13.9	13.7
10/27/2023	23	13.5	13.3	11.6	11.7	13.3	13.2	13.8	13.6
10/27/2023	24	13.5	13.3	11.6	11.5	13.2	13.1	13.8	13.6
10/28/2023	1	13.5	13.3	11.5	11.3	13.1	13.0	13.8	13.5
10/28/2023	2	13.4	13.2	11.5	11.2	13.1	13.0	13.7	13.5
10/28/2023	3	13.4	13.2	11.4	11.1	13.0	12.9	13.7	13.5
10/28/2023	4	13.3	13.2	11.3	11.0	12.9	12.9	13.6	13.4
10/28/2023	5	13.3	13.1	11.3	10.9	12.9	12.8	13.6	13.4
10/28/2023	6	13.2	13.0	11.2	10.9	12.8	12.8	13.5	13.4
10/28/2023	7	13.2	13.0	11.2	10.8	12.8	12.7	13.5	13.3
10/28/2023	8	13.2	12.9	11.2	10.7	12.8	12.7	13.4	13.3
10/28/2023	9	13.1	12.9	11.1	10.7	12.7	12.6	13.4	13.2
10/28/2023	10	13.1	12.9	11.3	10.9	12.7	12.6	13.3	13.2
10/28/2023	11	13.0	12.9	11.7	11.0	12.7	12.7	13.3	13.1
10/28/2023	12	13.0	12.9	12.1	11.0	12.7	12.7	13.4	13.1
10/28/2023	13	13.0	12.9	12.7	11.1	12.7	12.8	13.4	13.2
10/28/2023	14	13.1	13.0	13.1	11.4	12.8	12.9	13.5	13.3
10/28/2023	15	13.1	13.0	13.3	11.7	12.9	13.0	13.5	13.3
10/28/2023	16	13.2	13.1	13.0	12.2	13.1	13.1	13.6	13.4
10/28/2023	17	13.3	13.2	12.8	12.6	13.2	13.1	13.6	13.5
10/28/2023	18	13.3	13.2	12.4	12.6	13.2	13.2	13.6	13.5
10/28/2023	19	13.3	13.2	12.1	12.5	13.2	13.2	13.6	13.5
10/28/2023	20	13.3	13.2	11.8	12.3	13.2	13.2	13.7	13.5
10/28/2023	21	13.3	13.2	11.6	12.0	13.2	13.1	13.7	13.5
10/28/2023	22	13.3	13.1	11.5	11.7	13.1	13.1	13.7	13.5
10/28/2023	23	13.3	13.1	11.5	11.5	13.1	13.0	13.6	13.4
10/28/2023	24	13.3	13.1	11.4	11.2	13.0	12.9	13.6	13.4
10/29/2023	1	13.2	13.1	11.4	11.1	12.9	12.8	13.5	13.3
10/29/2023	2	13.2	13.0	11.3	11.0	12.8	12.8	13.5	13.3
10/29/2023	3	13.2	13.0	11.3	10.9	12.8	12.7	13.4	13.2
10/29/2023	4	13.1	12.9	11.2	10.9	12.7	12.7	13.4	13.2
10/29/2023	5	13.1	12.9	11.2	10.8	12.7	12.6	13.3	13.1
10/29/2023	6	13.0	12.8	11.1	10.7	12.6	12.6	13.3	13.1
10/29/2023	7	13.0	12.8	11.1	10.7	12.6	12.5	13.3	13.1
10/29/2023	8	12.9	12.8	11.0	10.6	12.5	12.5	13.3	13.0
10/29/2023	9	12.9	12.7	11.0	10.6	12.5	12.4	13.2	12.9
10/29/2023	10	12.8	12.7	11.2	10.8	12.4	12.4	13.2	12.9
10/29/2023	11	12.8	12.7	11.5	10.9	12.4	12.5	13.2	12.9
10/29/2023	12	12.8	12.7	12.0	10.9	12.5	12.5	13.2	12.9
10/29/2023	13	12.8	12.8	12.5	11.0	12.6	12.6	13.2	13.0
10/29/2023	14	12.9	12.8	12.9	11.2	12.6	12.7	13.2	13.0
10/29/2023	15	12.9	12.8	13.1	11.6	12.8	12.8	13.3	13.1
10/29/2023	16	13.0	12.9	12.9	12.0	12.8	12.9	13.3	13.2
10/29/2023	17	13.0	12.9	12.7	12.4	12.9	12.9	13.3	13.2
10/29/2023	18	13.1	12.9	12.3	12.5	13.0	13.0	13.3	13.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/29/2023	19	13.1	12.9	12.0	12.4	13.0	13.0	13.3	13.2
10/29/2023	20	13.1	12.9	11.7	12.2	13.0	12.9	13.3	13.2
10/29/2023	21	13.1	12.9	11.6	12.0	12.9	12.9	13.3	13.2
10/29/2023	22	13.0	12.9	11.4	11.7	12.9	12.8	13.3	13.2
10/29/2023	23	13.0	12.8	11.4	11.4	12.8	12.8	13.3	13.2
10/29/2023	24	13.0	12.8	11.3	11.2	12.8	12.7	13.3	13.1
10/30/2023	1	13.0	12.8	11.2	11.1	12.7	12.6	13.3	13.1
10/30/2023	2	12.9	12.7	11.2	11.0	12.6	12.6	13.2	13.1
10/30/2023	3	12.9	12.7	11.2	10.9	12.6	12.5	13.2	13.0
10/30/2023	4	12.8	12.7	11.1	10.8	12.5	12.4	13.1	13.0
10/30/2023	5	12.8	12.6	11.1	10.7	12.5	12.4	13.1	12.9
10/30/2023	6	12.7	12.6	11.0	10.7	12.4	12.3	13.0	12.9
10/30/2023	7	12.7	12.5	10.9	10.6	12.3	12.3	13.0	12.8
10/30/2023	8	12.6	12.5	10.9	10.6	12.3	12.2	12.9	12.8
10/30/2023	9	12.6	12.4	10.8	10.5	12.2	12.2	12.9	12.7
10/30/2023	10	12.6	12.4	11.1	10.7	12.2	12.2	12.9	12.7
10/30/2023	11	12.6	12.4	11.4	10.7	12.3	12.3	12.9	12.7
10/30/2023	12	12.6	12.5	11.8	10.8	12.3	12.3	12.9	12.7
10/30/2023	13	12.6	12.5	12.4	10.9	12.4	12.4	12.9	12.8
10/30/2023	14	12.7	12.6	12.8	11.2	12.5	12.5	13.0	12.9
10/30/2023	15	12.8	12.7	13.0	11.5	12.6	12.6	13.0	12.9
10/30/2023	16	12.8	12.7	12.8	11.9	12.7	12.7	13.0	13.0
10/30/2023	17	12.8	12.7	12.5	12.3	12.8	12.8	13.1	13.0
10/30/2023	18	12.8	12.7	12.2	12.4	12.8	12.8	13.1	13.0
10/30/2023	19	12.8	12.7	11.9	12.3	12.8	12.8	13.1	13.0
10/30/2023	20	12.8	12.7	11.6	12.1	12.8	12.7	13.2	13.0
10/30/2023	21	12.8	12.7	11.4	11.8	12.7	12.7	13.2	13.0
10/30/2023	22	12.8	12.6	11.3	11.6	12.6	12.6	13.1	12.9
10/30/2023	23	12.8	12.6	11.2	11.3	12.6	12.5	13.1	12.9
10/30/2023	24	12.7	12.6	11.1	11.1	12.5	12.4	13.1	12.9
10/31/2023	1	12.7	12.6	11.1	11.0	12.5	12.4	13.0	12.8
10/31/2023	2	12.7	12.5	11.0	10.8	12.4	12.3	13.0	12.8
10/31/2023	3	12.7	12.5	11.0	10.7	12.4	12.3	13.0	12.8
10/31/2023	4	12.6	12.5	10.9	10.6	12.3	12.2	13.0	12.8
10/31/2023	5	12.6	12.5	10.9	10.6	12.3	12.2	12.9	12.7
10/31/2023	6	12.6	12.4	10.8	10.5	12.3	12.2	12.9	12.7
10/31/2023	7	12.6	12.4	10.8	10.4	12.2	12.2	12.9	12.7
10/31/2023	8	12.6	12.4	10.8	10.4	12.2	12.2	12.9	12.7
10/31/2023	9	12.6	12.4	10.8	10.4	12.2	12.2	12.9	12.7
10/31/2023	10	12.5	12.4	11.1	10.5	12.2	12.2	12.8	12.7
10/31/2023	11	12.5	12.4	11.5	10.7	12.2	12.2	12.9	12.7
10/31/2023	12	12.6	12.5	11.9	10.8	12.3	12.3	12.9	12.7
10/31/2023	13	12.6	12.5	12.3	11.0	12.3	12.4	12.9	12.8
10/31/2023	14	12.6	12.6	12.6	11.2	12.4	12.4	13.0	12.8
10/31/2023	15	12.7	12.6	12.7	11.6	12.5	12.5	13.0	12.8
10/31/2023	16	12.7	12.7	12.7	12.0	12.6	12.6	13.0	12.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
10/31/2023	17	12.7	12.7	12.5	12.2	12.6	12.7	13.0	12.9
10/31/2023	18	12.7	12.6	12.3	12.3	12.7	12.7	13.1	12.8
10/31/2023	19	12.7	12.6	12.0	12.3	12.7	12.6	13.0	12.8
10/31/2023	20	12.7	12.6	11.7	12.1	12.6	12.6	13.0	12.8
10/31/2023	21	12.7	12.6	11.5	11.9	12.6	12.6	13.0	12.8
10/31/2023	22	12.7	12.5	11.3	11.7	12.5	12.5	13.0	12.8
10/31/2023	23	12.7	12.5	11.2	11.4	12.5	12.4	13.0	12.8
10/31/2023	24	12.6	12.5	11.2	11.2	12.4	12.4	13.0	12.8
11/1/2023	1	12.6	12.5	11.1	11.0	12.4	12.3	12.9	12.8
11/1/2023	2	12.6	12.5	11.0	10.9	12.4	12.3	12.9	12.8
11/1/2023	3	12.6	12.5	11.0	10.8	12.3	12.3	12.9	12.8
11/1/2023	4	12.6	12.5	11.1	10.7	12.3	12.3	12.9	12.7
11/1/2023	5	12.6	12.5	11.1	10.7	12.3	12.2	12.9	12.7
11/1/2023	6	12.6	12.5	11.1	10.7	12.2	12.2	12.8	12.7
11/1/2023	7	12.5	12.4	11.2	10.7	12.2	12.2	12.8	12.6
11/1/2023	8	12.5	12.4	11.2	10.7	12.2	12.2	12.8	12.6
11/1/2023	9	12.5	12.4	11.2	10.8	12.2	12.2	12.8	12.6
11/1/2023	10	12.5	12.4	11.4	10.9	12.2	12.2	12.7	12.6
11/1/2023	11	12.5	12.4	11.6	11.0	12.2	12.2	12.8	12.6
11/1/2023	12	12.4	12.4	11.9	11.2	12.2	12.2	12.8	12.6
11/1/2023	13	12.5	12.4	12.1	11.2	12.2	12.3	12.8	12.6
11/1/2023	14	12.5	12.4	12.3	11.5	12.3	12.4	12.8	12.6
11/1/2023	15	12.5	12.5	12.4	11.7	12.4	12.4	12.9	12.7
11/1/2023	16	12.5	12.5	12.4	11.9	12.4	12.5	12.9	12.7
11/1/2023	17	12.6	12.5	12.3	12.0	12.5	12.5	12.9	12.7
11/1/2023	18	12.6	12.5	12.1	12.1	12.5	12.5	12.9	12.7
11/1/2023	19	12.6	12.5	12.0	12.1	12.5	12.5	12.9	12.7
11/1/2023	20	12.6	12.5	11.9	12.0	12.5	12.5	12.9	12.7
11/1/2023	21	12.6	12.5	11.9	12.0	12.5	12.5	12.9	12.7
11/1/2023	22	12.6	12.5	11.9	11.8	12.5	12.5	12.9	12.7
11/1/2023	23	12.6	12.5	11.9	11.8	12.5	12.5	12.9	12.7
11/1/2023	24	12.6	12.5	11.8	11.7	12.5	12.5	12.9	12.7
11/2/2023	1	12.6	12.5	11.8	11.7	12.5	12.5	12.9	12.7
11/2/2023	2	12.6	12.5	11.8	11.6	12.5	12.4	12.9	12.7
11/2/2023	3	12.6	12.5	11.8	11.6	12.5	12.4	12.9	12.7
11/2/2023	4	12.6	12.5	11.8	11.6	12.4	12.4	12.9	12.7
11/2/2023	5	12.6	12.5	11.7	11.6	12.4	12.4	12.9	12.7
11/2/2023	6	12.5	12.5	11.7	11.6	12.4	12.4	12.9	12.7
11/2/2023	7	12.5	12.5	11.7	11.6	12.4	12.4	12.8	12.6
11/2/2023	8	12.5	12.4	11.7	11.5	12.4	12.3	12.8	12.6
11/2/2023	9	12.5	12.4	11.7	11.5	12.3	12.3	12.8	12.6
11/2/2023	10	12.5	12.4	11.8	11.5	12.4	12.4	12.8	12.6
11/2/2023	11	12.5	12.5	11.9	11.6	12.4	12.4	12.8	12.6
11/2/2023	12	12.5	12.5	12.1	11.7	12.4	12.4	12.8	12.6
11/2/2023	13	12.5	12.5	12.4	11.8	12.4	12.5	12.9	12.6
11/2/2023	14	12.5	12.5	12.6	12.0	12.5	12.6	12.9	12.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/2/2023	15	12.5	12.5	12.6	12.1	12.5	12.6	12.9	12.7
11/2/2023	16	12.6	12.5	12.6	12.4	12.5	12.6	12.9	12.7
11/2/2023	17	12.6	12.6	12.6	12.6	12.6	12.6	12.9	12.7
11/2/2023	18	12.6	12.5	12.3	12.5	12.6	12.6	12.9	12.7
11/2/2023	19	12.6	12.5	12.1	12.4	12.6	12.6	12.9	12.7
11/2/2023	20	12.6	12.5	11.9	12.3	12.6	12.6	12.9	12.7
11/2/2023	21	12.6	12.5	11.7	12.1	12.5	12.5	12.9	12.7
11/2/2023	22	12.5	12.5	11.7	11.9	12.5	12.5	12.9	12.7
11/2/2023	23	12.5	12.5	11.6	11.7	12.5	12.4	12.9	12.7
11/2/2023	24	12.5	12.5	11.6	11.6	12.4	12.4	12.9	12.7
11/3/2023	1	12.5	12.5	11.5	11.5	12.4	12.4	12.9	12.7
11/3/2023	2	12.5	12.5	11.5	11.5	12.4	12.4	12.8	12.7
11/3/2023	3	12.5	12.5	11.5	11.4	12.4	12.3	12.8	12.7
11/3/2023	4	12.5	12.5	11.6	11.4	12.4	12.4	12.8	12.7
11/3/2023	5	12.5	12.5	11.6	11.4	12.4	12.4	12.8	12.7
11/3/2023	6	12.5	12.5	11.7	11.4	12.4	12.4	12.8	12.7
11/3/2023	7	12.5	12.5	11.8	11.4	12.4	12.4	12.8	12.7
11/3/2023	8	12.5	12.5	11.9	11.5	12.4	12.4	12.8	12.7
11/3/2023	9	12.5	12.5	11.9	11.6	12.4	12.4	12.8	12.7
11/3/2023	10	12.5	12.5	12.0	11.7	12.4	12.4	12.9	12.7
11/3/2023	11	12.5	12.5	12.2	11.8	12.4	12.5	12.9	12.7
11/3/2023	12	12.5	12.5	12.3	11.9	12.4	12.5	12.9	12.7
11/3/2023	13	12.5	12.5	12.5	12.0	12.5	12.5	12.9	12.7
11/3/2023	14	12.5	12.6	12.6	12.2	12.5	12.6	12.9	12.7
11/3/2023	15	12.5	12.6	12.7	12.4	12.6	12.6	12.9	12.7
11/3/2023	16	12.6	12.6	12.6	12.4	12.6	12.6	12.9	12.7
11/3/2023	17	12.6	12.6	12.5	12.5	12.6	12.6	13.0	12.8
11/3/2023	18	12.6	12.6	12.3	12.5	12.6	12.7	13.0	12.8
11/3/2023	19	12.6	12.6	12.2	12.5	12.7	12.7	13.0	12.8
11/3/2023	20	12.6	12.6	12.2	12.4	12.7	12.7	13.0	12.8
11/3/2023	21	12.7	12.7	12.1	12.2	12.7	12.7	13.0	12.8
11/3/2023	22	12.7	12.7	12.1	12.2	12.7	12.7	13.0	12.8
11/3/2023	23	12.7	12.7	12.1	12.1	12.7	12.7	13.0	12.8
11/3/2023	24	12.7	12.7	12.1	12.1	12.7	12.7	13.0	12.8
11/4/2023	1	12.7	12.7	12.1	12.0	12.6	12.6	13.0	12.8
11/4/2023	2	12.7	12.7	12.1	12.0	12.6	12.6	13.0	12.8
11/4/2023	3	12.7	12.7	12.1	12.0	12.6	12.6	13.0	12.8
11/4/2023	4	12.6	12.7	12.1	12.0	12.6	12.6	13.0	12.8
11/4/2023	5	12.6	12.7	12.1	12.0	12.6	12.6	13.0	12.8
11/4/2023	6	12.6	12.6	12.1	12.0	12.6	12.6	13.0	12.8
11/4/2023	7	12.6	12.6	12.1	12.0	12.6	12.6	13.0	12.8
11/4/2023	8	12.6	12.6	12.1	12.0	12.6	12.6	13.0	12.8
11/4/2023	9	12.6	12.6	12.1	12.1	12.6	12.6	13.0	12.8
11/4/2023	10	12.6	12.6	12.2	12.1	12.6	12.6	13.0	12.8
11/4/2023	11	12.6	12.6	12.2	12.1	12.6	12.6	12.9	12.7
11/4/2023	12	12.6	12.6	12.3	12.1	12.5	12.6	12.9	12.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/4/2023	13	12.6	12.6	12.4	12.1	12.6	12.6	13.0	12.8
11/4/2023	14	12.6	12.6	12.4	12.2	12.6	12.6	13.0	12.8
11/4/2023	15	12.6	12.7	12.6	12.3	12.6	12.7	13.0	12.8
11/4/2023	16	12.6	12.7	12.6	12.3	12.7	12.7	13.0	12.8
11/4/2023	17	12.7	12.7	12.7	12.4	12.7	12.7	13.0	12.8
11/4/2023	18	12.7	12.7	12.6	12.5	12.7	12.7	13.1	12.8
11/4/2023	19	12.7	12.7	12.5	12.5	12.7	12.8	13.1	12.8
11/4/2023	20	12.7	12.7	12.4	12.5	12.7	12.8	13.1	12.9
11/4/2023	21	12.7	12.7	12.4	12.5	12.7	12.8	13.1	12.9
11/4/2023	22	12.7	12.7	12.3	12.4	12.7	12.7	13.1	12.8
11/4/2023	23	12.7	12.7	12.3	12.4	12.7	12.7	13.1	12.8
11/4/2023	24	12.7	12.7	12.3	12.3	12.7	12.7	13.1	12.8
11/5/2023	1	12.7	12.7	12.3	12.3	12.7	12.7	13.1	12.8
11/5/2023	2	12.7	12.7	12.2	12.2	12.7	12.7	13.0	12.8
11/5/2023	3	12.6	12.6	12.1	12.2	12.7	12.6	13.0	12.8
11/5/2023	4	12.6	12.6	12.0	12.1	12.6	12.6	13.0	12.8
11/5/2023	5	12.6	12.6	11.9	12.1	12.6	12.6	13.0	12.8
11/5/2023	6	12.6	12.6	11.7	12.0	12.6	12.5	12.9	12.8
11/5/2023	7	12.6	12.5	11.7	11.8	12.5	12.5	12.9	12.7
11/5/2023	8	12.5	12.5	11.6	11.7	12.5	12.5	12.9	12.7
11/5/2023	9	12.5	12.5	11.7	11.6	12.4	12.4	12.9	12.7
11/5/2023	10	12.5	12.5	11.8	11.6	12.4	12.4	12.9	12.7
11/5/2023	11	12.5	12.5	12.1	11.7	12.4	12.5	12.9	12.7
11/5/2023	12	12.5	12.5	12.3	11.8	12.4	12.5	12.9	12.7
11/5/2023	13	12.5	12.6	12.6	11.9	12.5	12.5	12.9	12.7
11/5/2023	14	12.5	12.6	12.7	12.1	12.5	12.5	12.9	12.7
11/5/2023	15	12.5	12.5	12.8	12.4	12.5	12.6	12.9	12.7
11/5/2023	16	12.5	12.5	12.7	12.5	12.6	12.6	12.9	12.7
11/5/2023	17	12.5	12.5	12.5	12.6	12.6	12.6	12.9	12.7
11/5/2023	18	12.5	12.5	12.3	12.6	12.6	12.6	12.9	12.7
11/5/2023	19	12.5	12.5	12.1	12.5	12.6	12.6	12.9	12.6
11/5/2023	20	12.5	12.4	11.9	12.4	12.5	12.5	12.9	12.6
11/5/2023	21	12.5	12.5	11.9	12.2	12.5	12.5	12.9	12.6
11/5/2023	22	12.5	12.5	11.9	12.1	12.5	12.5	12.9	12.6
11/5/2023	23	12.5	12.5	12.0	12.0	12.4	12.4	12.8	12.6
11/5/2023	24	12.5	12.5	12.0	11.9	12.4	12.4	12.8	12.6
11/6/2023	1	12.5	12.5	12.0	11.9	12.4	12.4	12.8	12.6
11/6/2023	2	12.5	12.5	12.0	11.9	12.4	12.4	12.8	12.6
11/6/2023	3	12.5	12.5	12.0	11.9	12.4	12.4	12.8	12.6
11/6/2023	4	12.5	12.5	12.1	12.0	12.4	12.5	12.8	12.6
11/6/2023	5	12.5	12.5	12.1	12.0	12.4	12.5	12.8	12.6
11/6/2023	6	12.5	12.5	12.1	12.0	12.4	12.5	12.8	12.6
11/6/2023	7	12.5	12.5	12.1	12.0	12.4	12.5	12.8	12.6
11/6/2023	8	12.5	12.5	12.1	12.0	12.5	12.5	12.8	12.6
11/6/2023	9	12.5	12.5	12.1	12.0	12.4	12.5	12.8	12.6
11/6/2023	10	12.5	12.5	12.1	12.1	12.4	12.5	12.8	12.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/6/2023	11	12.5	12.5	12.1	12.1	12.4	12.5	12.9	12.6
11/6/2023	12	12.5	12.5	12.1	12.1	12.4	12.5	12.9	12.6
11/6/2023	13	12.5	12.5	12.2	12.1	12.4	12.5	12.9	12.6
11/6/2023	14	12.5	12.5	12.3	12.1	12.5	12.5	12.9	12.6
11/6/2023	15	12.5	12.5	12.3	12.2	12.5	12.5	12.9	12.7
11/6/2023	16	12.5	12.5	12.4	12.2	12.5	12.5	12.9	12.7
11/6/2023	17	12.5	12.5	12.4	12.3	12.5	12.6	12.9	12.7
11/6/2023	18	12.5	12.5	12.3	12.3	12.5	12.6	12.9	12.7
11/6/2023	19	12.5	12.5	12.2	12.3	12.5	12.6	12.9	12.7
11/6/2023	20	12.5	12.5	12.1	12.3	12.5	12.5	12.9	12.7
11/6/2023	21	12.5	12.5	12.0	12.2	12.5	12.5	12.9	12.7
11/6/2023	22	12.5	12.5	11.9	12.1	12.5	12.5	12.9	12.7
11/6/2023	23	12.5	12.5	11.9	12.0	12.5	12.5	12.9	12.6
11/6/2023	24	12.5	12.5	11.9	11.9	12.4	12.4	12.8	12.6
11/7/2023	1	12.5	12.5	11.9	11.8	12.4	12.4	12.8	12.6
11/7/2023	2	12.5	12.4	11.9	11.8	12.4	12.4	12.8	12.6
11/7/2023	3	12.4	12.4	11.9	11.8	12.4	12.4	12.8	12.6
11/7/2023	4	12.4	12.4	11.9	11.8	12.4	12.4	12.8	12.6
11/7/2023	5	12.4	12.4	11.9	11.8	12.4	12.4	12.8	12.6
11/7/2023	6	12.4	12.4	11.9	11.8	12.4	12.4	12.8	12.6
11/7/2023	7	12.4	12.4	11.9	11.8	12.4	12.4	12.8	12.6
11/7/2023	8	12.4	12.4	11.8	11.8	12.4	12.4	12.8	12.6
11/7/2023	9	12.4	12.4	11.8	11.8	12.4	12.4	12.9	12.6
11/7/2023	10	12.4	12.4	11.9	11.8	12.4	12.4	12.9	12.6
11/7/2023	11	12.4	12.5	12.1	11.8	12.4	12.4	12.9	12.6
11/7/2023	12	12.5	12.5	12.5	12.1	12.4	12.5	12.9	12.6
11/7/2023	13	12.5	12.5	12.9	12.1	12.5	12.6	12.9	12.7
11/7/2023	14	12.5	12.6	13.2	12.3	12.5	12.6	12.9	12.7
11/7/2023	15	12.5	12.6	13.2	12.5	12.6	12.7	12.9	12.7
11/7/2023	16	12.5	12.6	12.9	12.8	12.6	12.6	12.9	12.7
11/7/2023	17	12.5	12.5	12.5	12.9	12.6	12.6	12.9	12.7
11/7/2023	18	12.5	12.5	12.1	12.8	12.6	12.6	12.9	12.7
11/7/2023	19	12.5	12.5	11.9	12.6	12.6	12.6	12.8	12.7
11/7/2023	20	12.5	12.5	11.7	12.3	12.5	12.5	12.8	12.7
11/7/2023	21	12.4	12.4	11.6	12.0	12.5	12.4	12.8	12.6
11/7/2023	22	12.4	12.4	11.4	11.8	12.4	12.4	12.8	12.6
11/7/2023	23	12.3	12.3	11.3	11.5	12.3	12.3	12.7	12.5
11/7/2023	24	12.3	12.3	11.2	11.3	12.2	12.2	12.7	12.5
11/8/2023	1	12.2	12.2	11.2	11.2	12.2	12.1	12.6	12.5
11/8/2023	2	12.2	12.2	11.1	11.1	12.1	12.1	12.6	12.4
11/8/2023	3	12.2	12.2	11.2	11.0	12.1	12.1	12.6	12.4
11/8/2023	4	12.2	12.2	11.2	11.0	12.1	12.1	12.6	12.4
11/8/2023	5	12.2	12.2	11.2	11.0	12.1	12.0	12.6	12.4
11/8/2023	6	12.2	12.2	11.3	11.0	12.1	12.0	12.5	12.4
11/8/2023	7	12.2	12.2	11.3	11.0	12.1	12.0	12.5	12.3
11/8/2023	8	12.2	12.1	11.3	11.0	12.1	12.0	12.5	12.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/8/2023	9	12.1	12.1	11.3	11.1	12.0	12.0	12.5	12.3
11/8/2023	10	12.1	12.1	11.3	11.2	12.0	12.0	12.5	12.3
11/8/2023	11	12.1	12.1	11.7	11.3	12.0	12.1	12.5	12.3
11/8/2023	12	12.2	12.1	12.0	11.4	12.1	12.1	12.6	12.3
11/8/2023	13	12.2	12.2	12.5	11.4	12.1	12.2	12.7	12.4
11/8/2023	14	12.3	12.2	12.8	11.6	12.2	12.3	12.7	12.4
11/8/2023	15	12.3	12.3	12.9	11.9	12.3	12.4	12.8	12.5
11/8/2023	16	12.3	12.3	12.7	12.3	12.4	12.4	12.8	12.6
11/8/2023	17	12.3	12.3	12.4	12.6	12.4	12.5	12.8	12.6
11/8/2023	18	12.3	12.3	12.1	12.6	12.5	12.5	12.8	12.6
11/8/2023	19	12.3	12.3	11.7	12.4	12.5	12.5	12.8	12.6
11/8/2023	20	12.3	12.3	11.5	12.1	12.4	12.4	12.7	12.5
11/8/2023	21	12.3	12.3	11.4	11.9	12.4	12.3	12.7	12.5
11/8/2023	22	12.3	12.3	11.3	11.6	12.3	12.3	12.7	12.5
11/8/2023	23	12.3	12.2	11.2	11.4	12.2	12.2	12.7	12.5
11/8/2023	24	12.2	12.2	11.1	11.2	12.2	12.1	12.6	12.5
11/9/2023	1	12.2	12.2	11.1	11.1	12.1	12.1	12.6	12.4
11/9/2023	2	12.2	12.2	11.1	11.0	12.1	12.1	12.6	12.4
11/9/2023	3	12.2	12.1	11.0	10.9	12.1	12.0	12.5	12.4
11/9/2023	4	12.1	12.1	11.0	10.9	12.0	12.0	12.5	12.4
11/9/2023	5	12.1	12.1	11.0	10.8	12.0	12.0	12.5	12.3
11/9/2023	6	12.1	12.1	10.9	10.8	12.0	11.9	12.4	12.3
11/9/2023	7	12.1	12.0	10.9	10.7	11.9	11.9	12.4	12.2
11/9/2023	8	12.0	12.0	10.8	10.6	11.9	11.8	12.4	12.2
11/9/2023	9	12.0	12.0	10.9	10.6	11.9	11.9	12.4	12.2
11/9/2023	10	12.0	12.0	11.0	10.6	11.9	11.9	12.4	12.2
11/9/2023	11	12.0	12.0	11.3	10.7	11.9	11.9	12.4	12.2
11/9/2023	12	12.0	12.0	11.5	10.8	11.9	11.9	12.4	12.2
11/9/2023	13	12.0	12.0	11.7	11.0	11.9	11.9	12.4	12.2
11/9/2023	14	12.0	12.1	11.8	11.2	11.9	12.0	12.4	12.2
11/9/2023	15	12.1	12.1	11.9	11.3	12.0	12.0	12.4	12.2
11/9/2023	16	12.1	12.1	11.8	11.5	12.0	12.1	12.4	12.3
11/9/2023	17	12.1	12.1	11.8	11.6	12.1	12.1	12.5	12.3
11/9/2023	18	12.1	12.1	11.7	11.6	12.1	12.1	12.5	12.3
11/9/2023	19	12.1	12.1	11.6	11.6	12.1	12.1	12.5	12.3
11/9/2023	20	12.1	12.1	11.5	11.6	12.1	12.1	12.5	12.2
11/9/2023	21	12.1	12.1	11.5	11.5	12.1	12.1	12.5	12.3
11/9/2023	22	12.1	12.1	11.5	11.5	12.1	12.1	12.4	12.2
11/9/2023	23	12.1	12.1	11.5	11.4	12.0	12.0	12.4	12.2
11/9/2023	24	12.1	12.1	11.5	11.4	12.0	12.0	12.4	12.2
11/10/2023	1	12.1	12.1	11.4	11.3	12.0	12.0	12.4	12.2
11/10/2023	2	12.1	12.1	11.3	11.3	12.0	12.0	12.4	12.2
11/10/2023	3	12.1	12.0	11.2	11.2	12.0	12.0	12.4	12.2
11/10/2023	4	12.0	12.0	11.2	11.2	12.0	12.0	12.4	12.2
11/10/2023	5	12.0	12.0	11.1	11.1	12.0	11.9	12.4	12.2
11/10/2023	6	12.0	12.0	11.2	11.0	11.9	11.9	12.4	12.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/10/2023	7	12.0	12.0	11.2	11.0	11.9	11.9	12.3	12.1
11/10/2023	8	12.0	12.0	11.2	10.9	11.9	11.8	12.3	12.1
11/10/2023	9	11.9	12.0	11.1	10.9	11.8	11.8	12.3	12.1
11/10/2023	10	11.9	12.0	11.2	11.0	11.8	11.8	12.3	12.1
11/10/2023	11	11.9	12.0	11.4	11.0	11.9	11.9	12.3	12.1
11/10/2023	12	11.9	12.0	11.5	11.0	11.9	11.9	12.3	12.1
11/10/2023	13	11.9	12.0	11.6	11.1	11.8	11.9	12.3	12.1
11/10/2023	14	11.9	11.9	11.6	11.2	11.8	11.8	12.3	12.0
11/10/2023	15	11.9	11.9	11.6	11.4	11.8	11.8	12.3	12.0
11/10/2023	16	11.9	11.9	11.5	11.4	11.9	11.9	12.3	12.0
11/10/2023	17	11.9	11.9	11.5	11.4	11.9	11.9	12.3	12.1
11/10/2023	18	11.9	11.9	11.4	11.4	11.9	11.9	12.3	12.1
11/10/2023	19	11.9	11.9	11.3	11.4	11.9	11.9	12.3	12.1
11/10/2023	20	11.9	11.9	11.2	11.3	11.9	11.9	12.3	12.1
11/10/2023	21	11.9	11.9	11.2	11.2	11.9	11.8	12.3	12.1
11/10/2023	22	11.9	11.9	11.2	11.2	11.8	11.8	12.3	12.1
11/10/2023	23	11.9	11.9	11.2	11.1	11.8	11.8	12.3	12.1
11/10/2023	24	11.9	11.9	11.2	11.1	11.8	11.8	12.3	12.1
11/11/2023	1	11.9	11.9	11.2	11.0	11.8	11.8	12.3	12.1
11/11/2023	2	11.9	11.9	11.2	11.0	11.8	11.8	12.2	12.1
11/11/2023	3	11.9	11.9	11.2	11.0	11.8	11.8	12.2	12.1
11/11/2023	4	11.8	11.9	11.2	11.0	11.8	11.8	12.2	12.1
11/11/2023	5	11.8	11.8	11.1	11.0	11.8	11.8	12.2	12.0
11/11/2023	6	11.8	11.8	11.0	10.9	11.8	11.7	12.2	12.0
11/11/2023	7	11.8	11.8	11.0	10.9	11.7	11.7	12.2	12.0
11/11/2023	8	11.8	11.8	10.9	10.9	11.7	11.7	12.2	12.0
11/11/2023	9	11.8	11.8	10.9	10.8	11.7	11.7	12.2	12.0
11/11/2023	10	11.8	11.8	11.1	10.8	11.7	11.7	12.2	12.0
11/11/2023	11	11.8	11.8	11.3	10.8	11.7	11.7	12.2	11.9
11/11/2023	12	11.8	11.8	11.7	11.0	11.7	11.7	12.2	11.9
11/11/2023	13	11.8	11.8	12.1	11.2	11.8	11.8	12.2	11.9
11/11/2023	14	11.8	11.8	12.4	11.3	11.8	11.8	12.2	11.9
11/11/2023	15	11.8	11.8	12.4	11.5	11.8	11.8	12.2	11.9
11/11/2023	16	11.8	11.8	12.1	11.9	11.8	11.9	12.2	12.0
11/11/2023	17	11.8	11.8	11.8	12.1	11.9	11.9	12.2	12.0
11/11/2023	18	11.8	11.8	11.4	12.1	11.9	11.9	12.2	12.0
11/11/2023	19	11.8	11.8	11.2	11.8	11.9	11.9	12.2	12.0
11/11/2023	20	11.8	11.8	11.0	11.6	11.9	11.9	12.2	12.0
11/11/2023	21	11.8	11.8	11.0	11.3	11.8	11.8	12.2	12.0
11/11/2023	22	11.8	11.8	11.0	11.1	11.8	11.8	12.2	12.0
11/11/2023	23	11.8	11.8	10.9	10.9	11.8	11.7	12.2	12.0
11/11/2023	24	11.8	11.8	10.9	10.8	11.8	11.7	12.2	12.0
11/12/2023	1	11.8	11.8	10.8	10.8	11.7	11.7	12.2	12.0
11/12/2023	2	11.7	11.8	10.8	10.7	11.7	11.6	12.1	11.9
11/12/2023	3	11.7	11.7	10.7	10.7	11.7	11.6	12.1	11.9
11/12/2023	4	11.7	11.7	10.7	10.6	11.7	11.6	12.1	11.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/12/2023	5	11.7	11.7	10.7	10.5	11.6	11.5	12.0	11.9
11/12/2023	6	11.6	11.6	10.6	10.5	11.6	11.5	12.0	11.8
11/12/2023	7	11.6	11.6	10.7	10.5	11.6	11.5	12.0	11.8
11/12/2023	8	11.6	11.6	10.7	10.5	11.6	11.5	12.0	11.8
11/12/2023	9	11.6	11.6	10.8	10.5	11.5	11.4	12.0	11.7
11/12/2023	10	11.5	11.6	10.8	10.5	11.5	11.4	12.0	11.7
11/12/2023	11	11.5	11.5	11.0	10.6	11.5	11.4	12.0	11.7
11/12/2023	12	11.5	11.5	11.1	10.7	11.5	11.4	11.9	11.7
11/12/2023	13	11.5	11.5	11.2	10.8	11.5	11.5	11.9	11.7
11/12/2023	14	11.5	11.5	11.3	10.9	11.5	11.5	11.9	11.7
11/12/2023	15	11.5	11.5	11.4	11.0	11.5	11.5	11.9	11.7
11/12/2023	16	11.5	11.5	11.4	11.1	11.5	11.5	11.9	11.7
11/12/2023	17	11.5	11.5	11.3	11.2	11.6	11.6	11.9	11.7
11/12/2023	18	11.5	11.5	11.2	11.2	11.6	11.6	11.9	11.7
11/12/2023	19	11.5	11.5	11.2	11.2	11.6	11.5	11.9	11.7
11/12/2023	20	11.5	11.5	11.1	11.2	11.5	11.5	11.9	11.7
11/12/2023	21	11.5	11.5	11.1	11.2	11.5	11.5	11.9	11.7
11/12/2023	22	11.5	11.5	11.0	11.1	11.5	11.5	11.9	11.7
11/12/2023	23	11.5	11.5	11.0	11.0	11.5	11.5	11.9	11.7
11/12/2023	24	11.5	11.5	11.0	11.0	11.5	11.5	11.9	11.7
11/13/2023	1	11.5	11.5	11.0	10.9	11.5	11.5	11.9	11.7
11/13/2023	2	11.5	11.5	10.9	10.9	11.5	11.5	11.9	11.7
11/13/2023	3	11.5	11.5	10.9	10.9	11.5	11.5	11.9	11.7
11/13/2023	4	11.5	11.5	10.9	10.8	11.5	11.5	11.9	11.7
11/13/2023	5	11.5	11.5	10.8	10.8	11.5	11.5	11.9	11.7
11/13/2023	6	11.5	11.5	10.8	10.8	11.5	11.5	11.9	11.7
11/13/2023	7	11.5	11.5	10.7	10.7	11.5	11.4	11.9	11.7
11/13/2023	8	11.5	11.5	10.6	10.6	11.5	11.4	11.9	11.7
11/13/2023	9	11.5	11.4	10.6	10.6	11.5	11.4	11.9	11.6
11/13/2023	10	11.5	11.5	10.7	10.6	11.4	11.4	11.9	11.6
11/13/2023	11	11.5	11.5	11.0	10.6	11.4	11.4	11.9	11.6
11/13/2023	12	11.5	11.5	11.2	10.6	11.4	11.4	12.0	11.6
11/13/2023	13	11.5	11.5	11.4	10.8	11.5	11.5	12.0	11.7
11/13/2023	14	11.5	11.5	11.8	11.1	11.5	11.6	12.0	11.7
11/13/2023	15	11.6	11.6	11.9	11.1	11.6	11.6	12.0	11.7
11/13/2023	16	11.5	11.6	11.9	11.4	11.6	11.6	12.0	11.8
11/13/2023	17	11.6	11.6	11.6	11.6	11.6	11.6	12.0	11.8
11/13/2023	18	11.5	11.5	11.3	11.7	11.6	11.6	12.0	11.7
11/13/2023	19	11.5	11.5	11.0	11.6	11.6	11.6	11.9	11.7
11/13/2023	20	11.5	11.5	10.8	11.4	11.6	11.6	11.9	11.7
11/13/2023	21	11.5	11.5	10.6	11.1	11.6	11.5	11.9	11.7
11/13/2023	22	11.5	11.5	10.5	10.9	11.5	11.5	11.9	11.7
11/13/2023	23	11.5	11.5	10.4	10.6	11.5	11.4	11.9	11.7
11/13/2023	24	11.5	11.5	10.3	10.4	11.5	11.4	11.9	11.7
11/14/2023	1	11.5	11.4	10.2	10.2	11.4	11.3	11.8	11.7
11/14/2023	2	11.5	11.4	10.1	10.1	11.4	11.3	11.8	11.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/14/2023	3	11.4	11.4	10.1	10.0	11.4	11.2	11.8	11.6
11/14/2023	4	11.4	11.4	10.1	10.0	11.3	11.2	11.8	11.6
11/14/2023	5	11.4	11.4	10.1	9.9	11.3	11.2	11.8	11.6
11/14/2023	6	11.4	11.3	10.0	9.8	11.3	11.2	11.7	11.6
11/14/2023	7	11.3	11.3	10.0	9.7	11.3	11.1	11.7	11.5
11/14/2023	8	11.3	11.3	9.9	9.7	11.2	11.1	11.7	11.5
11/14/2023	9	11.3	11.2	9.9	9.6	11.2	11.1	11.7	11.5
11/14/2023	10	11.3	11.2	9.9	9.7	11.2	11.1	11.7	11.5
11/14/2023	11	11.3	11.2	10.3	9.8	11.2	11.1	11.7	11.5
11/14/2023	12	11.3	11.3	10.7	9.9	11.2	11.2	11.7	11.5
11/14/2023	13	11.3	11.3	11.1	9.9	11.2	11.2	11.7	11.5
11/14/2023	14	11.3	11.3	11.4	10.1	11.2	11.2	11.7	11.5
11/14/2023	15	11.3	11.3	11.5	10.3	11.3	11.2	11.7	11.5
11/14/2023	16	11.3	11.3	11.3	10.8	11.3	11.3	11.7	11.5
11/14/2023	17	11.3	11.2	11.1	11.1	11.3	11.3	11.7	11.5
11/14/2023	18	11.3	11.2	10.7	11.1	11.3	11.3	11.7	11.5
11/14/2023	19	11.3	11.2	10.4	10.9	11.3	11.3	11.7	11.5
11/14/2023	20	11.3	11.2	10.2	10.7	11.3	11.2	11.7	11.5
11/14/2023	21	11.3	11.2	10.0	10.5	11.3	11.2	11.6	11.5
11/14/2023	22	11.3	11.2	9.9	10.2	11.2	11.2	11.6	11.5
11/14/2023	23	11.3	11.2	9.9	10.0	11.2	11.1	11.6	11.4
11/14/2023	24	11.2	11.2	9.9	9.8	11.2	11.0	11.6	11.4
11/15/2023	1	11.2	11.2	9.9	9.7	11.1	11.0	11.6	11.4
11/15/2023	2	11.2	11.2	9.9	9.6	11.1	11.0	11.5	11.4
11/15/2023	3	11.2	11.2	10.0	9.6	11.1	10.9	11.5	11.3
11/15/2023	4	11.1	11.1	10.0	9.6	11.0	10.9	11.5	11.3
11/15/2023	5	11.1	11.1	10.0	9.6	11.0	10.9	11.5	11.3
11/15/2023	6	11.1	11.1	10.0	9.6	11.0	10.9	11.4	11.2
11/15/2023	7	11.1	11.1	10.0	9.7	11.0	10.9	11.4	11.2
11/15/2023	8	11.0	11.0	10.0	9.7	10.9	10.8	11.4	11.2
11/15/2023	9	11.0	11.0	10.0	9.7	10.9	10.8	11.4	11.2
11/15/2023	10	11.0	11.0	10.1	9.7	10.9	10.8	11.3	11.1
11/15/2023	11	11.0	11.0	10.2	9.8	10.9	10.8	11.3	11.1
11/15/2023	12	11.0	11.0	10.3	9.8	10.9	10.8	11.3	11.1
11/15/2023	13	11.0	11.0	10.4	9.9	10.9	10.8	11.3	11.2
11/15/2023	14	11.0	11.0	10.4	10.0	10.9	10.9	11.3	11.2
11/15/2023	15	11.0	11.0	10.5	10.1	11.0	10.9	11.3	11.2
11/15/2023	16	11.0	11.0	10.4	10.1	11.0	10.9	11.3	11.2
11/15/2023	17	11.0	11.0	10.3	10.1	11.0	10.9	11.3	11.2
11/15/2023	18	11.0	11.0	10.2	10.1	11.0	10.9	11.4	11.2
11/15/2023	19	11.0	10.9	10.0	10.1	11.0	10.9	11.4	11.2
11/15/2023	20	11.0	10.9	9.9	9.9	10.9	10.8	11.3	11.2
11/15/2023	21	10.9	10.9	9.7	9.8	10.9	10.8	11.3	11.1
11/15/2023	22	10.9	10.9	9.7	9.7	10.8	10.7	11.3	11.1
11/15/2023	23	10.9	10.8	9.6	9.6	10.8	10.7	11.2	11.0
11/15/2023	24	10.8	10.8	9.6	9.5	10.7	10.6	11.2	11.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/16/2023	1	10.8	10.7	9.6	9.4	10.7	10.6	11.1	11.0
11/16/2023	2	10.8	10.7	9.5	9.3	10.7	10.6	11.1	11.0
11/16/2023	3	10.8	10.7	9.4	9.2	10.6	10.5	11.1	10.9
11/16/2023	4	10.8	10.7	9.3	9.2	10.6	10.5	11.0	10.9
11/16/2023	5	10.7	10.6	9.3	9.1	10.6	10.4	11.0	10.9
11/16/2023	6	10.7	10.6	9.2	9.0	10.5	10.4	11.0	10.8
11/16/2023	7	10.6	10.6	9.2	8.9	10.5	10.3	11.0	10.8
11/16/2023	8	10.6	10.5	9.2	8.9	10.4	10.3	11.0	10.7
11/16/2023	9	10.6	10.5	9.2	8.9	10.4	10.3	11.0	10.7
11/16/2023	10	10.6	10.5	9.2	8.9	10.4	10.3	11.0	10.7
11/16/2023	11	10.6	10.5	9.6	9.0	10.4	10.4	11.1	10.7
11/16/2023	12	10.6	10.6	10.0	9.2	10.5	10.5	11.1	10.8
11/16/2023	13	10.7	10.6	10.5	9.2	10.5	10.5	11.1	10.9
11/16/2023	14	10.8	10.7	10.8	9.4	10.6	10.6	11.1	10.9
11/16/2023	15	10.8	10.7	10.9	9.7	10.7	10.7	11.1	11.0
11/16/2023	16	10.8	10.8	10.6	10.1	10.8	10.8	11.2	11.0
11/16/2023	17	10.9	10.8	10.4	10.4	10.8	10.8	11.2	11.1
11/16/2023	18	10.9	10.8	10.1	10.4	10.9	10.9	11.2	11.1
11/16/2023	19	10.9	10.8	9.9	10.3	10.9	10.9	11.2	11.1
11/16/2023	20	10.9	10.8	9.7	10.1	10.9	10.8	11.2	11.1
11/16/2023	21	10.9	10.8	9.6	9.9	10.8	10.8	11.2	11.1
11/16/2023	22	10.8	10.8	9.6	9.7	10.8	10.7	11.2	11.1
11/16/2023	23	10.8	10.8	9.5	9.5	10.7	10.7	11.2	11.0
11/16/2023	24	10.8	10.7	9.5	9.3	10.7	10.6	11.1	11.0
11/17/2023	1	10.8	10.7	9.4	9.2	10.7	10.6	11.1	11.0
11/17/2023	2	10.8	10.7	9.4	9.2	10.6	10.5	11.1	11.0
11/17/2023	3	10.7	10.7	9.4	9.1	10.6	10.5	11.0	10.9
11/17/2023	4	10.7	10.6	9.4	9.1	10.6	10.5	11.0	10.9
11/17/2023	5	10.6	10.6	9.3	9.0	10.5	10.4	11.0	10.8
11/17/2023	6	10.6	10.6	9.3	9.0	10.5	10.4	11.0	10.8
11/17/2023	7	10.6	10.5	9.2	9.0	10.4	10.3	11.0	10.8
11/17/2023	8	10.6	10.5	9.2	8.9	10.4	10.3	11.0	10.8
11/17/2023	9	10.5	10.5	9.2	8.9	10.4	10.3	11.0	10.7
11/17/2023	10	10.5	10.5	9.2	8.9	10.4	10.3	10.9	10.7
11/17/2023	11	10.5	10.4	9.5	9.0	10.4	10.3	10.9	10.7
11/17/2023	12	10.5	10.5	9.7	9.0	10.4	10.3	10.9	10.7
11/17/2023	13	10.5	10.5	9.9	9.0	10.4	10.3	10.9	10.7
11/17/2023	14	10.6	10.5	10.0	9.3	10.4	10.4	10.9	10.7
11/17/2023	15	10.6	10.5	10.1	9.5	10.5	10.4	11.0	10.8
11/17/2023	16	10.6	10.6	10.1	9.6	10.5	10.5	11.0	10.8
11/17/2023	17	10.6	10.6	10.0	9.7	10.5	10.5	11.0	10.8
11/17/2023	18	10.6	10.6	9.8	9.8	10.6	10.5	11.0	10.8
11/17/2023	19	10.6	10.6	9.6	9.8	10.6	10.5	11.0	10.9
11/17/2023	20	10.7	10.6	9.5	9.7	10.6	10.6	11.0	10.9
11/17/2023	21	10.7	10.6	9.5	9.6	10.6	10.5	11.1	10.9
11/17/2023	22	10.7	10.6	9.5	9.4	10.6	10.5	11.0	10.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/17/2023	23	10.7	10.7	9.5	9.3	10.6	10.5	11.0	10.9
11/17/2023	24	10.7	10.7	9.5	9.3	10.6	10.5	11.0	10.9
11/18/2023	1	10.7	10.6	9.6	9.2	10.5	10.5	11.0	10.9
11/18/2023	2	10.6	10.6	9.6	9.2	10.5	10.5	10.9	10.8
11/18/2023	3	10.6	10.6	9.7	9.3	10.5	10.4	10.9	10.8
11/18/2023	4	10.6	10.6	9.7	9.3	10.5	10.4	10.9	10.8
11/18/2023	5	10.6	10.5	9.7	9.3	10.4	10.4	10.9	10.7
11/18/2023	6	10.5	10.5	9.7	9.3	10.4	10.3	10.9	10.7
11/18/2023	7	10.5	10.5	9.7	9.3	10.4	10.3	10.9	10.7
11/18/2023	8	10.5	10.5	9.7	9.3	10.4	10.3	10.9	10.7
11/18/2023	9	10.5	10.4	9.7	9.3	10.4	10.3	10.9	10.6
11/18/2023	10	10.5	10.4	9.8	9.4	10.3	10.3	10.8	10.6
11/18/2023	11	10.4	10.4	9.8	9.4	10.3	10.3	10.8	10.6
11/18/2023	12	10.5	10.4	10.0	9.5	10.4	10.4	10.8	10.6
11/18/2023	13	10.5	10.4	10.2	9.7	10.4	10.4	10.8	10.6
11/18/2023	14	10.5	10.5	10.3	9.8	10.4	10.4	10.8	10.6
11/18/2023	15	10.5	10.5	10.4	9.9	10.4	10.4	10.8	10.6
11/18/2023	16	10.5	10.5	10.4	10.0	10.4	10.5	10.8	10.6
11/18/2023	17	10.4	10.4	10.3	10.1	10.5	10.5	10.8	10.6
11/18/2023	18	10.4	10.4	10.2	10.1	10.4	10.4	10.8	10.6
11/18/2023	19	10.4	10.4	10.1	10.1	10.4	10.4	10.7	10.6
11/18/2023	20	10.4	10.4	10.0	10.1	10.4	10.4	10.7	10.6
11/18/2023	21	10.4	10.3	9.9	10.0	10.4	10.4	10.7	10.5
11/18/2023	22	10.4	10.3	9.9	9.9	10.4	10.3	10.7	10.5
11/18/2023	23	10.4	10.3	9.9	9.9	10.3	10.3	10.7	10.5
11/18/2023	24	10.4	10.3	9.9	9.8	10.4	10.3	10.7	10.6
11/19/2023	1	10.4	10.4	9.9	9.8	10.4	10.3	10.8	10.6
11/19/2023	2	10.4	10.4	9.9	9.7	10.4	10.3	10.8	10.6
11/19/2023	3	10.4	10.4	9.9	9.7	10.4	10.3	10.8	10.6
11/19/2023	4	10.4	10.4	9.8	9.7	10.4	10.3	10.8	10.6
11/19/2023	5	10.4	10.4	9.9	9.7	10.4	10.4	10.8	10.6
11/19/2023	6	10.4	10.4	9.9	9.7	10.4	10.4	10.8	10.6
11/19/2023	7	10.5	10.4	9.8	9.7	10.4	10.4	10.9	10.6
11/19/2023	8	10.5	10.4	9.8	9.7	10.4	10.4	10.9	10.6
11/19/2023	9	10.5	10.4	9.7	9.7	10.4	10.4	10.9	10.6
11/19/2023	10	10.5	10.4	9.7	9.7	10.4	10.4	11.0	10.6
11/19/2023	11	10.5	10.5	10.0	9.8	10.4	10.5	11.0	10.7
11/19/2023	12	10.6	10.5	10.4	9.9	10.5	10.5	11.0	10.7
11/19/2023	13	10.6	10.6	10.9	9.8	10.5	10.6	11.1	10.8
11/19/2023	14	10.6	10.6	11.2	10.0	10.6	10.6	11.1	10.8
11/19/2023	15	10.7	10.7	11.2	10.2	10.7	10.7	11.1	10.9
11/19/2023	16	10.7	10.7	10.9	10.6	10.7	10.8	11.1	10.9
11/19/2023	17	10.7	10.7	10.6	10.8	10.8	10.8	11.1	10.9
11/19/2023	18	10.7	10.7	10.2	10.8	10.8	10.8	11.1	10.9
11/19/2023	19	10.7	10.7	10.0	10.6	10.8	10.8	11.1	10.9
11/19/2023	20	10.7	10.7	9.9	10.3	10.7	10.7	11.0	10.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/19/2023	21	10.6	10.7	9.8	10.1	10.7	10.7	11.0	10.9
11/19/2023	22	10.6	10.6	9.7	9.9	10.7	10.6	11.0	10.8
11/19/2023	23	10.6	10.6	9.7	9.7	10.6	10.5	11.0	10.8
11/19/2023	24	10.6	10.5	9.6	9.6	10.5	10.5	10.9	10.8
11/20/2023	1	10.5	10.5	9.5	9.5	10.5	10.4	10.9	10.7
11/20/2023	2	10.5	10.5	9.5	9.4	10.5	10.4	10.9	10.7
11/20/2023	3	10.5	10.5	9.4	9.3	10.4	10.3	10.8	10.7
11/20/2023	4	10.5	10.4	9.3	9.3	10.4	10.3	10.8	10.7
11/20/2023	5	10.4	10.4	9.3	9.2	10.4	10.3	10.8	10.6
11/20/2023	6	10.4	10.4	9.3	9.1	10.3	10.2	10.8	10.6
11/20/2023	7	10.4	10.3	9.2	9.0	10.3	10.2	10.8	10.5
11/20/2023	8	10.3	10.3	9.1	9.0	10.2	10.1	10.7	10.5
11/20/2023	9	10.3	10.3	9.2	9.0	10.2	10.1	10.7	10.5
11/20/2023	10	10.3	10.3	9.3	9.0	10.2	10.1	10.7	10.5
11/20/2023	11	10.3	10.3	9.5	9.0	10.2	10.2	10.7	10.5
11/20/2023	12	10.3	10.3	9.7	9.1	10.2	10.2	10.7	10.5
11/20/2023	13	10.3	10.3	9.9	9.3	10.2	10.2	10.7	10.5
11/20/2023	14	10.3	10.3	10.1	9.4	10.2	10.2	10.7	10.5
11/20/2023	15	10.3	10.3	10.1	9.6	10.2	10.2	10.7	10.5
11/20/2023	16	10.3	10.3	10.1	9.7	10.3	10.3	10.7	10.5
11/20/2023	17	10.3	10.3	9.9	9.8	10.3	10.3	10.6	10.5
11/20/2023	18	10.3	10.3	9.7	9.8	10.3	10.3	10.6	10.5
11/20/2023	19	10.3	10.2	9.6	9.8	10.3	10.3	10.6	10.5
11/20/2023	20	10.3	10.2	9.4	9.7	10.3	10.2	10.6	10.4
11/20/2023	21	10.2	10.2	9.4	9.5	10.2	10.2	10.6	10.4
11/20/2023	22	10.2	10.1	9.3	9.4	10.2	10.1	10.6	10.4
11/20/2023	23	10.2	10.1	9.3	9.3	10.1	10.1	10.6	10.4
11/20/2023	24	10.3	10.2	9.2	9.2	10.1	10.1	10.6	10.4
11/21/2023	1	10.3	10.2	9.1	9.1	10.1	10.1	10.6	10.4
11/21/2023	2	10.3	10.2	9.1	9.0	10.1	10.1	10.6	10.4
11/21/2023	3	10.3	10.2	9.0	8.9	10.1	10.1	10.5	10.4
11/21/2023	4	10.3	10.2	9.0	8.9	10.1	10.0	10.5	10.4
11/21/2023	5	10.2	10.2	9.0	8.8	10.1	10.0	10.5	10.4
11/21/2023	6	10.2	10.2	9.0	8.8	10.0	10.0	10.5	10.4
11/21/2023	7	10.2	10.1	9.1	8.7	10.0	10.0	10.5	10.3
11/21/2023	8	10.2	10.1	9.1	8.7	10.0	10.0	10.5	10.3
11/21/2023	9	10.1	10.1	9.1	8.8	10.0	10.0	10.5	10.3
11/21/2023	10	10.1	10.1	9.2	8.8	10.0	10.0	10.5	10.3
11/21/2023	11	10.1	10.1	9.5	8.9	10.0	10.0	10.5	10.3
11/21/2023	12	10.1	10.1	9.6	9.0	10.0	10.0	10.5	10.3
11/21/2023	13	10.1	10.1	9.9	9.2	10.0	10.0	10.5	10.3
11/21/2023	14	10.1	10.1	10.1	9.3	10.1	10.1	10.5	10.3
11/21/2023	15	10.1	10.1	10.1	9.5	10.1	10.1	10.5	10.3
11/21/2023	16	10.1	10.1	10.1	9.7	10.1	10.1	10.5	10.3
11/21/2023	17	10.1	10.1	10.0	9.8	10.1	10.1	10.5	10.3
11/21/2023	18	10.1	10.1	9.8	9.9	10.1	10.1	10.5	10.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/21/2023	19	10.1	10.1	9.7	9.9	10.1	10.1	10.5	10.3
11/21/2023	20	10.1	10.1	9.5	9.8	10.1	10.1	10.5	10.3
11/21/2023	21	10.2	10.1	9.5	9.7	10.1	10.1	10.5	10.3
11/21/2023	22	10.2	10.1	9.4	9.5	10.1	10.1	10.5	10.3
11/21/2023	23	10.2	10.1	9.4	9.4	10.1	10.1	10.5	10.4
11/21/2023	24	10.2	10.1	9.4	9.3	10.1	10.1	10.5	10.4
11/22/2023	1	10.2	10.1	9.4	9.3	10.1	10.1	10.5	10.4
11/22/2023	2	10.2	10.1	9.4	9.2	10.1	10.1	10.5	10.4
11/22/2023	3	10.2	10.1	9.4	9.2	10.1	10.1	10.5	10.3
11/22/2023	4	10.2	10.1	9.4	9.2	10.1	10.1	10.5	10.3
11/22/2023	5	10.1	10.1	9.3	9.1	10.1	10.0	10.5	10.3
11/22/2023	6	10.1	10.1	9.2	9.1	10.0	10.0	10.5	10.3
11/22/2023	7	10.1	10.1	9.1	9.1	10.0	10.0	10.4	10.3
11/22/2023	8	10.1	10.1	9.1	9.0	10.0	10.0	10.5	10.3
11/22/2023	9	10.1	10.0	9.0	9.0	10.0	9.9	10.5	10.3
11/22/2023	10	10.1	10.1	9.0	8.9	10.0	9.9	10.5	10.3
11/22/2023	11	10.1	10.1	9.3	9.0	10.0	10.0	10.5	10.3
11/22/2023	12	10.1	10.1	9.6	8.9	10.0	10.0	10.6	10.3
11/22/2023	13	10.2	10.1	9.9	9.1	10.0	10.1	10.6	10.3
11/22/2023	14	10.2	10.1	10.2	9.2	10.1	10.1	10.6	10.3
11/22/2023	15	10.2	10.2	10.3	9.3	10.1	10.2	10.6	10.4
11/22/2023	16	10.3	10.2	10.1	9.6	10.2	10.2	10.6	10.4
11/22/2023	17	10.3	10.2	10.1	9.9	10.2	10.2	10.7	10.4
11/22/2023	18	10.3	10.2	9.9	10.0	10.3	10.3	10.7	10.5
11/22/2023	19	10.3	10.3	9.8	10.0	10.3	10.3	10.7	10.5
11/22/2023	20	10.3	10.3	9.8	9.9	10.3	10.3	10.7	10.5
11/22/2023	21	10.3	10.3	9.8	9.8	10.3	10.3	10.7	10.5
11/22/2023	22	10.3	10.3	9.8	9.8	10.3	10.3	10.7	10.5
11/22/2023	23	10.3	10.3	9.7	9.7	10.3	10.3	10.7	10.5
11/22/2023	24	10.3	10.3	9.7	9.7	10.3	10.3	10.7	10.5
11/23/2023	1	10.3	10.3	9.6	9.6	10.3	10.3	10.7	10.5
11/23/2023	2	10.3	10.3	9.6	9.6	10.3	10.3	10.7	10.5
11/23/2023	3	10.3	10.3	9.5	9.5	10.3	10.2	10.7	10.5
11/23/2023	4	10.3	10.3	9.5	9.4	10.2	10.2	10.7	10.5
11/23/2023	5	10.3	10.2	9.3	9.3	10.2	10.2	10.7	10.5
11/23/2023	6	10.3	10.2	9.2	9.3	10.2	10.1	10.6	10.5
11/23/2023	7	10.3	10.2	9.2	9.2	10.2	10.1	10.6	10.4
11/23/2023	8	10.2	10.2	9.1	9.1	10.1	10.1	10.6	10.4
11/23/2023	9	10.2	10.1	9.0	9.0	10.1	10.1	10.6	10.4
11/23/2023	10	10.2	10.1	9.0	8.9	10.1	10.0	10.6	10.4
11/23/2023	11	10.2	10.1	9.3	9.0	10.1	10.1	10.6	10.4
11/23/2023	12	10.2	10.1	9.6	9.1	10.1	10.1	10.6	10.4
11/23/2023	13	10.2	10.1	10.0	9.1	10.1	10.1	10.6	10.4
11/23/2023	14	10.2	10.1	10.3	9.1	10.1	10.1	10.6	10.4
11/23/2023	15	10.2	10.1	10.3	9.3	10.1	10.1	10.6	10.4
11/23/2023	16	10.2	10.1	10.1	9.6	10.1	10.1	10.6	10.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/23/2023	17	10.2	10.1	9.9	9.9	10.2	10.2	10.5	10.3
11/23/2023	18	10.1	10.1	9.7	9.9	10.2	10.2	10.5	10.3
11/23/2023	19	10.1	10.1	9.4	9.8	10.2	10.1	10.5	10.3
11/23/2023	20	10.1	10.1	9.3	9.7	10.1	10.1	10.5	10.3
11/23/2023	21	10.1	10.1	9.2	9.5	10.1	10.1	10.5	10.3
11/23/2023	22	10.1	10.1	9.1	9.3	10.1	10.0	10.5	10.3
11/23/2023	23	10.1	10.0	9.0	9.1	10.0	10.0	10.4	10.3
11/23/2023	24	10.0	10.0	9.0	9.0	10.0	9.9	10.4	10.2
11/24/2023	1	10.0	10.0	8.9	8.8	9.9	9.9	10.4	10.2
11/24/2023	2	10.0	9.9	8.8	8.7	9.9	9.8	10.3	10.2
11/24/2023	3	10.0	9.9	8.8	8.7	9.9	9.8	10.3	10.1
11/24/2023	4	9.9	9.9	8.7	8.6	9.8	9.7	10.3	10.1
11/24/2023	5	9.9	9.9	8.7	8.5	9.8	9.7	10.2	10.1
11/24/2023	6	9.9	9.8	8.6	8.5	9.7	9.7	10.2	10.0
11/24/2023	7	9.8	9.8	8.6	8.4	9.7	9.6	10.2	10.0
11/24/2023	8	9.8	9.7	8.5	8.4	9.6	9.5	10.1	9.9
11/24/2023	9	9.8	9.7	8.4	8.3	9.6	9.5	10.1	9.9
11/24/2023	10	9.8	9.7	8.5	8.3	9.6	9.5	10.1	9.9
11/24/2023	11	9.8	9.7	8.7	8.4	9.6	9.6	10.1	9.9
11/24/2023	12	9.8	9.7	9.0	8.4	9.6	9.6	10.1	10.0
11/24/2023	13	9.8	9.7	9.4	8.5	9.6	9.7	10.2	10.0
11/24/2023	14	9.8	9.8	9.7	8.5	9.7	9.7	10.2	10.0
11/24/2023	15	9.8	9.8	9.8	8.7	9.7	9.7	10.2	10.0
11/24/2023	16	9.8	9.8	9.6	9.0	9.7	9.7	10.2	10.0
11/24/2023	17	9.9	9.8	9.4	9.3	9.8	9.8	10.3	10.1
11/24/2023	18	9.9	9.8	9.1	9.4	9.9	9.9	10.3	10.1
11/24/2023	19	10.0	9.9	8.9	9.3	9.9	9.9	10.3	10.1
11/24/2023	20	10.0	9.9	8.7	9.1	9.9	9.9	10.3	10.2
11/24/2023	21	9.9	9.9	8.6	8.9	9.9	9.8	10.3	10.1
11/24/2023	22	9.9	9.9	8.6	8.7	9.8	9.8	10.3	10.1
11/24/2023	23	9.9	9.8	8.5	8.5	9.8	9.7	10.2	10.1
11/24/2023	24	9.9	9.8	8.5	8.3	9.7	9.7	10.2	10.1
11/25/2023	1	9.9	9.8	8.4	8.2	9.7	9.6	10.1	10.1
11/25/2023	2	9.8	9.8	8.4	8.1	9.6	9.6	10.1	10.0
11/25/2023	3	9.8	9.7	8.3	8.1	9.6	9.5	10.1	10.0
11/25/2023	4	9.8	9.7	8.3	8.1	9.6	9.5	10.0	9.9
11/25/2023	5	9.7	9.6	8.3	8.0	9.5	9.4	10.0	9.9
11/25/2023	6	9.7	9.6	8.3	8.0	9.4	9.4	10.0	9.8
11/25/2023	7	9.6	9.5	8.3	7.9	9.4	9.3	10.0	9.8
11/25/2023	8	9.6	9.5	8.2	7.9	9.4	9.3	10.0	9.8
11/25/2023	9	9.6	9.5	8.2	7.9	9.4	9.3	10.0	9.7
11/25/2023	10	9.6	9.5	8.2	7.9	9.4	9.3	10.0	9.8
11/25/2023	11	9.6	9.5	8.5	8.1	9.4	9.4	10.0	9.7
11/25/2023	12	9.6	9.5	8.9	8.1	9.4	9.4	9.9	9.7
11/25/2023	13	9.6	9.5	9.3	8.1	9.4	9.4	10.0	9.8
11/25/2023	14	9.6	9.6	9.6	8.3	9.5	9.5	10.0	9.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/25/2023	15	9.7	9.6	9.7	8.5	9.5	9.6	10.1	9.9
11/25/2023	16	9.7	9.6	9.5	8.9	9.6	9.6	10.1	9.9
11/25/2023	17	9.8	9.7	9.3	9.2	9.7	9.7	10.1	10.0
11/25/2023	18	9.8	9.7	9.0	9.3	9.7	9.7	10.1	10.0
11/25/2023	19	9.8	9.7	8.8	9.1	9.7	9.7	10.1	10.0
11/25/2023	20	9.8	9.7	8.6	9.0	9.7	9.7	10.1	10.0
11/25/2023	21	9.8	9.7	8.6	8.8	9.7	9.6	10.0	9.9
11/25/2023	22	9.8	9.7	8.5	8.6	9.6	9.6	10.0	9.9
11/25/2023	23	9.7	9.7	8.5	8.4	9.6	9.5	10.0	9.9
11/25/2023	24	9.7	9.6	8.5	8.3	9.5	9.5	10.0	9.9
11/26/2023	1	9.6	9.6	8.4	8.2	9.5	9.4	9.9	9.8
11/26/2023	2	9.6	9.5	8.4	8.2	9.4	9.4	9.9	9.8
11/26/2023	3	9.6	9.5	8.4	8.1	9.4	9.3	9.9	9.7
11/26/2023	4	9.5	9.4	8.3	8.1	9.4	9.3	9.9	9.7
11/26/2023	5	9.5	9.4	8.3	8.0	9.3	9.3	9.8	9.7
11/26/2023	6	9.4	9.4	8.3	8.0	9.3	9.2	9.8	9.6
11/26/2023	7	9.4	9.4	8.4	8.0	9.3	9.2	9.8	9.6
11/26/2023	8	9.4	9.3	8.5	8.0	9.2	9.2	9.7	9.6
11/26/2023	9	9.4	9.3	8.5	8.0	9.2	9.2	9.7	9.6
11/26/2023	10	9.4	9.3	8.5	8.1	9.2	9.2	9.7	9.5
11/26/2023	11	9.4	9.4	8.6	8.2	9.2	9.2	9.8	9.6
11/26/2023	12	9.4	9.4	8.7	8.3	9.3	9.3	9.8	9.6
11/26/2023	13	9.5	9.4	8.9	8.3	9.3	9.3	9.8	9.6
11/26/2023	14	9.5	9.5	9.1	8.4	9.3	9.4	9.8	9.6
11/26/2023	15	9.5	9.5	9.2	8.6	9.4	9.4	9.8	9.6
11/26/2023	16	9.5	9.5	9.2	8.7	9.4	9.4	9.8	9.6
11/26/2023	17	9.5	9.5	9.1	8.8	9.4	9.4	9.8	9.6
11/26/2023	18	9.5	9.5	9.0	8.9	9.4	9.4	9.8	9.6
11/26/2023	19	9.5	9.4	8.8	8.9	9.4	9.4	9.8	9.6
11/26/2023	20	9.5	9.4	8.8	8.9	9.4	9.4	9.8	9.6
11/26/2023	21	9.4	9.4	8.7	8.8	9.4	9.4	9.8	9.6
11/26/2023	22	9.4	9.4	8.7	8.7	9.4	9.3	9.7	9.6
11/26/2023	23	9.4	9.4	8.7	8.6	9.3	9.3	9.7	9.5
11/26/2023	24	9.4	9.4	8.6	8.5	9.3	9.3	9.7	9.5
11/27/2023	1	9.4	9.4	8.6	8.5	9.3	9.3	9.7	9.5
11/27/2023	2	9.4	9.4	8.7	8.5	9.3	9.3	9.7	9.5
11/27/2023	3	9.4	9.3	8.7	8.4	9.3	9.2	9.7	9.5
11/27/2023	4	9.4	9.3	8.7	8.4	9.2	9.2	9.6	9.5
11/27/2023	5	9.4	9.3	8.7	8.4	9.2	9.2	9.6	9.5
11/27/2023	6	9.3	9.3	8.7	8.5	9.2	9.2	9.6	9.5
11/27/2023	7	9.3	9.3	8.7	8.5	9.2	9.2	9.6	9.4
11/27/2023	8	9.3	9.2	8.7	8.5	9.2	9.2	9.6	9.4
11/27/2023	9	9.3	9.2	8.7	8.5	9.2	9.2	9.6	9.4
11/27/2023	10	9.3	9.2	8.7	8.5	9.2	9.2	9.6	9.4
11/27/2023	11	9.3	9.2	8.8	8.5	9.2	9.2	9.6	9.4
11/27/2023	12	9.3	9.3	8.8	8.6	9.2	9.2	9.7	9.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/27/2023	13	9.4	9.3	8.9	8.6	9.2	9.3	9.7	9.5
11/27/2023	14	9.4	9.3	9.0	8.7	9.3	9.3	9.7	9.5
11/27/2023	15	9.4	9.4	9.0	8.7	9.3	9.3	9.7	9.6
11/27/2023	16	9.4	9.4	9.0	8.8	9.3	9.4	9.8	9.6
11/27/2023	17	9.4	9.4	8.9	8.8	9.4	9.4	9.8	9.6
11/27/2023	18	9.5	9.4	8.9	8.8	9.4	9.4	9.8	9.6
11/27/2023	19	9.5	9.4	8.9	8.8	9.4	9.4	9.8	9.6
11/27/2023	20	9.5	9.4	8.8	8.8	9.4	9.4	9.8	9.6
11/27/2023	21	9.5	9.5	8.9	8.7	9.4	9.4	9.8	9.7
11/27/2023	22	9.5	9.5	8.9	8.7	9.4	9.4	9.9	9.7
11/27/2023	23	9.5	9.5	8.9	8.7	9.4	9.4	9.9	9.7
11/27/2023	24	9.5	9.5	8.8	8.7	9.4	9.4	9.9	9.7
11/28/2023	1	9.5	9.5	8.8	8.7	9.4	9.4	9.9	9.7
11/28/2023	2	9.5	9.5	8.9	8.7	9.4	9.4	9.9	9.7
11/28/2023	3	9.5	9.5	8.9	8.7	9.4	9.4	9.9	9.7
11/28/2023	4	9.5	9.5	8.9	8.6	9.4	9.4	9.8	9.7
11/28/2023	5	9.5	9.5	8.8	8.6	9.4	9.4	9.8	9.7
11/28/2023	6	9.5	9.4	8.8	8.6	9.4	9.4	9.8	9.6
11/28/2023	7	9.5	9.4	8.8	8.6	9.4	9.4	9.8	9.6
11/28/2023	8	9.4	9.4	8.8	8.6	9.4	9.4	9.8	9.6
11/28/2023	9	9.4	9.4	8.8	8.6	9.4	9.3	9.8	9.6
11/28/2023	10	9.4	9.4	8.8	8.6	9.3	9.3	9.7	9.6
11/28/2023	11	9.4	9.4	8.8	8.6	9.3	9.3	9.7	9.6
11/28/2023	12	9.4	9.4	8.9	8.7	9.3	9.3	9.7	9.5
11/28/2023	13	9.4	9.4	9.0	8.7	9.3	9.3	9.7	9.5
11/28/2023	14	9.4	9.4	9.0	8.7	9.3	9.3	9.7	9.5
11/28/2023	15	9.4	9.4	9.0	8.8	9.3	9.3	9.7	9.5
11/28/2023	16	9.4	9.3	9.0	8.8	9.3	9.3	9.7	9.5
11/28/2023	17	9.3	9.3	8.9	8.8	9.3	9.3	9.7	9.5
11/28/2023	18	9.3	9.3	8.8	8.8	9.3	9.3	9.7	9.5
11/28/2023	19	9.3	9.3	8.7	8.8	9.3	9.3	9.7	9.5
11/28/2023	20	9.3	9.3	8.6	8.7	9.3	9.3	9.7	9.5
11/28/2023	21	9.3	9.3	8.5	8.6	9.3	9.2	9.7	9.5
11/28/2023	22	9.3	9.3	8.5	8.5	9.2	9.2	9.6	9.5
11/28/2023	23	9.3	9.3	8.5	8.4	9.2	9.2	9.6	9.5
11/28/2023	24	9.3	9.3	8.5	8.4	9.2	9.2	9.6	9.5
11/29/2023	1	9.3	9.3	8.5	8.3	9.2	9.2	9.6	9.4
11/29/2023	2	9.3	9.3	8.5	8.3	9.2	9.1	9.6	9.4
11/29/2023	3	9.3	9.2	8.4	8.3	9.2	9.1	9.6	9.4
11/29/2023	4	9.3	9.2	8.4	8.3	9.1	9.1	9.6	9.4
11/29/2023	5	9.3	9.2	8.4	8.2	9.1	9.1	9.6	9.4
11/29/2023	6	9.3	9.2	8.4	8.2	9.1	9.1	9.6	9.4
11/29/2023	7	9.3	9.2	8.4	8.2	9.1	9.1	9.6	9.4
11/29/2023	8	9.3	9.2	8.3	8.2	9.1	9.1	9.6	9.4
11/29/2023	9	9.3	9.2	8.3	8.2	9.1	9.1	9.6	9.4
11/29/2023	10	9.3	9.2	8.3	8.1	9.1	9.1	9.6	9.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
11/29/2023	11	9.3	9.2	8.4	8.1	9.1	9.1	9.6	9.5
11/29/2023	12	9.3	9.2	8.4	8.1	9.1	9.1	9.6	9.5
11/29/2023	13	9.3	9.2	8.5	8.2	9.1	9.1	9.6	9.4
11/29/2023	14	9.3	9.2	8.6	8.2	9.1	9.1	9.6	9.4
11/29/2023	15	9.3	9.2	8.6	8.3	9.1	9.1	9.7	9.5
11/29/2023	16	9.3	9.3	8.6	8.3	9.2	9.2	9.7	9.5
11/29/2023	17	9.3	9.3	8.6	8.4	9.2	9.2	9.7	9.5
11/29/2023	18	9.3	9.3	8.6	8.4	9.2	9.2	9.6	9.5
11/29/2023	19	9.3	9.3	8.5	8.4	9.2	9.2	9.6	9.5
11/29/2023	20	9.3	9.3	8.5	8.4	9.2	9.2	9.6	9.5
11/29/2023	21	9.3	9.3	8.5	8.4	9.2	9.2	9.6	9.5
11/29/2023	22	9.3	9.3	8.5	8.3	9.2	9.2	9.6	9.5
11/29/2023	23	9.3	9.3	8.5	8.3	9.2	9.2	9.6	9.4
11/29/2023	24	9.3	9.3	8.5	8.3	9.2	9.1	9.6	9.4
11/30/2023	1	9.3	9.2	8.5	8.3	9.1	9.1	9.5	9.4
11/30/2023	2	9.2	9.2	8.5	8.3	9.1	9.1	9.5	9.3
11/30/2023	3	9.2	9.2	8.5	8.2	9.1	9.0	9.5	9.3
11/30/2023	4	9.2	9.1	8.5	8.2	9.0	9.0	9.5	9.3
11/30/2023	5	9.2	9.1	8.4	8.2	9.0	9.0	9.4	9.2
11/30/2023	6	9.1	9.1	8.4	8.2	9.0	9.0	9.4	9.2
11/30/2023	7	9.1	9.1	8.4	8.2	9.0	9.0	9.4	9.2
11/30/2023	8	9.1	9.0	8.3	8.2	9.0	8.9	9.3	9.2
11/30/2023	9	9.1	9.0	8.3	8.2	8.9	8.9	9.3	9.1
11/30/2023	10	9.0	9.0	8.3	8.1	8.9	8.9	9.3	9.1
11/30/2023	11	9.0	9.0	8.4	8.2	8.9	8.9	9.3	9.1
11/30/2023	12	9.0	9.0	8.5	8.2	8.9	8.9	9.4	9.1
11/30/2023	13	9.0	9.0	8.6	8.2	8.9	8.9	9.4	9.1
11/30/2023	14	9.0	9.0	8.7	8.3	8.9	8.9	9.4	9.1
11/30/2023	15	9.0	9.0	8.8	8.4	8.9	8.9	9.4	9.2
11/30/2023	16	9.0	9.0	8.7	8.4	8.9	9.0	9.4	9.2
11/30/2023	17	9.0	9.0	8.6	8.5	9.0	9.0	9.4	9.2
11/30/2023	18	9.1	9.0	8.4	8.5	9.0	9.0	9.4	9.2
11/30/2023	19	9.0	9.0	8.3	8.5	9.0	9.0	9.4	9.2
11/30/2023	20	9.0	9.0	8.3	8.4	9.0	9.0	9.3	9.2
11/30/2023	21	9.0	9.0	8.3	8.3	8.9	8.9	9.3	9.2
11/30/2023	22	9.0	9.0	8.2	8.2	8.9	8.9	9.3	9.2
11/30/2023	23	9.0	9.0	8.2	8.1	8.9	8.9	9.3	9.1
11/30/2023	24	9.0	8.9	8.2	8.0	8.9	8.8	9.3	9.1
12/1/2023	1	9.0	8.9	8.1	8.0	8.9	8.8	9.3	9.1
12/1/2023	2	9.0	8.9	8.1	8.0	8.9	8.8	9.3	9.1
12/1/2023	3	9.0	8.9	8.1	7.9	8.9	8.8	9.2	9.1
12/1/2023	4	9.0	8.9	8.1	7.9	8.9	8.8	9.2	9.1
12/1/2023	5	8.9	8.9	8.1	7.9	8.8	8.8	9.2	9.1
12/1/2023	6	8.9	8.9	8.1	7.8	8.8	8.8	9.2	9.1
12/1/2023	7	8.9	8.9	8.1	7.8	8.8	8.7	9.1	9.0
12/1/2023	8	8.8	8.8	8.0	7.8	8.7	8.7	9.1	9.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/1/2023	9	8.8	8.7	7.9	7.7	8.7	8.6	9.1	8.9
12/1/2023	10	8.7	8.7	7.7	7.7	8.6	8.5	9.1	8.9
12/1/2023	11	8.7	8.7	7.7	7.7	8.6	8.6	9.1	8.9
12/1/2023	12	8.7	8.7	7.9	7.7	8.6	8.6	9.1	8.9
12/1/2023	13	8.7	8.7	8.1	7.7	8.6	8.6	9.1	8.8
12/1/2023	14	8.7	8.7	8.3	7.7	8.6	8.6	9.1	8.9
12/1/2023	15	8.8	8.7	8.5	7.8	8.6	8.6	9.1	8.9
12/1/2023	16	8.8	8.7	8.5	8.0	8.7	8.7	9.1	9.0
12/1/2023	17	8.8	8.7	8.3	8.1	8.7	8.7	9.1	9.0
12/1/2023	18	8.8	8.7	8.1	8.1	8.7	8.7	9.1	9.0
12/1/2023	19	8.8	8.7	7.8	8.1	8.7	8.7	9.1	9.0
12/1/2023	20	8.8	8.7	7.6	7.9	8.7	8.7	9.1	9.0
12/1/2023	21	8.8	8.7	7.5	7.8	8.7	8.7	9.1	9.0
12/1/2023	22	8.8	8.7	7.5	7.5	8.7	8.6	9.0	8.9
12/1/2023	23	8.7	8.7	7.5	7.3	8.6	8.5	9.0	8.9
12/1/2023	24	8.7	8.6	7.5	7.3	8.5	8.5	9.0	8.9
12/2/2023	1	8.7	8.6	7.5	7.2	8.5	8.5	9.0	8.8
12/2/2023	2	8.7	8.6	7.5	7.2	8.5	8.4	9.0	8.8
12/2/2023	3	8.6	8.6	7.5	7.2	8.5	8.4	8.9	8.8
12/2/2023	4	8.6	8.5	7.6	7.3	8.4	8.4	8.9	8.7
12/2/2023	5	8.6	8.5	7.6	7.3	8.4	8.3	8.9	8.7
12/2/2023	6	8.5	8.4	7.4	7.2	8.4	8.3	8.8	8.7
12/2/2023	7	8.5	8.4	7.3	7.2	8.3	8.3	8.8	8.6
12/2/2023	8	8.5	8.4	7.3	7.2	8.3	8.2	8.8	8.6
12/2/2023	9	8.4	8.3	7.2	7.1	8.3	8.2	8.8	8.6
12/2/2023	10	8.4	8.4	7.3	7.1	8.2	8.2	8.8	8.6
12/2/2023	11	8.5	8.4	7.5	7.1	8.3	8.3	8.8	8.6
12/2/2023	12	8.5	8.4	7.7	7.1	8.3	8.3	8.8	8.6
12/2/2023	13	8.6	8.4	8.1	7.3	8.3	8.4	8.8	8.7
12/2/2023	14	8.6	8.5	8.5	7.3	8.4	8.4	8.8	8.7
12/2/2023	15	8.6	8.5	8.5	7.5	8.4	8.4	8.8	8.7
12/2/2023	16	8.6	8.5	8.3	7.8	8.4	8.5	8.8	8.7
12/2/2023	17	8.6	8.5	8.1	8.1	8.5	8.5	8.8	8.7
12/2/2023	18	8.5	8.5	8.0	8.2	8.5	8.5	8.8	8.6
12/2/2023	19	8.5	8.4	7.8	8.1	8.5	8.4	8.8	8.6
12/2/2023	20	8.5	8.4	7.8	8.0	8.4	8.4	8.8	8.6
12/2/2023	21	8.5	8.4	7.8	7.8	8.4	8.4	8.8	8.6
12/2/2023	22	8.6	8.4	7.7	7.7	8.4	8.4	8.9	8.6
12/2/2023	23	8.6	8.5	7.7	7.6	8.4	8.4	8.9	8.7
12/2/2023	24	8.6	8.5	7.6	7.5	8.4	8.4	8.9	8.7
12/3/2023	1	8.6	8.5	7.6	7.5	8.4	8.4	8.9	8.7
12/3/2023	2	8.6	8.5	7.5	7.4	8.4	8.4	9.0	8.8
12/3/2023	3	8.7	8.5	7.5	7.4	8.5	8.4	9.0	8.8
12/3/2023	4	8.7	8.6	7.5	7.3	8.5	8.5	9.0	8.8
12/3/2023	5	8.7	8.6	7.6	7.3	8.5	8.5	9.0	8.8
12/3/2023	6	8.7	8.6	7.6	7.3	8.5	8.5	8.9	8.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/3/2023	7	8.7	8.6	7.6	7.3	8.5	8.5	8.9	8.8
12/3/2023	8	8.7	8.6	7.6	7.3	8.5	8.5	8.9	8.8
12/3/2023	9	8.6	8.6	7.6	7.3	8.5	8.5	8.8	8.8
12/3/2023	10	8.6	8.5	7.2	7.2	8.4	8.3	8.8	8.7
12/3/2023	11	8.5	8.4	6.9	7.1	8.3	8.2	8.8	8.7
12/3/2023	12	8.4	8.4	6.8	7.0	8.3	8.2	8.7	8.6
12/3/2023	13	8.4	8.4	7.2	7.0	8.3	8.2	8.7	8.6
12/3/2023	14	8.4	8.4	7.6	6.9	8.2	8.2	8.7	8.6
12/3/2023	15	8.4	8.4	8.0	7.0	8.2	8.2	8.7	8.6
12/3/2023	16	8.5	8.4	8.2	7.2	8.3	8.2	8.7	8.6
12/3/2023	17	8.5	8.4	8.1	7.4	8.3	8.3	8.7	8.6
12/3/2023	18	8.5	8.4	8.0	7.6	8.3	8.4	8.7	8.6
12/3/2023	19	8.5	8.4	7.9	7.8	8.4	8.4	8.8	8.6
12/3/2023	20	8.4	8.4	7.7	7.8	8.4	8.4	8.8	8.6
12/3/2023	21	8.4	8.4	7.6	7.8	8.4	8.3	8.7	8.6
12/3/2023	22	8.4	8.3	7.4	7.6	8.3	8.3	8.7	8.5
12/3/2023	23	8.4	8.3	7.3	7.5	8.3	8.2	8.7	8.5
12/3/2023	24	8.3	8.3	7.2	7.4	8.2	8.2	8.7	8.5
12/4/2023	1	8.3	8.2	7.2	7.3	8.2	8.1	8.6	8.4
12/4/2023	2	8.3	8.2	7.2	7.2	8.1	8.1	8.6	8.4
12/4/2023	3	8.3	8.2	7.2	7.1	8.1	8.1	8.6	8.4
12/4/2023	4	8.3	8.2	7.3	7.0	8.1	8.1	8.6	8.4
12/4/2023	5	8.3	8.2	7.4	7.0	8.1	8.1	8.5	8.4
12/4/2023	6	8.3	8.2	7.4	7.1	8.1	8.0	8.5	8.4
12/4/2023	7	8.3	8.2	7.5	7.1	8.1	8.1	8.5	8.4
12/4/2023	8	8.3	8.3	7.5	7.2	8.1	8.1	8.5	8.4
12/4/2023	9	8.3	8.3	7.5	7.3	7.8	7.5	8.4	8.4
12/4/2023	10	8.3	8.3	7.8	7.5	7.5	7.4	8.5	8.4
12/4/2023	11	8.3	8.3	8.0	7.8	7.6	7.7	8.5	8.4
12/4/2023	12	8.3	8.3	8.1	8.0	7.8	7.9	8.5	8.5
12/4/2023	13	8.3	8.4	8.2	8.1	8.0	8.1	8.6	8.5
12/4/2023	14	8.3	8.4	8.3	8.3	8.1	8.2	8.6	8.5
12/4/2023	15	8.3	8.3	8.3	8.3	8.2	8.3	8.6	8.5
12/4/2023	16	8.3	8.3	8.2	8.3	8.2	8.3	8.6	8.5
12/4/2023	17	8.3	8.3	8.1	8.3	8.2	8.3	8.7	8.5
12/4/2023	18	8.3	8.3	8.1	8.2	8.2	8.2	8.7	8.5
12/4/2023	19	8.4	8.3	8.0	8.2	8.1	8.2	8.7	8.5
12/4/2023	20	8.4	8.3	8.0	8.1	8.1	8.1	8.7	8.5
12/4/2023	21	8.4	8.4	8.0	8.1	8.0	8.0	8.7	8.5
12/4/2023	22	8.4	8.4	8.1	8.0	8.0	8.0	8.7	8.5
12/4/2023	23	8.4	8.4	8.0	8.0	8.0	8.0	8.7	8.5
12/4/2023	24	8.4	8.4	8.0	8.0	8.0	8.0	8.7	8.5
12/5/2023	1	8.4	8.4	8.0	8.0	8.0	8.0	8.7	8.5
12/5/2023	2	8.4	8.4	8.0	8.0	8.0	8.0	8.7	8.6
12/5/2023	3	8.5	8.4	8.1	8.0	8.0	7.9	8.7	8.6
12/5/2023	4	8.4	8.4	8.1	8.0	7.9	7.9	8.7	8.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/5/2023	5	8.4	8.4	8.1	8.0	7.9	7.9	8.7	8.6
12/5/2023	6	8.4	8.4	8.1	7.9	7.9	7.9	8.8	8.6
12/5/2023	7	8.4	8.4	8.1	8.0	8.0	7.9	8.8	8.6
12/5/2023	8	8.4	8.4	8.1	8.0	8.0	7.9	8.8	8.6
12/5/2023	9	8.4	8.4	8.1	8.0	8.0	7.9	8.8	8.6
12/5/2023	10	8.4	8.4	8.2	8.0	8.0	8.0	8.8	8.6
12/5/2023	11	8.5	8.4	8.2	8.1	8.0	8.0	8.9	8.6
12/5/2023	12	8.5	8.5	8.4	8.1	8.0	8.1	8.9	8.6
12/5/2023	13	8.6	8.5	8.5	8.2	8.1	8.1	8.9	8.7
12/5/2023	14	8.6	8.6	8.5	8.2	8.1	8.2	9.0	8.7
12/5/2023	15	8.6	8.6	8.6	8.3	8.2	8.3	9.0	8.7
12/5/2023	16	8.6	8.6	8.6	8.4	8.3	8.4	9.0	8.7
12/5/2023	17	8.7	8.6	8.5	8.4	8.4	8.4	9.0	8.8
12/5/2023	18	8.7	8.6	8.5	8.5	8.4	8.4	9.0	8.8
12/5/2023	19	8.7	8.6	8.4	8.5	8.4	8.4	9.0	8.8
12/5/2023	20	8.7	8.6	8.4	8.4	8.4	8.4	9.0	8.8
12/5/2023	21	8.7	8.7	8.4	8.4	8.4	8.4	9.0	8.8
12/5/2023	22	8.7	8.7	8.4	8.4	8.3	8.3	9.0	8.8
12/5/2023	23	8.7	8.7	8.4	8.3	8.3	8.3	9.0	8.8
12/5/2023	24	8.7	8.7	8.4	8.3	8.3	8.3	9.0	8.8
12/6/2023	1	8.7	8.7	8.4	8.3	8.3	8.3	9.0	8.8
12/6/2023	2	8.7	8.7	8.5	8.4	8.3	8.3	9.0	8.8
12/6/2023	3	8.7	8.7	8.5	8.4	8.3	8.3	9.0	8.8
12/6/2023	4	8.7	8.7	8.5	8.4	8.3	8.3	9.0	8.8
12/6/2023	5	8.7	8.7	8.5	8.4	8.3	8.3	9.0	8.8
12/6/2023	6	8.7	8.7	8.5	8.4	8.4	8.4	9.0	8.8
12/6/2023	7	8.7	8.7	8.5	8.4	8.4	8.4	9.0	8.8
12/6/2023	8	8.7	8.7	8.5	8.4	8.4	8.4	9.0	8.8
12/6/2023	9	8.7	8.7	8.5	8.4	8.4	8.4	9.0	8.8
12/6/2023	10	8.7	8.7	8.5	8.4	8.4	8.4	9.0	8.8
12/6/2023	11	8.7	8.7	8.6	8.5	8.4	8.4	9.1	8.8
12/6/2023	12	8.7	8.7	8.8	8.6	8.5	8.5	9.1	8.9
12/6/2023	13	8.7	8.8	8.9	8.7	8.5	8.6	9.1	8.9
12/6/2023	14	8.8	8.8	9.0	8.7	8.6	8.7	9.1	8.9
12/6/2023	15	8.8	8.8	9.0	8.8	8.7	8.8	9.1	8.9
12/6/2023	16	8.8	8.8	9.0	8.9	8.8	8.8	9.1	8.9
12/6/2023	17	8.8	8.8	8.9	9.0	8.9	8.9	9.1	8.9
12/6/2023	18	8.8	8.8	8.8	9.0	8.9	9.0	9.2	8.9
12/6/2023	19	8.8	8.8	8.8	9.0	8.9	8.9	9.2	8.9
12/6/2023	20	8.8	8.8	8.8	8.9	8.9	8.9	9.2	9.0
12/6/2023	21	8.8	8.8	8.7	8.9	8.8	8.9	9.2	9.0
12/6/2023	22	8.8	8.8	8.7	8.8	8.8	8.8	9.2	9.0
12/6/2023	23	8.8	8.8	8.7	8.8	8.8	8.8	9.2	9.0
12/6/2023	24	8.8	8.8	8.7	8.8	8.7	8.7	9.2	9.0
12/7/2023	1	8.8	8.8	8.7	8.7	8.7	8.7	9.2	8.9
12/7/2023	2	8.8	8.8	8.7	8.7	8.7	8.7	9.2	8.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/7/2023	3	8.8	8.8	8.7	8.7	8.7	8.7	9.2	8.9
12/7/2023	4	8.8	8.8	8.7	8.7	8.7	8.6	9.2	8.9
12/7/2023	5	8.8	8.8	8.7	8.7	8.7	8.7	9.2	8.9
12/7/2023	6	8.8	8.8	8.7	8.7	8.7	8.7	9.2	8.9
12/7/2023	7	8.8	8.8	8.7	8.7	8.7	8.7	9.1	8.9
12/7/2023	8	8.8	8.8	8.7	8.7	8.7	8.7	9.1	8.9
12/7/2023	9	8.8	8.8	8.7	8.7	8.7	8.7	9.1	8.9
12/7/2023	10	8.8	8.8	8.7	8.7	8.7	8.7	9.1	8.9
12/7/2023	11	8.7	8.8	8.8	8.9	8.7	8.7	9.2	8.9
12/7/2023	12	8.7	8.8	8.9	9.0	8.8	8.9	9.2	8.9
12/7/2023	13	8.8	8.8	8.9	8.8	8.7	8.8	9.2	8.9
12/7/2023	14	8.8	8.8	9.0	8.8	8.8	8.8	9.2	9.0
12/7/2023	15	8.8	8.9	9.0	8.9	8.8	8.9	9.2	9.0
12/7/2023	16	8.9	8.9	9.0	8.9	8.8	8.9	9.2	9.0
12/7/2023	17	8.9	8.9	8.8	8.9	8.9	8.8	9.2	9.0
12/7/2023	18	8.8	8.8	8.7	8.9	8.9	8.8	9.3	9.0
12/7/2023	19	8.8	8.8	8.6	8.9	8.9	8.8	9.2	9.0
12/7/2023	20	8.8	8.8	8.4	8.7	8.8	8.7	9.2	9.0
12/7/2023	21	8.8	8.8	8.4	8.6	8.7	8.6	9.2	9.0
12/7/2023	22	8.8	8.8	8.3	8.5	8.5	8.5	9.2	9.0
12/7/2023	23	8.8	8.8	8.3	8.4	8.4	8.3	9.2	8.9
12/7/2023	24	8.8	8.8	8.3	8.3	8.3	8.2	9.2	8.9
12/8/2023	1	8.8	8.8	8.2	8.2	8.3	8.2	9.1	8.9
12/8/2023	2	8.8	8.8	8.2	8.2	8.2	8.1	9.1	8.9
12/8/2023	3	8.8	8.7	8.1	8.1	8.2	8.1	9.1	8.9
12/8/2023	4	8.7	8.7	8.1	8.1	8.1	8.0	9.1	8.9
12/8/2023	5	8.7	8.7	8.0	8.0	8.0	7.9	9.1	8.8
12/8/2023	6	8.7	8.6	7.9	7.9	8.0	7.9	9.0	8.8
12/8/2023	7	8.7	8.6	7.8	7.8	7.9	7.8	9.0	8.8
12/8/2023	8	8.6	8.6	7.7	7.7	7.8	7.7	9.0	8.8
12/8/2023	9	8.6	8.6	7.7	7.6	7.7	7.6	9.0	8.8
12/8/2023	10	8.6	8.6	7.6	7.6	7.6	7.5	8.9	8.7
12/8/2023	11	8.6	8.6	7.9	7.7	7.6	7.6	9.0	8.7
12/8/2023	12	8.6	8.6	8.2	7.8	7.6	7.7	9.0	8.7
12/8/2023	13	8.6	8.6	8.6	7.8	7.6	7.7	9.0	8.7
12/8/2023	14	8.7	8.6	8.8	7.9	7.7	7.8	9.0	8.8
12/8/2023	15	8.7	8.6	8.8	8.0	7.9	7.9	9.0	8.8
12/8/2023	16	8.7	8.6	8.6	8.3	8.1	8.1	9.0	8.8
12/8/2023	17	8.7	8.6	8.4	8.5	8.3	8.4	9.0	8.8
12/8/2023	18	8.7	8.6	8.1	8.5	8.4	8.4	9.0	8.8
12/8/2023	19	8.6	8.6	7.9	8.4	8.4	8.3	9.0	8.8
12/8/2023	20	8.6	8.6	7.8	8.2	8.2	8.2	8.9	8.8
12/8/2023	21	8.6	8.5	7.7	8.0	8.1	8.0	8.9	8.8
12/8/2023	22	8.6	8.5	7.6	7.7	7.9	7.7	8.8	8.7
12/8/2023	23	8.5	8.5	7.6	7.6	7.7	7.6	8.8	8.7
12/8/2023	24	8.5	8.4	7.5	7.5	7.6	7.4	8.8	8.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/9/2023	1	8.4	8.4	7.5	7.4	7.5	7.3	8.7	8.6
12/9/2023	2	8.4	8.4	7.4	7.3	7.4	7.2	8.7	8.5
12/9/2023	3	8.3	8.3	7.4	7.2	7.3	7.2	8.7	8.5
12/9/2023	4	8.3	8.3	7.4	7.2	7.2	7.1	8.6	8.4
12/9/2023	5	8.3	8.2	7.3	7.2	7.2	7.1	8.6	8.4
12/9/2023	6	8.3	8.2	7.3	7.1	7.2	7.0	8.6	8.4
12/9/2023	7	8.3	8.2	7.3	7.1	7.1	7.0	8.6	8.4
12/9/2023	8	8.2	8.2	7.3	7.1	7.1	7.0	8.6	8.4
12/9/2023	9	8.2	8.1	7.3	7.1	7.1	7.0	8.5	8.3
12/9/2023	10	8.2	8.1	7.3	7.1	7.1	7.0	8.5	8.3
12/9/2023	11	8.2	8.2	7.4	7.1	7.1	7.0	8.5	8.3
12/9/2023	12	8.3	8.2	7.6	7.2	7.1	7.1	8.6	8.4
12/9/2023	13	8.3	8.2	7.8	7.2	7.2	7.1	8.6	8.4
12/9/2023	14	8.3	8.2	7.8	7.3	7.2	7.2	8.6	8.5
12/9/2023	15	8.3	8.3	7.7	7.4	7.3	7.3	8.6	8.5
12/9/2023	16	8.3	8.3	7.5	7.5	7.4	7.3	8.6	8.5
12/9/2023	17	8.3	8.2	7.2	7.4	7.4	7.3	8.6	8.5
12/9/2023	18	8.3	8.2	7.1	7.3	7.3	7.2	8.6	8.4
12/9/2023	19	8.2	8.2	7.0	7.2	7.2	7.1	8.6	8.4
12/9/2023	20	8.2	8.1	7.0	7.0	7.1	7.0	8.6	8.3
12/9/2023	21	8.2	8.1	7.1	6.9	7.0	6.9	8.5	8.3
12/9/2023	22	8.2	8.1	7.3	6.9	6.9	6.8	8.5	8.3
12/9/2023	23	8.2	8.1	7.4	6.9	6.9	6.8	8.5	8.3
12/9/2023	24	8.2	8.1	7.5	7.0	6.9	6.8	8.5	8.3
12/10/2023	1	8.1	8.1	7.5	7.1	7.0	6.9	8.4	8.3
12/10/2023	2	8.1	8.1	7.5	7.2	7.1	7.0	8.4	8.2
12/10/2023	3	8.1	8.1	7.5	7.2	7.2	7.2	8.4	8.2
12/10/2023	4	8.1	8.0	7.5	7.3	7.2	7.2	8.4	8.2
12/10/2023	5	8.1	8.0	7.5	7.3	7.3	7.2	8.4	8.2
12/10/2023	6	8.1	8.0	7.6	7.3	7.3	7.3	8.5	8.2
12/10/2023	7	8.1	8.1	7.6	7.3	7.3	7.3	8.5	8.3
12/10/2023	8	8.2	8.1	7.6	7.4	7.3	7.3	8.5	8.3
12/10/2023	9	8.2	8.1	7.6	7.4	7.3	7.3	8.5	8.3
12/10/2023	10	8.2	8.1	7.6	7.4	7.4	7.4	8.5	8.3
12/10/2023	11	8.2	8.1	7.8	7.5	7.4	7.5	8.5	8.3
12/10/2023	12	8.2	8.1	8.0	7.6	7.5	7.5	8.5	8.2
12/10/2023	13	8.2	8.2	8.4	7.8	7.6	7.7	8.5	8.3
12/10/2023	14	8.2	8.2	8.6	7.8	7.7	7.8	8.6	8.3
12/10/2023	15	8.3	8.2	8.6	8.0	7.8	7.9	8.6	8.4
12/10/2023	16	8.3	8.3	8.5	8.2	8.0	8.1	8.6	8.4
12/10/2023	17	8.3	8.3	8.3	8.4	8.2	8.3	8.6	8.4
12/10/2023	18	8.3	8.2	8.1	8.4	8.3	8.3	8.6	8.4
12/10/2023	19	8.3	8.2	7.9	8.3	8.3	8.3	8.6	8.4
12/10/2023	20	8.3	8.2	7.9	8.2	8.2	8.2	8.6	8.4
12/10/2023	21	8.2	8.2	7.8	8.0	8.1	8.0	8.6	8.4
12/10/2023	22	8.2	8.2	7.9	7.9	7.9	7.9	8.6	8.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/10/2023	23	8.2	8.2	7.9	7.8	7.8	7.8	8.6	8.3
12/10/2023	24	8.2	8.1	7.9	7.8	7.8	7.7	8.5	8.3
12/11/2023	1	8.2	8.1	7.8	7.8	7.8	7.7	8.5	8.3
12/11/2023	2	8.2	8.2	7.8	7.8	7.7	7.7	8.5	8.3
12/11/2023	3	8.2	8.2	7.8	7.7	7.7	7.7	8.5	8.3
12/11/2023	4	8.2	8.2	7.7	7.7	7.7	7.7	8.5	8.3
12/11/2023	5	8.2	8.2	7.7	7.7	7.7	7.7	8.5	8.3
12/11/2023	6	8.2	8.2	7.7	7.7	7.7	7.6	8.5	8.3
12/11/2023	7	8.2	8.1	7.7	7.6	7.6	7.6	8.5	8.3
12/11/2023	8	8.2	8.1	7.7	7.5	7.6	7.5	8.4	8.2
12/11/2023	9	8.2	8.1	7.6	7.5	7.5	7.4	8.4	8.2
12/11/2023	10	8.2	8.1	7.6	7.5	7.5	7.5	8.4	8.2
12/11/2023	11	8.2	8.1	7.7	7.5	7.5	7.4	8.4	8.2
12/11/2023	12	8.2	8.1	8.2	7.6	7.5	7.5	8.5	8.2
12/11/2023	13	8.2	8.2	8.5	7.7	7.6	7.6	8.5	8.2
12/11/2023	14	8.2	8.2	8.6	7.8	7.6	7.8	8.5	8.3
12/11/2023	15	8.2	8.2	8.6	8.0	7.8	7.9	8.5	8.3
12/11/2023	16	8.3	8.2	8.4	8.3	8.1	8.1	8.5	8.4
12/11/2023	17	8.3	8.2	8.2	8.4	8.2	8.3	8.6	8.4
12/11/2023	18	8.3	8.2	7.9	8.3	8.3	8.3	8.6	8.4
12/11/2023	19	8.3	8.2	7.6	8.1	8.2	8.1	8.6	8.3
12/11/2023	20	8.2	8.2	7.5	7.9	8.0	8.0	8.6	8.3
12/11/2023	21	8.2	8.2	7.4	7.7	7.8	7.7	8.6	8.3
12/11/2023	22	8.2	8.1	7.3	7.5	7.6	7.5	8.6	8.3
12/11/2023	23	8.2	8.2	7.3	7.3	7.5	7.3	8.6	8.3
12/11/2023	24	8.2	8.2	7.4	7.3	7.4	7.3	8.6	8.3
12/12/2023	1	8.2	8.2	7.5	7.2	7.3	7.2	8.6	8.3
12/12/2023	2	8.2	8.2	7.6	7.2	7.3	7.2	8.6	8.3
12/12/2023	3	8.3	8.2	7.6	7.3	7.3	7.2	8.6	8.4
12/12/2023	4	8.3	8.2	7.7	7.4	7.3	7.3	8.6	8.4
12/12/2023	5	8.3	8.2	7.7	7.4	7.4	7.3	8.6	8.4
12/12/2023	6	8.3	8.2	7.7	7.5	7.4	7.4	8.6	8.4
12/12/2023	7	8.3	8.2	7.7	7.5	7.5	7.4	8.6	8.4
12/12/2023	8	8.3	8.2	7.8	7.6	7.5	7.5	8.6	8.4
12/12/2023	9	8.3	8.2	7.8	7.6	7.5	7.5	8.6	8.4
12/12/2023	10	8.3	8.2	7.8	7.6	7.6	7.6	8.6	8.4
12/12/2023	11	8.3	8.3	8.0	7.7	7.6	7.7	8.6	8.4
12/12/2023	12	8.3	8.3	8.1	7.8	7.7	7.7	8.7	8.4
12/12/2023	13	8.3	8.3	8.3	7.9	7.7	7.8	8.7	8.4
12/12/2023	14	8.3	8.3	8.5	8.1	7.9	8.0	8.7	8.4
12/12/2023	15	8.3	8.3	8.5	8.1	8.0	8.0	8.7	8.5
12/12/2023	16	8.3	8.3	8.5	8.2	8.1	8.1	8.7	8.5
12/12/2023	17	8.3	8.3	8.4	8.3	8.2	8.2	8.7	8.5
12/12/2023	18	8.3	8.3	8.2	8.4	8.3	8.3	8.7	8.5
12/12/2023	19	8.3	8.3	8.1	8.3	8.3	8.3	8.7	8.5
12/12/2023	20	8.3	8.3	8.0	8.2	8.2	8.2	8.7	8.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/12/2023	21	8.3	8.3	7.9	8.1	8.1	8.1	8.6	8.4
12/12/2023	22	8.3	8.3	7.9	8.0	8.0	8.0	8.6	8.4
12/12/2023	23	8.3	8.3	7.9	7.9	8.0	7.9	8.6	8.4
12/12/2023	24	8.3	8.2	7.9	7.8	7.9	7.8	8.6	8.4
12/13/2023	1	8.3	8.2	7.9	7.8	7.8	7.8	8.6	8.4
12/13/2023	2	8.2	8.2	7.8	7.8	7.8	7.7	8.5	8.4
12/13/2023	3	8.2	8.2	7.8	7.7	7.8	7.7	8.5	8.3
12/13/2023	4	8.2	8.2	7.8	7.7	7.7	7.7	8.5	8.3
12/13/2023	5	8.2	8.1	7.8	7.7	7.7	7.7	8.5	8.3
12/13/2023	6	8.2	8.1	7.7	7.7	7.7	7.6	8.5	8.3
12/13/2023	7	8.2	8.1	7.7	7.7	7.7	7.6	8.5	8.3
12/13/2023	8	8.2	8.1	7.7	7.6	7.6	7.6	8.5	8.2
12/13/2023	9	8.2	8.1	7.7	7.6	7.6	7.6	8.5	8.2
12/13/2023	10	8.1	8.1	7.7	7.6	7.6	7.6	8.4	8.2
12/13/2023	11	8.1	8.1	7.8	7.6	7.6	7.6	8.4	8.2
12/13/2023	12	8.1	8.1	7.9	7.7	7.6	7.6	8.4	8.2
12/13/2023	13	8.2	8.1	8.1	7.8	7.6	7.7	8.5	8.2
12/13/2023	14	8.2	8.1	8.2	7.8	7.7	7.8	8.5	8.3
12/13/2023	15	8.2	8.1	8.2	7.9	7.8	7.8	8.5	8.3
12/13/2023	16	8.2	8.2	8.1	8.0	7.9	7.9	8.5	8.3
12/13/2023	17	8.2	8.2	8.0	8.0	7.9	8.0	8.5	8.4
12/13/2023	18	8.2	8.2	7.9	8.0	8.0	8.0	8.5	8.3
12/13/2023	19	8.2	8.2	7.9	8.0	8.0	8.0	8.5	8.4
12/13/2023	20	8.2	8.2	7.8	7.9	7.9	7.9	8.6	8.4
12/13/2023	21	8.2	8.2	7.8	7.8	7.9	7.8	8.6	8.4
12/13/2023	22	8.2	8.2	7.8	7.8	7.8	7.8	8.6	8.4
12/13/2023	23	8.2	8.2	7.8	7.8	7.8	7.7	8.6	8.4
12/13/2023	24	8.2	8.2	7.8	7.7	7.7	7.7	8.5	8.4
12/14/2023	1	8.2	8.2	7.8	7.7	7.7	7.7	8.5	8.4
12/14/2023	2	8.2	8.2	7.7	7.7	7.7	7.6	8.5	8.4
12/14/2023	3	8.2	8.2	7.7	7.7	7.7	7.6	8.5	8.3
12/14/2023	4	8.2	8.1	7.7	7.7	7.7	7.6	8.5	8.3
12/14/2023	5	8.2	8.1	7.7	7.7	7.6	7.6	8.5	8.3
12/14/2023	6	8.2	8.1	7.7	7.6	7.6	7.6	8.5	8.3
12/14/2023	7	8.2	8.1	7.7	7.6	7.6	7.6	8.5	8.2
12/14/2023	8	8.1	8.1	7.7	7.6	7.6	7.6	8.5	8.2
12/14/2023	9	8.1	8.1	7.7	7.6	7.6	7.6	8.5	8.2
12/14/2023	10	8.1	8.1	7.7	7.6	7.6	7.6	8.5	8.2
12/14/2023	11	8.1	8.1	7.8	7.7	7.6	7.6	8.5	8.2
12/14/2023	12	8.1	8.1	7.9	7.7	7.6	7.7	8.5	8.2
12/14/2023	13	8.2	8.1	8.0	7.8	7.7	7.7	8.5	8.3
12/14/2023	14	8.2	8.1	8.2	7.9	7.8	7.8	8.5	8.3
12/14/2023	15	8.2	8.1	8.3	8.0	7.8	7.9	8.5	8.3
12/14/2023	16	8.2	8.1	8.3	8.1	7.9	7.9	8.5	8.3
12/14/2023	17	8.2	8.1	8.2	8.1	8.0	8.0	8.5	8.3
12/14/2023	18	8.2	8.1	8.0	8.2	8.1	8.1	8.5	8.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/14/2023	19	8.2	8.1	7.9	8.1	8.1	8.1	8.5	8.3
12/14/2023	20	8.2	8.1	7.9	8.1	8.1	8.1	8.5	8.3
12/14/2023	21	8.2	8.1	7.9	8.0	8.0	8.0	8.5	8.3
12/14/2023	22	8.2	8.1	7.9	7.9	7.9	7.9	8.5	8.3
12/14/2023	23	8.2	8.1	7.9	7.9	7.9	7.8	8.5	8.3
12/14/2023	24	8.2	8.1	7.9	7.8	7.8	7.8	8.5	8.4
12/15/2023	1	8.2	8.2	7.9	7.8	7.8	7.8	8.5	8.4
12/15/2023	2	8.2	8.2	7.9	7.8	7.8	7.8	8.5	8.3
12/15/2023	3	8.2	8.2	7.9	7.8	7.8	7.8	8.5	8.3
12/15/2023	4	8.2	8.2	7.8	7.8	7.8	7.7	8.5	8.3
12/15/2023	5	8.2	8.2	7.8	7.8	7.8	7.7	8.5	8.3
12/15/2023	6	8.2	8.2	7.8	7.8	7.8	7.7	8.5	8.3
12/15/2023	7	8.2	8.2	7.8	7.8	7.7	7.7	8.5	8.3
12/15/2023	8	8.2	8.2	7.8	7.8	7.7	7.7	8.5	8.3
12/15/2023	9	8.2	8.2	7.8	7.8	7.7	7.7	8.5	8.3
12/15/2023	10	8.2	8.2	7.9	7.8	7.7	7.7	8.5	8.3
12/15/2023	11	8.2	8.2	7.9	7.8	7.8	7.8	8.5	8.3
12/15/2023	12	8.2	8.2	8.0	7.9	7.8	7.8	8.5	8.3
12/15/2023	13	8.2	8.2	8.2	7.9	7.8	7.9	8.5	8.3
12/15/2023	14	8.2	8.2	8.3	8.0	7.9	7.9	8.5	8.3
12/15/2023	15	8.2	8.2	8.4	8.1	8.0	8.0	8.5	8.3
12/15/2023	16	8.2	8.2	8.4	8.2	8.1	8.1	8.5	8.3
12/15/2023	17	8.2	8.2	8.3	8.3	8.1	8.2	8.5	8.3
12/15/2023	18	8.2	8.2	8.2	8.3	8.2	8.2	8.5	8.3
12/15/2023	19	8.2	8.2	8.0	8.3	8.2	8.2	8.5	8.3
12/15/2023	20	8.2	8.2	7.9	8.2	8.2	8.2	8.5	8.3
12/15/2023	21	8.2	8.2	7.9	8.1	8.1	8.1	8.5	8.3
12/15/2023	22	8.2	8.2	7.8	8.0	8.0	8.0	8.5	8.3
12/15/2023	23	8.2	8.2	7.8	7.9	7.9	7.9	8.5	8.3
12/15/2023	24	8.2	8.2	7.9	7.8	7.9	7.8	8.5	8.3
12/16/2023	1	8.2	8.2	7.9	7.8	7.8	7.8	8.5	8.3
12/16/2023	2	8.2	8.1	7.9	7.8	7.8	7.7	8.5	8.3
12/16/2023	3	8.2	8.1	7.8	7.7	7.8	7.7	8.5	8.3
12/16/2023	4	8.2	8.1	7.8	7.8	7.7	7.7	8.5	8.3
12/16/2023	5	8.1	8.1	7.8	7.8	7.7	7.7	8.4	8.3
12/16/2023	6	8.1	8.1	7.8	7.8	7.7	7.7	8.4	8.2
12/16/2023	7	8.1	8.1	7.8	7.7	7.7	7.7	8.4	8.2
12/16/2023	8	8.1	8.1	7.8	7.7	7.7	7.7	8.4	8.2
12/16/2023	9	8.1	8.0	7.8	7.7	7.7	7.7	8.4	8.2
12/16/2023	10	8.1	8.0	7.8	7.7	7.7	7.7	8.4	8.2
12/16/2023	11	8.1	8.0	7.8	7.7	7.7	7.7	8.4	8.2
12/16/2023	12	8.1	8.0	7.9	7.8	7.7	7.7	8.4	8.2
12/16/2023	13	8.1	8.1	8.0	7.8	7.7	7.7	8.4	8.2
12/16/2023	14	8.1	8.1	8.1	7.8	7.7	7.8	8.4	8.2
12/16/2023	15	8.1	8.1	8.1	7.9	7.8	7.8	8.4	8.2
12/16/2023	16	8.1	8.1	8.0	7.9	7.9	7.9	8.4	8.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/16/2023	17	8.1	8.0	7.9	8.0	7.9	7.9	8.4	8.2
12/16/2023	18	8.1	8.0	7.8	8.0	7.9	7.9	8.4	8.2
12/16/2023	19	8.1	8.0	7.8	7.9	7.9	7.9	8.4	8.2
12/16/2023	20	8.1	8.0	7.8	7.9	7.9	7.8	8.4	8.2
12/16/2023	21	8.1	8.0	7.7	7.8	7.8	7.8	8.4	8.2
12/16/2023	22	8.1	8.0	7.7	7.8	7.8	7.7	8.4	8.2
12/16/2023	23	8.1	8.0	7.7	7.7	7.7	7.7	8.4	8.2
12/16/2023	24	8.1	8.0	7.7	7.7	7.7	7.7	8.4	8.2
12/17/2023	1	8.1	8.0	7.7	7.7	7.7	7.7	8.4	8.2
12/17/2023	2	8.1	8.0	7.7	7.7	7.7	7.6	8.4	8.2
12/17/2023	3	8.1	8.0	7.7	7.7	7.7	7.6	8.4	8.2
12/17/2023	4	8.1	8.0	7.7	7.7	7.7	7.6	8.4	8.2
12/17/2023	5	8.1	8.0	7.7	7.7	7.6	7.6	8.4	8.2
12/17/2023	6	8.0	8.0	7.6	7.6	7.6	7.6	8.3	8.1
12/17/2023	7	8.0	8.0	7.6	7.6	7.6	7.6	8.3	8.1
12/17/2023	8	8.0	8.0	7.6	7.6	7.6	7.5	8.4	8.1
12/17/2023	9	8.0	8.0	7.6	7.6	7.5	7.5	8.4	8.1
12/17/2023	10	8.0	8.0	7.6	7.6	7.5	7.5	8.4	8.1
12/17/2023	11	8.0	8.0	7.7	7.6	7.5	7.5	8.4	8.1
12/17/2023	12	8.0	8.0	7.7	7.6	7.5	7.5	8.4	8.1
12/17/2023	13	8.0	8.0	7.8	7.6	7.6	7.6	8.4	8.1
12/17/2023	14	8.0	8.0	7.9	7.7	7.6	7.6	8.4	8.1
12/17/2023	15	8.1	8.0	7.9	7.7	7.7	7.7	8.4	8.2
12/17/2023	16	8.1	8.0	7.9	7.8	7.7	7.7	8.4	8.2
12/17/2023	17	8.1	8.0	7.9	7.8	7.7	7.8	8.4	8.2
12/17/2023	18	8.1	8.0	7.8	7.9	7.8	7.8	8.4	8.2
12/17/2023	19	8.1	8.0	7.8	7.8	7.8	7.8	8.4	8.2
12/17/2023	20	8.1	8.0	7.7	7.8	7.8	7.8	8.4	8.2
12/17/2023	21	8.1	8.0	7.7	7.8	7.7	7.7	8.4	8.2
12/17/2023	22	8.0	8.0	7.7	7.7	7.7	7.7	8.4	8.2
12/17/2023	23	8.0	8.0	7.6	7.7	7.7	7.6	8.3	8.1
12/17/2023	24	8.0	8.0	7.6	7.6	7.6	7.6	8.3	8.1
12/18/2023	1	8.0	8.0	7.6	7.6	7.6	7.5	8.3	8.1
12/18/2023	2	8.0	8.0	7.6	7.5	7.6	7.5	8.3	8.1
12/18/2023	3	8.0	8.0	7.6	7.5	7.5	7.5	8.3	8.1
12/18/2023	4	8.0	7.9	7.5	7.5	7.5	7.4	8.3	8.1
12/18/2023	5	7.9	7.9	7.5	7.5	7.5	7.4	8.3	8.1
12/18/2023	6	7.9	7.9	7.5	7.4	7.4	7.4	8.3	8.1
12/18/2023	7	7.9	7.9	7.5	7.4	7.4	7.4	8.3	8.1
12/18/2023	8	7.9	7.9	7.5	7.4	7.4	7.4	8.3	8.1
12/18/2023	9	7.9	7.9	7.5	7.4	7.4	7.4	8.3	8.1
12/18/2023	10	7.9	7.9	7.5	7.4	7.4	7.4	8.3	8.1
12/18/2023	11	8.0	8.0	7.6	7.5	7.4	7.4	8.3	8.1
12/18/2023	12	8.0	8.0	7.8	7.6	7.5	7.5	8.3	8.1
12/18/2023	13	8.0	8.0	7.9	7.6	7.5	7.6	8.4	8.1
12/18/2023	14	8.0	8.0	8.1	7.7	7.6	7.7	8.4	8.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/18/2023	15	8.0	8.0	8.2	7.8	7.7	7.7	8.3	8.1
12/18/2023	16	8.0	8.0	8.1	7.9	7.8	7.8	8.3	8.1
12/18/2023	17	8.0	8.0	8.1	8.0	7.9	7.9	8.3	8.1
12/18/2023	18	8.0	8.0	7.9	8.0	7.9	8.0	8.3	8.1
12/18/2023	19	8.0	8.0	7.9	8.0	8.0	8.0	8.3	8.1
12/18/2023	20	7.9	7.9	7.8	8.0	7.9	8.0	8.3	8.1
12/18/2023	21	7.9	7.9	7.8	7.9	7.9	7.9	8.2	8.0
12/18/2023	22	7.9	7.9	7.8	7.8	7.8	7.8	8.2	8.0
12/18/2023	23	7.9	7.9	7.7	7.8	7.8	7.8	8.2	8.0
12/18/2023	24	7.9	7.9	7.7	7.7	7.8	7.7	8.2	8.0
12/19/2023	1	7.9	7.9	7.7	7.7	7.7	7.7	8.2	8.1
12/19/2023	2	7.9	7.9	7.7	7.7	7.7	7.7	8.2	8.1
12/19/2023	3	7.9	7.9	7.6	7.7	7.7	7.6	8.2	8.0
12/19/2023	4	7.9	7.9	7.6	7.6	7.6	7.6	8.2	8.0
12/19/2023	5	7.9	7.9	7.6	7.6	7.6	7.6	8.2	8.0
12/19/2023	6	7.9	7.9	7.6	7.6	7.6	7.5	8.2	8.0
12/19/2023	7	7.9	7.8	7.6	7.5	7.5	7.5	8.2	8.0
12/19/2023	8	7.9	7.8	7.5	7.5	7.5	7.5	8.2	8.0
12/19/2023	9	7.9	7.9	7.5	7.5	7.5	7.4	8.2	8.0
12/19/2023	10	7.9	7.9	7.5	7.5	7.5	7.4	8.2	8.0
12/19/2023	11	7.9	7.9	7.5	7.5	7.5	7.4	8.2	8.0
12/19/2023	12	7.9	7.9	7.6	7.5	7.4	7.4	8.2	8.0
12/19/2023	13	7.9	7.9	7.6	7.4	7.4	7.4	8.2	8.0
12/19/2023	14	7.9	7.9	7.7	7.5	7.4	7.4	8.2	8.1
12/19/2023	15	7.9	7.9	7.8	7.6	7.5	7.5	8.3	8.1
12/19/2023	16	8.0	7.9	7.9	7.6	7.5	7.6	8.3	8.1
12/19/2023	17	8.0	7.9	7.9	7.7	7.6	7.6	8.3	8.1
12/19/2023	18	8.0	7.9	7.9	7.8	7.7	7.7	8.3	8.1
12/19/2023	19	8.0	7.9	7.8	7.8	7.7	7.8	8.3	8.1
12/19/2023	20	8.0	7.9	7.8	7.8	7.8	7.8	8.3	8.1
12/19/2023	21	8.0	8.0	7.8	7.8	7.8	7.8	8.3	8.1
12/19/2023	22	8.0	8.0	7.8	7.8	7.8	7.8	8.3	8.1
12/19/2023	23	8.0	8.0	7.8	7.8	7.8	7.8	8.3	8.1
12/19/2023	24	8.0	8.0	7.8	7.8	7.7	7.7	8.3	8.1
12/20/2023	1	8.0	8.0	7.8	7.8	7.7	7.7	8.3	8.2
12/20/2023	2	8.0	8.0	7.8	7.8	7.7	7.7	8.4	8.1
12/20/2023	3	8.0	8.0	7.8	7.8	7.7	7.7	8.4	8.2
12/20/2023	4	8.0	8.0	7.8	7.8	7.8	7.7	8.4	8.2
12/20/2023	5	8.0	8.0	7.8	7.8	7.8	7.7	8.3	8.1
12/20/2023	6	8.0	8.0	7.8	7.8	7.8	7.8	8.3	8.1
12/20/2023	7	8.0	8.0	7.8	7.8	7.8	7.8	8.3	8.1
12/20/2023	8	8.0	8.0	7.8	7.8	7.8	7.8	8.3	8.1
12/20/2023	9	8.0	8.0	7.9	7.8	7.8	7.8	8.3	8.1
12/20/2023	10	8.0	8.0	7.9	7.8	7.8	7.8	8.3	8.1
12/20/2023	11	8.0	8.0	8.0	7.9	7.8	7.8	8.3	8.1
12/20/2023	12	8.0	8.0	8.1	7.9	7.8	7.9	8.3	8.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/20/2023	13	8.0	8.0	8.2	8.0	7.9	7.9	8.3	8.1
12/20/2023	14	8.0	8.0	8.3	8.1	7.9	8.0	8.3	8.1
12/20/2023	15	8.0	8.0	8.3	8.1	8.0	8.1	8.3	8.1
12/20/2023	16	8.0	8.0	8.2	8.2	8.1	8.1	8.3	8.1
12/20/2023	17	8.0	8.0	8.1	8.2	8.1	8.2	8.3	8.1
12/20/2023	18	8.0	8.0	8.0	8.3	8.2	8.2	8.4	8.1
12/20/2023	19	8.0	8.0	8.0	8.2	8.2	8.2	8.4	8.1
12/20/2023	20	8.0	8.0	7.9	8.1	8.1	8.1	8.3	8.1
12/20/2023	21	8.0	8.0	7.9	8.1	8.1	8.1	8.3	8.1
12/20/2023	22	8.0	8.0	7.9	8.0	8.0	8.0	8.3	8.1
12/20/2023	23	8.0	8.0	7.9	8.0	8.0	7.9	8.3	8.1
12/20/2023	24	8.0	8.0	7.8	7.9	7.9	7.9	8.3	8.1
12/21/2023	1	7.9	8.0	7.8	7.9	7.9	7.8	8.3	8.1
12/21/2023	2	7.9	7.9	7.8	7.8	7.8	7.8	8.3	8.1
12/21/2023	3	7.9	7.9	7.7	7.8	7.8	7.7	8.3	8.0
12/21/2023	4	7.9	7.9	7.7	7.7	7.8	7.7	8.3	8.0
12/21/2023	5	7.9	7.9	7.7	7.7	7.7	7.7	8.3	8.0
12/21/2023	6	7.9	7.9	7.7	7.7	7.7	7.6	8.3	8.0
12/21/2023	7	7.9	7.9	7.7	7.7	7.7	7.6	8.3	8.0
12/21/2023	8	7.9	7.9	7.7	7.7	7.7	7.6	8.3	8.0
12/21/2023	9	7.9	7.9	7.7	7.7	7.6	7.6	8.3	8.0
12/21/2023	10	7.9	7.9	7.7	7.7	7.6	7.6	8.3	8.0
12/21/2023	11	7.9	7.9	7.8	7.7	7.7	7.7	8.3	8.0
12/21/2023	12	7.9	7.9	7.9	7.7	7.7	7.7	8.3	8.1
12/21/2023	13	8.0	8.0	8.0	7.8	7.7	7.8	8.3	8.1
12/21/2023	14	8.0	8.0	8.3	7.9	7.8	7.9	8.3	8.1
12/21/2023	15	8.0	8.0	8.4	8.0	7.9	8.0	8.3	8.1
12/21/2023	16	8.0	8.0	8.4	8.1	8.0	8.0	8.3	8.1
12/21/2023	17	8.0	8.0	8.2	8.2	8.1	8.1	8.3	8.1
12/21/2023	18	8.0	8.0	8.0	8.3	8.2	8.2	8.4	8.1
12/21/2023	19	8.0	8.0	7.9	8.3	8.2	8.2	8.4	8.1
12/21/2023	20	8.0	8.0	7.9	8.2	8.2	8.2	8.4	8.1
12/21/2023	21	8.0	8.0	7.8	8.1	8.1	8.1	8.4	8.1
12/21/2023	22	8.0	8.0	7.8	8.0	8.0	8.0	8.4	8.1
12/21/2023	23	8.0	8.0	7.8	7.9	7.9	7.9	8.4	8.1
12/21/2023	24	8.0	8.0	7.8	7.9	7.9	7.8	8.4	8.1
12/22/2023	1	8.0	8.0	7.8	7.8	7.8	7.8	8.4	8.1
12/22/2023	2	8.0	8.0	7.8	7.8	7.8	7.8	8.4	8.2
12/22/2023	3	8.0	8.0	7.8	7.8	7.8	7.8	8.4	8.1
12/22/2023	4	8.0	8.0	7.8	7.8	7.8	7.7	8.4	8.1
12/22/2023	5	8.0	8.0	7.8	7.8	7.8	7.7	8.4	8.1
12/22/2023	6	8.0	8.0	7.8	7.8	7.8	7.7	8.4	8.1
12/22/2023	7	8.0	8.0	7.8	7.8	7.8	7.7	8.4	8.1
12/22/2023	8	8.0	8.0	7.8	7.8	7.8	7.7	8.4	8.1
12/22/2023	9	8.0	8.0	7.8	7.8	7.7	7.7	8.4	8.1
12/22/2023	10	8.0	8.0	7.8	7.8	7.7	7.7	8.3	8.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/22/2023	11	8.0	8.0	7.9	7.8	7.7	7.8	8.3	8.1
12/22/2023	12	8.0	8.0	7.9	7.8	7.8	7.8	8.3	8.1
12/22/2023	13	8.0	8.0	7.9	7.8	7.8	7.8	8.3	8.1
12/22/2023	14	8.0	8.0	8.0	7.9	7.8	7.9	8.3	8.1
12/22/2023	15	8.0	8.0	8.1	7.9	7.9	7.9	8.3	8.1
12/22/2023	16	8.0	8.0	8.1	8.0	7.9	7.9	8.3	8.1
12/22/2023	17	8.0	8.0	8.0	8.0	7.9	7.9	8.3	8.1
12/22/2023	18	8.0	8.0	7.9	7.9	7.9	7.9	8.3	8.1
12/22/2023	19	8.0	8.0	7.6	7.9	7.9	7.8	8.3	8.1
12/22/2023	20	8.0	8.0	7.4	7.8	7.8	7.8	8.3	8.1
12/22/2023	21	8.0	8.0	7.3	7.7	7.7	7.7	8.3	8.1
12/22/2023	22	8.0	7.9	7.2	7.5	7.6	7.5	8.2	8.1
12/22/2023	23	8.0	7.9	7.2	7.4	7.5	7.3	8.2	8.1
12/22/2023	24	7.9	7.9	7.1	7.2	7.3	7.2	8.2	8.1
12/23/2023	1	7.9	7.9	7.1	7.1	7.2	7.1	8.2	8.0
12/23/2023	2	7.9	7.9	7.1	7.0	7.1	7.0	8.2	8.0
12/23/2023	3	7.8	7.8	7.1	7.0	7.0	6.9	8.1	7.9
12/23/2023	4	7.8	7.8	7.0	6.9	7.0	6.8	8.1	7.9
12/23/2023	5	7.8	7.7	6.9	6.9	6.9	6.8	8.1	7.9
12/23/2023	6	7.8	7.7	6.8	6.8	6.9	6.7	8.0	7.9
12/23/2023	7	7.7	7.7	6.8	6.8	6.8	6.7	8.0	7.9
12/23/2023	8	7.7	7.6	6.7	6.7	6.8	6.6	8.0	7.8
12/23/2023	9	7.7	7.6	6.7	6.6	6.7	6.5	8.0	7.8
12/23/2023	10	7.7	7.6	6.6	6.6	6.6	6.5	7.9	7.8
12/23/2023	11	7.6	7.6	6.7	6.7	6.6	6.5	7.9	7.7
12/23/2023	12	7.6	7.6	7.0	6.7	6.6	6.6	7.9	7.7
12/23/2023	13	7.6	7.5	7.3	6.7	6.6	6.6	7.9	7.7
12/23/2023	14	7.6	7.6	7.6	6.7	6.6	6.6	8.0	7.8
12/23/2023	15	7.6	7.6	7.6	6.8	6.7	6.7	8.0	7.8
12/23/2023	16	7.7	7.6	7.4	7.1	6.9	6.9	8.0	7.8
12/23/2023	17	7.7	7.6	7.2	7.3	7.1	7.1	8.0	7.8
12/23/2023	18	7.7	7.6	7.0	7.3	7.2	7.2	8.0	7.8
12/23/2023	19	7.7	7.6	6.8	7.2	7.2	7.1	8.0	7.8
12/23/2023	20	7.6	7.5	6.7	7.0	7.1	7.0	7.9	7.8
12/23/2023	21	7.6	7.5	6.6	6.8	6.9	6.8	7.9	7.8
12/23/2023	22	7.6	7.5	6.5	6.6	6.7	6.6	7.8	7.7
12/23/2023	23	7.6	7.5	6.5	6.5	6.6	6.4	7.8	7.7
12/23/2023	24	7.5	7.4	6.4	6.4	6.5	6.3	7.8	7.6
12/24/2023	1	7.5	7.4	6.4	6.3	6.4	6.2	7.7	7.6
12/24/2023	2	7.4	7.3	6.3	6.2	6.3	6.1	7.7	7.6
12/24/2023	3	7.4	7.3	6.3	6.1	6.2	6.0	7.6	7.5
12/24/2023	4	7.3	7.2	6.2	6.1	6.1	5.9	7.6	7.5
12/24/2023	5	7.3	7.2	6.1	6.0	6.1	5.9	7.6	7.4
12/24/2023	6	7.2	7.2	6.1	6.0	6.0	5.9	7.5	7.4
12/24/2023	7	7.2	7.1	6.2	5.9	5.9	5.8	7.5	7.3
12/24/2023	8	7.2	7.1	6.2	5.9	5.9	5.8	7.5	7.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/24/2023	9	7.2	7.1	6.2	5.9	5.9	5.8	7.4	7.3
12/24/2023	10	7.1	7.1	6.2	5.9	5.9	5.8	7.4	7.2
12/24/2023	11	7.1	7.0	6.3	6.0	5.9	5.9	7.4	7.2
12/24/2023	12	7.1	7.0	6.4	6.0	5.9	5.9	7.4	7.2
12/24/2023	13	7.2	7.1	6.5	6.1	6.0	6.0	7.4	7.3
12/24/2023	14	7.2	7.1	6.6	6.2	6.1	6.1	7.4	7.3
12/24/2023	15	7.2	7.1	6.6	6.3	6.2	6.2	7.5	7.3
12/24/2023	16	7.2	7.1	6.7	6.4	6.2	6.2	7.5	7.3
12/24/2023	17	7.2	7.1	6.6	6.4	6.3	6.3	7.5	7.3
12/24/2023	18	7.2	7.1	6.6	6.4	6.3	6.3	7.5	7.3
12/24/2023	19	7.2	7.1	6.5	6.4	6.4	6.3	7.5	7.3
12/24/2023	20	7.2	7.1	6.5	6.4	6.4	6.4	7.5	7.3
12/24/2023	21	7.2	7.1	6.5	6.4	6.4	6.3	7.5	7.3
12/24/2023	22	7.2	7.1	6.5	6.4	6.3	6.3	7.5	7.3
12/24/2023	23	7.2	7.1	6.5	6.4	6.3	6.3	7.5	7.3
12/24/2023	24	7.2	7.1	6.5	6.3	6.3	6.3	7.5	7.3
12/25/2023	1	7.2	7.0	6.4	6.3	6.3	6.2	7.5	7.3
12/25/2023	2	7.2	7.1	6.5	6.3	6.3	6.2	7.5	7.3
12/25/2023	3	7.2	7.1	6.5	6.3	6.3	6.2	7.4	7.3
12/25/2023	4	7.2	7.1	6.5	6.3	6.3	6.2	7.4	7.3
12/25/2023	5	7.2	7.1	6.5	6.3	6.3	6.2	7.4	7.3
12/25/2023	6	7.1	7.1	6.5	6.3	6.3	6.2	7.4	7.2
12/25/2023	7	7.1	7.0	6.5	6.3	6.3	6.2	7.4	7.2
12/25/2023	8	7.1	7.0	6.5	6.3	6.3	6.3	7.4	7.2
12/25/2023	9	7.1	7.1	6.5	6.4	6.3	6.3	7.5	7.2
12/25/2023	10	7.2	7.1	6.6	6.4	6.3	6.3	7.5	7.2
12/25/2023	11	7.2	7.1	6.7	6.4	6.3	6.4	7.5	7.2
12/25/2023	12	7.2	7.1	6.9	6.5	6.4	6.4	7.5	7.3
12/25/2023	13	7.2	7.1	7.0	6.6	6.5	6.5	7.5	7.3
12/25/2023	14	7.2	7.2	7.1	6.7	6.6	6.6	7.5	7.3
12/25/2023	15	7.2	7.2	7.2	6.8	6.7	6.7	7.6	7.3
12/25/2023	16	7.2	7.2	7.1	6.9	6.8	6.8	7.6	7.3
12/25/2023	17	7.2	7.2	7.1	7.0	6.9	6.9	7.5	7.3
12/25/2023	18	7.2	7.2	7.0	7.0	6.9	7.0	7.5	7.3
12/25/2023	19	7.2	7.2	6.9	7.0	7.0	7.0	7.5	7.3
12/25/2023	20	7.2	7.1	6.8	6.9	6.9	6.9	7.5	7.3
12/25/2023	21	7.2	7.1	6.7	6.8	6.8	6.8	7.5	7.3
12/25/2023	22	7.2	7.1	6.6	6.7	6.8	6.7	7.5	7.3
12/25/2023	23	7.2	7.1	6.5	6.6	6.7	6.6	7.5	7.3
12/25/2023	24	7.2	7.1	6.5	6.6	6.6	6.5	7.5	7.3
12/26/2023	1	7.2	7.1	6.5	6.5	6.5	6.4	7.4	7.3
12/26/2023	2	7.2	7.1	6.4	6.4	6.4	6.3	7.4	7.3
12/26/2023	3	7.1	7.1	6.3	6.3	6.3	6.2	7.4	7.3
12/26/2023	4	7.1	7.0	6.2	6.3	6.3	6.2	7.4	7.2
12/26/2023	5	7.1	7.0	6.3	6.2	6.2	6.2	7.4	7.2
12/26/2023	6	7.1	7.0	6.3	6.2	6.2	6.1	7.3	7.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/26/2023	7	7.1	7.0	6.5	6.1	6.2	6.1	7.3	7.1
12/26/2023	8	7.1	7.0	6.5	6.2	6.1	6.1	7.3	7.1
12/26/2023	9	7.0	7.0	6.6	6.2	6.2	6.1	7.4	7.1
12/26/2023	10	7.0	7.0	6.6	6.3	6.2	6.2	7.4	7.1
12/26/2023	11	7.0	7.0	6.7	6.4	6.3	6.4	7.4	7.1
12/26/2023	12	7.1	7.0	6.9	6.6	6.4	6.5	7.4	7.1
12/26/2023	13	7.1	7.0	7.2	6.7	6.5	6.6	7.4	7.1
12/26/2023	14	7.1	7.0	7.4	6.8	6.6	6.7	7.4	7.2
12/26/2023	15	7.1	7.1	7.4	6.9	6.8	6.8	7.4	7.2
12/26/2023	16	7.1	7.1	7.4	7.1	6.9	7.0	7.4	7.3
12/26/2023	17	7.1	7.1	7.2	7.2	7.0	7.1	7.5	7.3
12/26/2023	18	7.1	7.1	7.1	7.2	7.1	7.2	7.5	7.2
12/26/2023	19	7.1	7.1	6.9	7.2	7.1	7.2	7.5	7.3
12/26/2023	20	7.1	7.1	6.9	7.1	7.1	7.1	7.5	7.3
12/26/2023	21	7.2	7.1	6.8	7.0	7.0	7.0	7.5	7.3
12/26/2023	22	7.2	7.1	6.8	6.9	6.9	6.9	7.5	7.3
12/26/2023	23	7.2	7.1	6.8	6.9	6.9	6.8	7.5	7.3
12/26/2023	24	7.2	7.1	6.8	6.8	6.8	6.8	7.5	7.3
12/27/2023	1	7.2	7.1	6.8	6.8	6.8	6.7	7.5	7.3
12/27/2023	2	7.2	7.1	6.8	6.8	6.8	6.7	7.5	7.3
12/27/2023	3	7.2	7.1	6.8	6.8	6.8	6.7	7.5	7.3
12/27/2023	4	7.2	7.1	6.8	6.8	6.7	6.7	7.5	7.3
12/27/2023	5	7.2	7.1	6.8	6.8	6.7	6.7	7.5	7.3
12/27/2023	6	7.2	7.1	6.8	6.8	6.7	6.7	7.5	7.3
12/27/2023	7	7.2	7.1	6.8	6.8	6.7	6.7	7.5	7.3
12/27/2023	8	7.2	7.1	6.8	6.8	6.7	6.7	7.5	7.3
12/27/2023	9	7.2	7.1	6.9	6.8	6.7	6.7	7.5	7.3
12/27/2023	10	7.2	7.1	6.9	6.8	6.7	6.7	7.6	7.3
12/27/2023	11	7.2	7.2	7.0	6.8	6.8	6.8	7.6	7.3
12/27/2023	12	7.2	7.2	7.2	6.9	6.8	6.9	7.6	7.3
12/27/2023	13	7.2	7.2	7.4	7.0	6.9	7.0	7.6	7.3
12/27/2023	14	7.2	7.2	7.5	7.1	6.9	7.0	7.6	7.4
12/27/2023	15	7.3	7.2	7.4	7.2	7.0	7.1	7.6	7.4
12/27/2023	16	7.3	7.3	7.3	7.3	7.2	7.2	7.6	7.4
12/27/2023	17	7.3	7.3	7.2	7.4	7.2	7.3	7.6	7.4
12/27/2023	18	7.3	7.3	7.2	7.4	7.3	7.3	7.7	7.5
12/27/2023	19	7.3	7.3	7.1	7.3	7.3	7.3	7.7	7.5
12/27/2023	20	7.4	7.3	7.1	7.3	7.2	7.2	7.7	7.5
12/27/2023	21	7.4	7.3	7.1	7.2	7.2	7.2	7.7	7.5
12/27/2023	22	7.4	7.4	7.1	7.2	7.1	7.1	7.7	7.5
12/27/2023	23	7.4	7.4	7.2	7.1	7.1	7.1	7.7	7.5
12/27/2023	24	7.4	7.4	7.2	7.1	7.1	7.1	7.7	7.5
12/28/2023	1	7.4	7.4	7.2	7.1	7.1	7.1	7.7	7.5
12/28/2023	2	7.4	7.4	7.1	7.1	7.1	7.1	7.7	7.5
12/28/2023	3	7.4	7.3	7.1	7.1	7.1	7.1	7.6	7.5
12/28/2023	4	7.4	7.3	7.1	7.1	7.1	7.1	7.6	7.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/28/2023	5	7.3	7.3	7.1	7.1	7.1	7.1	7.6	7.5
12/28/2023	6	7.3	7.3	7.0	7.1	7.1	7.0	7.6	7.5
12/28/2023	7	7.3	7.3	6.9	7.0	7.0	7.0	7.6	7.4
12/28/2023	8	7.3	7.2	6.9	7.0	7.0	7.0	7.6	7.4
12/28/2023	9	7.3	7.2	6.9	7.0	7.0	6.9	7.6	7.4
12/28/2023	10	7.3	7.2	7.0	7.0	6.9	6.9	7.6	7.4
12/28/2023	11	7.3	7.3	7.2	7.0	6.9	7.0	7.6	7.4
12/28/2023	12	7.3	7.3	7.3	7.1	7.0	7.0	7.6	7.4
12/28/2023	13	7.3	7.3	7.4	7.2	7.0	7.1	7.6	7.4
12/28/2023	14	7.3	7.3	7.5	7.3	7.1	7.2	7.6	7.4
12/28/2023	15	7.3	7.3	7.6	7.4	7.2	7.3	7.6	7.4
12/28/2023	16	7.3	7.2	7.6	7.5	7.3	7.4	7.6	7.3
12/28/2023	17	7.3	7.2	7.5	7.5	7.4	7.5	7.6	7.3
12/28/2023	18	7.3	7.2	7.4	7.6	7.5	7.5	7.6	7.3
12/28/2023	19	7.3	7.2	7.3	7.6	7.5	7.5	7.6	7.4
12/28/2023	20	7.3	7.2	7.2	7.5	7.5	7.5	7.6	7.4
12/28/2023	21	7.3	7.2	7.2	7.4	7.4	7.4	7.6	7.4
12/28/2023	22	7.3	7.2	7.1	7.3	7.3	7.3	7.6	7.4
12/28/2023	23	7.2	7.2	7.0	7.2	7.3	7.2	7.6	7.4
12/28/2023	24	7.2	7.2	6.9	7.1	7.2	7.1	7.5	7.4
12/29/2023	1	7.2	7.2	6.9	7.1	7.1	7.0	7.5	7.4
12/29/2023	2	7.2	7.2	6.9	7.0	7.0	7.0	7.5	7.4
12/29/2023	3	7.2	7.2	6.9	6.9	7.0	6.9	7.5	7.4
12/29/2023	4	7.2	7.2	7.0	6.9	6.9	6.9	7.5	7.4
12/29/2023	5	7.2	7.2	7.0	6.9	6.9	6.9	7.5	7.4
12/29/2023	6	7.2	7.2	7.0	7.0	6.9	6.9	7.5	7.4
12/29/2023	7	7.2	7.2	7.1	7.0	6.9	6.9	7.5	7.4
12/29/2023	8	7.2	7.2	7.1	7.0	7.0	7.0	7.5	7.3
12/29/2023	9	7.2	7.2	7.1	7.0	7.0	7.0	7.5	7.3
12/29/2023	10	7.2	7.1	7.1	7.1	7.0	7.0	7.5	7.3
12/29/2023	11	7.2	7.1	7.1	7.1	7.0	7.1	7.5	7.3
12/29/2023	12	7.2	7.1	7.2	7.2	7.1	7.1	7.6	7.3
12/29/2023	13	7.2	7.2	7.5	7.3	7.1	7.3	7.6	7.3
12/29/2023	14	7.2	7.2	7.7	7.3	7.2	7.2	7.6	7.4
12/29/2023	15	7.2	7.2	7.7	7.4	7.3	7.3	7.6	7.4
12/29/2023	16	7.2	7.2	7.7	7.6	7.4	7.5	7.6	7.4
12/29/2023	17	7.3	7.3	7.6	7.7	7.5	7.6	7.6	7.4
12/29/2023	18	7.3	7.3	7.4	7.7	7.6	7.6	7.6	7.4
12/29/2023	19	7.3	7.3	7.2	7.7	7.6	7.6	7.6	7.4
12/29/2023	20	7.3	7.3	7.1	7.6	7.5	7.5	7.6	7.4
12/29/2023	21	7.3	7.3	6.9	7.4	7.4	7.4	7.6	7.4
12/29/2023	22	7.3	7.2	6.8	7.2	7.3	7.2	7.6	7.4
12/29/2023	23	7.3	7.3	6.8	7.1	7.2	7.1	7.6	7.4
12/29/2023	24	7.3	7.3	6.8	7.0	7.0	7.0	7.6	7.4
12/30/2023	1	7.3	7.3	6.9	6.9	6.9	6.9	7.6	7.4
12/30/2023	2	7.3	7.3	7.0	6.8	6.9	6.8	7.6	7.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
12/30/2023	3	7.3	7.3	7.1	6.9	6.9	6.8	7.6	7.4
12/30/2023	4	7.3	7.3	7.2	6.9	6.9	6.9	7.6	7.5
12/30/2023	5	7.3	7.3	7.2	7.0	7.0	6.9	7.6	7.4
12/30/2023	6	7.3	7.3	7.2	7.1	7.0	7.0	7.6	7.4
12/30/2023	7	7.3	7.3	7.2	7.1	7.1	7.1	7.6	7.4
12/30/2023	8	7.3	7.3	7.2	7.2	7.1	7.1	7.6	7.4
12/30/2023	9	7.3	7.3	7.2	7.2	7.1	7.1	7.6	7.4
12/30/2023	10	7.3	7.3	7.2	7.2	7.1	7.1	7.6	7.5
12/30/2023	11	7.3	7.3	7.2	7.2	7.1	7.1	7.6	7.5
12/30/2023	12	7.3	7.3	7.2	7.2	7.1	7.2	7.6	7.5
12/30/2023	13	7.3	7.3	7.3	7.2	7.1	7.2	7.6	7.5
12/30/2023	14	7.3	7.3	7.5	7.3	7.2	7.2	7.6	7.4
12/30/2023	15	7.3	7.3	7.5	7.3	7.2	7.3	7.6	7.5
12/30/2023	16	7.3	7.3	7.5	7.4	7.3	7.3	7.6	7.4
12/30/2023	17	7.3	7.3	7.5	7.5	7.4	7.4	7.6	7.4
12/30/2023	18	7.3	7.3	7.4	7.5	7.4	7.5	7.6	7.4
12/30/2023	19	7.3	7.3	7.3	7.5	7.5	7.5	7.6	7.4
12/30/2023	20	7.3	7.3	7.3	7.5	7.5	7.5	7.6	7.4
12/30/2023	21	7.3	7.3	7.2	7.4	7.4	7.4	7.6	7.4
12/30/2023	22	7.3	7.3	7.2	7.4	7.4	7.4	7.6	7.4
12/30/2023	23	7.3	7.3	7.2	7.3	7.3	7.3	7.6	7.4
12/30/2023	24	7.3	7.3	7.2	7.3	7.3	7.3	7.6	7.4
12/31/2023	1	7.2	7.2	7.2	7.3	7.3	7.2	7.6	7.4
12/31/2023	2	7.2	7.2	7.2	7.3	7.2	7.2	7.6	7.4
12/31/2023	3	7.2	7.2	7.2	7.3	7.2	7.2	7.6	7.4
12/31/2023	4	7.2	7.2	7.2	7.3	7.2	7.2	7.6	7.4
12/31/2023	5	7.2	7.2	7.2	7.3	7.2	7.2	7.5	7.4
12/31/2023	6	7.2	7.2	7.2	7.3	7.2	7.2	7.5	7.4
12/31/2023	7	7.2	7.2	7.2	7.2	7.2	7.2	7.6	7.4
12/31/2023	8	7.2	7.2	7.2	7.2	7.2	7.2	7.6	7.4
12/31/2023	9	7.2	7.2	7.2	7.2	7.2	7.2	7.6	7.4
12/31/2023	10	7.2	7.2	7.2	7.2	7.2	7.2	7.6	7.4
12/31/2023	11	7.2	7.2	7.2	7.3	7.2	7.2	7.6	7.4
12/31/2023	12	7.3	7.2	7.3	7.3	7.2	7.3	7.6	7.4
12/31/2023	13	7.3	7.3	7.5	7.4	7.3	7.4	7.6	7.4
12/31/2023	14	7.3	7.3	7.7	7.5	7.3	7.4	7.7	7.4
12/31/2023	15	7.4	7.3	7.8	7.6	7.4	7.5	7.7	7.4
12/31/2023	16	7.4	7.4	7.8	7.7	7.5	7.6	7.7	7.4
12/31/2023	17	7.4	7.4	7.8	7.8	7.6	7.7	7.7	7.5
12/31/2023	18	7.4	7.4	7.6	7.8	7.7	7.8	7.7	7.5
12/31/2023	19	7.4	7.4	7.5	7.9	7.8	7.8	7.7	7.5
12/31/2023	20	7.4	7.4	7.4	7.8	7.8	7.8	7.8	7.5
12/31/2023	21	7.4	7.4	7.4	7.7	7.7	7.7	7.8	7.6
12/31/2023	22	7.5	7.4	7.3	7.6	7.6	7.6	7.8	7.6
12/31/2023	23	7.5	7.4	7.3	7.5	7.5	7.5	7.8	7.6
12/31/2023	24	7.5	7.4	7.3	7.4	7.5	7.4	7.8	7.6