

Kate Taylor

From: Scott Hopkins
Sent: Monday, April 29, 2024 4:31 PM
To: 'jody.walters@noaa.gov'; 'hugh_anthony@nps.gov'; 'paul.willard@usda.gov';
'RD_Nelle@fws.gov'; 'travis.maitland@dfw.wa.gov'; Scott Hopkins; 'blod@yakamafish-
nsn.gov'; 'bret.nine@colvilletribes.com'; 'justin.yeager@noaa.gov';
'ashley_rawhouser@nps.gov'; 'kari.grover@usda.gov'; 'stuart_fety@fws.gov';
'ana.cerro@usda.gov'; 'CHBR461@ECY.WA.GOV'; 'Leslie.King@dfw.wa.gov';
'okeefe@americanwhitewater.org'; 'wfarris@cityofchelan.us'; 'info@mansonparks.com';
'Fisheries@ctuir.org'; 'philiprarchibald@gmail.com'; 'damon.roberts@ecy.wa.gov';
'Josh.Bell@PARKS.WA.GOV'; Bill Towey; Sara Peck
Cc: Kate Taylor; Meaghan Connell; Laura Clark
Subject: 2024 Chelan River Flow Monitoring - 1st Quarter Reports
Attachments: 2024 Daily Average Flow Data 1st Quarterly Report.pdf; 2024 Hourly Flow Data 1st
Quarterly Report.pdf

Categories: .Post Filing

To: Chelan River Fishery Forum
Washington Department of Ecology
Washington Department of Fish and Wildlife
United States Forest Service
National Park Service
United States Fish and Wildlife Service
National Marine Fisheries Service
CCT (Colville)
YN (Yakama)
CTUIR (Umatilla tribe)
United States Geological Survey
Washington State Parks and Recreation Commission
Washington State Recreation and Conservation Office
City of Chelan
Manson Parks and Recreation Department
Lake Chelan Recreation Association
American Whitewater

From: Scott Hopkins, Fisheries Biologist III
Public Utility District No. 1 of Chelan County (Chelan PUD)
scott.hopkins@chelanpud.org
(509)661-4763

Re: Lake Chelan Hydroelectric Project No. 637 (Project)
License Article 405a - Hourly and Daily Average Flow Data 1st Quarter Reports -
2024

Dear Chelan River Fishery Forum and Other Parties:

This email is to provide you, in the attached files, with the written flow information for 1st Quarter 2024. These reports contain data for surface elevations at the Chelan Dam Forebay and

Powerhouse Tailrace, and flows from the Powerhouse, Low Level Outlet (LLO), Spillway, Pump Station, and Total Reach 4 flows.

This information will be posted to the Chelan County PUD external website under “River Flows, Water Temperatures and Total Dissolved Gas” (link below).

<https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance or calibration events have been denoted with “NA” to designate these periods when data was either unavailable or inaccurate. Noteworthy events are explained below.

- Data for missing hour due to daylight savings adjustment were filled using the previous hour.

Please feel free to call or email any questions or concerns.



Scott Hopkins
Fisheries Biologist III
Chelan County P.U.D.
P: (509) 661-4763
C: (509) 630-2708

| Date | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/1/2024 | 1090.0 | 816 | 708.0 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 1090.0 | 818 | 708.6 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 1090.0 | 817 | 707.7 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 1090.0 | 815 | 707.8 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 1090.0 | 816 | 707.8 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 1090.0 | 817 | 707.7 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 1089.9 | 818 | 707.9 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 1089.9 | 815 | 707.5 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 1089.9 | 809 | 707.8 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 1089.9 | 815 | 707.8 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 1089.9 | 1726 | 708.4 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 1089.8 | 1760 | 708.8 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 1089.7 | 1877 | 709.1 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 1089.6 | 1203 | 708.3 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 1089.5 | 2185 | 709.0 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 1089.4 | 2180 | 708.8 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 1089.3 | 1804 | 708.4 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 1089.2 | 1783 | 708.4 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 1089.2 | 821 | 707.8 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 1089.2 | 818 | 707.7 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 1089.2 | 819 | 708.1 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 1089.2 | 817 | 707.9 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 1089.1 | 819 | 707.9 | 86 | 0 | 0 | 86 |
| 1/24/2024 | 1089.1 | 792 | 708.0 | 87 | 0 | 0 | 87 |
| 1/25/2024 | 1089.1 | 775 | 707.4 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 1089.1 | 779 | 708.0 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 1089.1 | 777 | 707.9 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 1089.1 | 777 | 708.0 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 1089.1 | 776 | 707.4 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 1089.2 | 777 | 708.1 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 1089.2 | 778 | 708.0 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 1089.4 | 776 | 707.9 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 1089.5 | 774 | 708.0 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 1089.6 | 774 | 707.9 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 1089.7 | 815 | 707.7 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 1089.8 | 830 | 707.5 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 1089.8 | 832 | 707.6 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 1089.9 | 829 | 707.8 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 1089.9 | 829 | 708.1 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 1090.0 | 829 | 707.8 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 1090.0 | 830 | 707.4 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 1090.0 | 827 | 707.5 | 86 | 0 | 0 | 86 |
| 2/12/2024 | 1090.0 | 830 | 708.0 | 86 | 0 | 0 | 86 |
| 2/13/2024 | 1090.0 | 1062 | 708.0 | 87 | 0 | 0 | 87 |
| 2/14/2024 | 1090.0 | 1072 | 707.8 | 86 | 0 | 0 | 86 |

| Date | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/15/2024 | 1090.0 | 1804 | 708.4 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 1090.0 | 1948 | 708.6 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 1089.9 | 1843 | 708.1 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 1089.9 | 819 | 707.3 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 1089.9 | 1050 | 707.8 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 1089.9 | 1084 | 707.9 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 1089.9 | 1165 | 708.1 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 1089.9 | 1042 | 708.2 | 86 | 0 | 0 | 86 |
| 2/23/2024 | 1089.9 | 1070 | 707.7 | 87 | 0 | 0 | 87 |
| 2/24/2024 | 1089.9 | 1000 | 708.3 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 1089.9 | 824 | 708.3 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 1089.8 | 1883 | 708.4 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 1089.8 | 1837 | 708.6 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 1089.7 | 1813 | 708.3 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 1089.7 | 1052 | 707.8 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 1089.7 | 1007 | 707.9 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 1089.7 | 1050 | 707.9 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 1089.7 | 815 | 707.3 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 1089.7 | 1058 | 708.1 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 1089.6 | 1053 | 707.8 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 1089.6 | 1773 | 708.1 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 1089.6 | 1322 | 708.5 | 87 | 0 | 0 | 87 |
| 3/8/2024 | 1089.5 | 1748 | 708.3 | 88 | 0 | 0 | 88 |
| 3/9/2024 | 1089.5 | 1061 | 708.0 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 1089.5 | 816 | 708.2 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 1089.5 | 1056 | 708.3 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 1089.5 | 1062 | 707.7 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 1089.4 | 1061 | 707.8 | 87 | 0 | 0 | 87 |
| 3/14/2024 | 1089.4 | 1092 | 708.3 | 87 | 0 | 105 | 193 |
| 3/15/2024 | 1089.3 | 2052 | 708.3 | 87 | 0 | 211 | 299 |
| 3/16/2024 | 1089.3 | 2332 | 708.7 | 87 | 0 | 212 | 300 |
| 3/17/2024 | 1089.2 | 2326 | 708.5 | 87 | 0 | 211 | 298 |
| 3/18/2024 | 1089.1 | 2329 | 708.7 | 87 | 0 | 211 | 298 |
| 3/19/2024 | 1089.1 | 2325 | 708.8 | 87 | 0 | 211 | 298 |
| 3/20/2024 | 1089.0 | 2327 | 708.9 | 87 | 0 | 211 | 298 |
| 3/21/2024 | 1089.1 | 826 | 708.6 | 87 | 0 | 209 | 297 |
| 3/22/2024 | 1089.2 | 824 | 708.0 | 87 | 0 | 209 | 296 |
| 3/23/2024 | 1089.3 | 827 | 708.3 | 87 | 0 | 209 | 297 |
| 3/24/2024 | 1089.4 | 824 | 708.0 | 87 | 0 | 209 | 296 |
| 3/25/2024 | 1089.5 | 1115 | 708.3 | 87 | 0 | 210 | 297 |
| 3/26/2024 | 1089.6 | 1178 | 708.4 | 88 | 0 | 209 | 297 |
| 3/27/2024 | 1089.6 | 1962 | 708.9 | 87 | 0 | 212 | 299 |
| 3/28/2024 | 1089.6 | 2213 | 708.5 | 87 | 0 | 211 | 299 |
| 3/29/2024 | 1089.6 | 2210 | 708.6 | 87 | 0 | 212 | 299 |
| 3/30/2024 | 1089.5 | 2219 | 708.6 | 87 | 0 | 211 | 298 |

| Date | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/31/2024 | 1089.5 | 2208 | 708.9 | 87 | 0 | 212 | 299 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/1/2024 | 1 | 1090.01 | 810 | 707.25 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 2 | 1090.00 | 810 | 707.56 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 3 | 1090.00 | 810 | 707.66 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 4 | 1090.00 | 810 | 707.57 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 5 | 1090.00 | 820 | 707.72 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 6 | 1090.00 | 810 | 707.63 | 87 | 0 | 0 | 87 |
| 1/1/2024 | 7 | 1090.00 | 820 | 707.79 | 87 | 0 | 0 | 87 |
| 1/1/2024 | 8 | 1090.00 | 820 | 708.03 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 9 | 1090.00 | 820 | 708.03 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 10 | 1090.00 | 820 | 708.00 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 11 | 1090.00 | 810 | 708.06 | 87 | 0 | 0 | 87 |
| 1/1/2024 | 12 | 1089.96 | 820 | 708.08 | 87 | 0 | 0 | 87 |
| 1/1/2024 | 13 | 1090.00 | 810 | 707.92 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 14 | 1090.00 | 820 | 707.87 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 15 | 1090.00 | 820 | 707.84 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 16 | 1090.00 | 820 | 707.81 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 17 | 1090.00 | 820 | 708.04 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 18 | 1089.99 | 820 | 708.51 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 19 | 1090.00 | 820 | 708.34 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 20 | 1090.00 | 820 | 708.23 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 21 | 1090.00 | 820 | 708.35 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 22 | 1089.95 | 820 | 708.25 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 23 | 1090.00 | 810 | 708.22 | 86 | 0 | 0 | 86 |
| 1/1/2024 | 24 | 1090.00 | 810 | 708.21 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 1 | 1090.00 | 820 | 708.17 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 2 | 1090.00 | 820 | 708.46 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 3 | 1090.00 | 810 | 708.52 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 4 | 1089.99 | 810 | 708.32 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 5 | 1089.99 | 820 | 708.51 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 6 | 1089.99 | 820 | 708.93 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 7 | 1089.99 | 820 | 709.49 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 8 | 1090.00 | 820 | 709.47 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 9 | 1089.99 | 820 | 709.20 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 10 | 1089.99 | 820 | 709.06 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 11 | 1089.99 | 820 | 709.11 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 12 | 1090.00 | 820 | 708.80 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 13 | 1089.99 | 820 | 708.83 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 14 | 1089.99 | 820 | 708.90 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 15 | 1090.00 | 820 | 708.88 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 16 | 1090.00 | 820 | 708.85 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 17 | 1089.99 | 820 | 708.66 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 18 | 1089.99 | 820 | 708.75 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 19 | 1090.00 | 820 | 708.49 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 20 | 1090.00 | 810 | 708.16 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 21 | 1089.99 | 820 | 707.96 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 22 | 1089.99 | 810 | 707.63 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/2/2024 | 23 | 1090.00 | 810 | 707.37 | 86 | 0 | 0 | 86 |
| 1/2/2024 | 24 | 1090.01 | 810 | 707.18 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 1 | 1089.99 | 820 | 707.34 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 2 | 1089.99 | 810 | 707.54 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 3 | 1090.00 | 820 | 707.46 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 4 | 1090.00 | 820 | 707.51 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 5 | 1089.98 | 810 | 707.67 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 6 | 1089.99 | 820 | 707.92 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 7 | 1090.00 | 820 | 708.33 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 8 | 1089.99 | 820 | 708.30 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 9 | 1089.99 | 820 | 708.16 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 10 | 1089.99 | 820 | 708.20 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 11 | 1090.01 | 820 | 708.08 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 12 | 1090.00 | 820 | 707.76 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 13 | 1090.00 | 810 | 707.69 | 87 | 0 | 0 | 87 |
| 1/3/2024 | 14 | 1089.99 | 820 | 707.55 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 15 | 1090.00 | 820 | 707.52 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 16 | 1090.00 | 820 | 707.50 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 17 | 1090.00 | 820 | 707.40 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 18 | 1090.00 | 810 | 707.49 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 19 | 1090.00 | 820 | 707.41 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 20 | 1090.00 | 810 | 707.69 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 21 | 1089.99 | 820 | 707.58 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 22 | 1090.01 | 820 | 707.77 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 23 | 1090.00 | 810 | 707.89 | 86 | 0 | 0 | 86 |
| 1/3/2024 | 24 | 1090.00 | 810 | 707.77 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 1 | 1089.99 | 810 | 707.73 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 2 | 1089.99 | 810 | 708.08 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 3 | 1089.99 | 810 | 708.14 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 4 | 1089.99 | 810 | 708.10 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 5 | 1089.99 | 820 | 707.90 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 6 | 1089.99 | 820 | 708.17 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 7 | 1089.99 | 820 | 708.44 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 8 | 1089.99 | 820 | 708.51 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 9 | 1089.99 | 810 | 707.96 | 87 | 0 | 0 | 87 |
| 1/4/2024 | 10 | 1089.99 | 810 | 707.37 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 11 | 1089.99 | 810 | 707.58 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 12 | 1089.99 | 810 | 707.47 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 13 | 1089.99 | 820 | 707.33 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 14 | 1089.99 | 820 | 707.42 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 15 | 1089.99 | 810 | 707.56 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 16 | 1090.00 | 820 | 707.66 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 17 | 1090.00 | 820 | 707.89 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 18 | 1090.00 | 820 | 708.57 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 19 | 1089.99 | 810 | 708.62 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 20 | 1089.99 | 820 | 708.21 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/4/2024 | 21 | 1090.00 | 810 | 707.71 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 22 | 1089.99 | 810 | 707.44 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 23 | 1089.98 | 820 | 706.97 | 86 | 0 | 0 | 86 |
| 1/4/2024 | 24 | 1089.99 | 810 | 706.94 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 1 | 1089.99 | 810 | 706.98 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 2 | 1089.99 | 810 | 706.95 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 3 | 1089.99 | 810 | 706.92 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 4 | 1089.99 | 810 | 706.99 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 5 | 1089.99 | 810 | 707.02 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 6 | 1089.99 | 820 | 707.01 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 7 | 1089.99 | 820 | 707.40 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 8 | 1089.97 | 820 | 707.34 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 9 | 1089.99 | 810 | 707.52 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 10 | 1089.97 | 820 | 707.72 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 11 | 1089.97 | 820 | 707.93 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 12 | 1089.97 | 810 | 708.24 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 13 | 1089.99 | 820 | 708.27 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 14 | 1089.99 | 820 | 708.35 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 15 | 1089.98 | 820 | 708.52 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 16 | 1089.99 | 820 | 708.81 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 17 | 1089.99 | 820 | 708.58 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 18 | 1089.99 | 820 | 708.34 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 19 | 1089.98 | 810 | 708.23 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 20 | 1089.99 | 820 | 708.20 | 87 | 0 | 0 | 87 |
| 1/5/2024 | 21 | 1089.99 | 820 | 708.21 | 87 | 0 | 0 | 87 |
| 1/5/2024 | 22 | 1089.99 | 820 | 708.27 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 23 | 1089.97 | 810 | 708.05 | 86 | 0 | 0 | 86 |
| 1/5/2024 | 24 | 1089.99 | 810 | 707.95 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 1 | 1089.99 | 820 | 707.53 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 2 | 1089.97 | 810 | 707.37 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 3 | 1089.97 | 820 | 707.49 | 87 | 0 | 0 | 87 |
| 1/6/2024 | 4 | 1089.98 | 820 | 707.51 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 5 | 1089.99 | 820 | 707.73 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 6 | 1089.97 | 830 | 708.07 | 87 | 0 | 0 | 87 |
| 1/6/2024 | 7 | 1089.97 | 820 | 707.97 | 87 | 0 | 0 | 87 |
| 1/6/2024 | 8 | 1089.99 | 810 | 708.13 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 9 | 1089.99 | 810 | 707.90 | 87 | 0 | 0 | 87 |
| 1/6/2024 | 10 | 1089.98 | 810 | 707.75 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 11 | 1089.97 | 820 | 707.89 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 12 | 1089.99 | 820 | 707.86 | 87 | 0 | 0 | 87 |
| 1/6/2024 | 13 | 1089.99 | 820 | 707.73 | 87 | 0 | 0 | 87 |
| 1/6/2024 | 14 | 1089.98 | 820 | 707.72 | 87 | 0 | 0 | 87 |
| 1/6/2024 | 15 | 1089.98 | 820 | 707.80 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 16 | 1090.00 | 810 | 707.99 | 87 | 0 | 0 | 87 |
| 1/6/2024 | 17 | 1090.00 | 810 | 708.34 | 87 | 0 | 0 | 87 |
| 1/6/2024 | 18 | 1089.99 | 810 | 708.18 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/6/2024 | 19 | 1090.00 | 820 | 707.63 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 20 | 1090.00 | 810 | 707.36 | 85 | 0 | 0 | 85 |
| 1/6/2024 | 21 | 1089.99 | 820 | 707.38 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 22 | 1089.99 | 820 | 707.53 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 23 | 1089.98 | 820 | 707.57 | 86 | 0 | 0 | 86 |
| 1/6/2024 | 24 | 1089.99 | 810 | 707.32 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 1 | 1089.99 | 820 | 707.27 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 2 | 1089.97 | 820 | 707.35 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 3 | 1089.96 | 820 | 707.53 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 4 | 1089.95 | 810 | 707.43 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 5 | 1089.97 | 820 | 707.49 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 6 | 1089.97 | 820 | 707.73 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 7 | 1089.97 | 820 | 708.09 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 8 | 1089.94 | 830 | 708.23 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 9 | 1089.95 | 820 | 708.68 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 10 | 1089.97 | 810 | 708.69 | 87 | 0 | 0 | 87 |
| 1/7/2024 | 11 | 1089.95 | 820 | 708.52 | 87 | 0 | 0 | 87 |
| 1/7/2024 | 12 | 1089.91 | 820 | 708.41 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 13 | 1089.93 | 810 | 708.23 | 87 | 0 | 0 | 87 |
| 1/7/2024 | 14 | 1089.96 | 810 | 708.04 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 15 | 1089.94 | 820 | 707.96 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 16 | 1089.91 | 830 | 707.86 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 17 | 1089.92 | 820 | 707.89 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 18 | 1089.96 | 820 | 708.01 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 19 | 1089.95 | 820 | 707.79 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 20 | 1089.91 | 820 | 707.81 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 21 | 1089.92 | 820 | 707.49 | 87 | 0 | 0 | 87 |
| 1/7/2024 | 22 | 1089.96 | 810 | 707.41 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 23 | 1089.93 | 810 | 707.30 | 86 | 0 | 0 | 86 |
| 1/7/2024 | 24 | 1089.91 | 810 | 707.38 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 1 | 1089.91 | 820 | 707.23 | 87 | 0 | 0 | 87 |
| 1/8/2024 | 2 | 1089.90 | 810 | 707.29 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 3 | 1089.89 | 820 | 707.23 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 4 | 1089.91 | 820 | 707.34 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 5 | 1089.90 | 820 | 707.49 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 6 | 1089.90 | 820 | 707.57 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 7 | 1089.89 | 830 | 707.79 | 87 | 0 | 0 | 87 |
| 1/8/2024 | 8 | 1089.90 | 810 | 707.84 | 87 | 0 | 0 | 87 |
| 1/8/2024 | 9 | 1089.90 | 810 | 707.38 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 10 | 1089.90 | 820 | 707.47 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 11 | 1089.88 | 810 | 707.53 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 12 | 1089.90 | 810 | 707.49 | 87 | 0 | 0 | 87 |
| 1/8/2024 | 13 | 1089.90 | 810 | 707.56 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 14 | 1089.89 | 810 | 707.83 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 15 | 1089.88 | 810 | 708.06 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 16 | 1089.90 | 820 | 708.06 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/8/2024 | 17 | 1089.90 | 820 | 707.96 | 87 | 0 | 0 | 87 |
| 1/8/2024 | 18 | 1089.90 | 810 | 707.77 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 19 | 1089.90 | 810 | 707.63 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 20 | 1089.90 | 820 | 707.26 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 21 | 1089.90 | 820 | 707.16 | 87 | 0 | 0 | 87 |
| 1/8/2024 | 22 | 1089.90 | 810 | 707.02 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 23 | 1089.90 | 810 | 706.96 | 86 | 0 | 0 | 86 |
| 1/8/2024 | 24 | 1089.90 | 800 | 707.03 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 1 | 1089.90 | 800 | 707.31 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 2 | 1089.90 | 820 | 707.26 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 3 | 1089.93 | 810 | 707.48 | 87 | 0 | 0 | 87 |
| 1/9/2024 | 4 | 1089.91 | 820 | 707.52 | 87 | 0 | 0 | 87 |
| 1/9/2024 | 5 | 1089.91 | 830 | 707.54 | 87 | 0 | 0 | 87 |
| 1/9/2024 | 6 | 1089.90 | 820 | 707.51 | 87 | 0 | 0 | 87 |
| 1/9/2024 | 7 | 1089.95 | 820 | 707.50 | 87 | 0 | 0 | 87 |
| 1/9/2024 | 8 | 1089.91 | 810 | 707.32 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 9 | 1089.91 | 810 | 707.19 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 10 | 1089.92 | 810 | 707.21 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 11 | 1089.94 | 700 | 707.44 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 12 | 1089.91 | 780 | 707.68 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 13 | 1089.91 | 810 | 707.71 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 14 | 1089.96 | 820 | 707.99 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 15 | 1089.97 | 820 | 708.32 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 16 | 1089.96 | 820 | 708.55 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 17 | 1089.99 | 820 | 708.58 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 18 | 1089.99 | 810 | 708.49 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 19 | 1089.98 | 820 | 707.81 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 20 | 1089.99 | 810 | 707.67 | 87 | 0 | 0 | 87 |
| 1/9/2024 | 21 | 1090.00 | 820 | 707.89 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 22 | 1089.99 | 810 | 708.02 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 23 | 1089.97 | 820 | 708.13 | 86 | 0 | 0 | 86 |
| 1/9/2024 | 24 | 1089.97 | 810 | 708.01 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 1 | 1089.97 | 820 | 708.18 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 2 | 1089.99 | 810 | 708.80 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 3 | 1089.97 | 810 | 709.03 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 4 | 1089.97 | 820 | 708.77 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 5 | 1089.97 | 820 | 708.83 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 6 | 1089.96 | 830 | 708.57 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 7 | 1089.97 | 820 | 708.51 | 87 | 0 | 0 | 87 |
| 1/10/2024 | 8 | 1089.97 | 820 | 708.78 | 87 | 0 | 0 | 87 |
| 1/10/2024 | 9 | 1089.93 | 810 | 708.16 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 10 | 1089.91 | 810 | 707.92 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 11 | 1089.91 | 820 | 707.97 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 12 | 1089.93 | 810 | 707.75 | 87 | 0 | 0 | 87 |
| 1/10/2024 | 13 | 1089.90 | 810 | 707.40 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 14 | 1089.91 | 810 | 707.35 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/10/2024 | 15 | 1089.90 | 810 | 707.34 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 16 | 1089.92 | 830 | 707.31 | 87 | 0 | 0 | 87 |
| 1/10/2024 | 17 | 1089.90 | 820 | 707.25 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 18 | 1089.91 | 820 | 707.10 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 19 | 1089.90 | 810 | 707.04 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 20 | 1089.92 | 820 | 707.01 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 21 | 1089.93 | 810 | 706.94 | 86 | 0 | 0 | 86 |
| 1/10/2024 | 22 | 1089.91 | 810 | 706.95 | 87 | 0 | 0 | 87 |
| 1/10/2024 | 23 | 1089.95 | 810 | 707.02 | 87 | 0 | 0 | 87 |
| 1/10/2024 | 24 | 1089.95 | 810 | 707.46 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 1 | 1089.91 | 810 | 707.65 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 2 | 1089.91 | 810 | 707.92 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 3 | 1089.90 | 810 | 708.21 | 87 | 0 | 0 | 87 |
| 1/11/2024 | 4 | 1089.89 | 820 | 708.52 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 5 | 1089.90 | 820 | 707.96 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 6 | 1089.91 | 920 | 708.12 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 7 | 1089.90 | 2190 | 708.93 | 87 | 0 | 0 | 87 |
| 1/11/2024 | 8 | 1089.88 | 2170 | 708.70 | 87 | 0 | 0 | 87 |
| 1/11/2024 | 9 | 1089.88 | 2160 | 708.54 | 87 | 0 | 0 | 87 |
| 1/11/2024 | 10 | 1089.89 | 2170 | 708.60 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 11 | 1089.87 | 2150 | 708.61 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 12 | 1089.87 | 2160 | 708.64 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 13 | 1089.87 | 2150 | 708.61 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 14 | 1089.86 | 2180 | 708.75 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 15 | 1089.84 | 2190 | 708.77 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 16 | 1089.84 | 2210 | 708.81 | 87 | 0 | 0 | 87 |
| 1/11/2024 | 17 | 1089.83 | 2190 | 708.86 | 87 | 0 | 0 | 87 |
| 1/11/2024 | 18 | 1089.86 | 2180 | 708.81 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 19 | 1089.85 | 2180 | 708.69 | 87 | 0 | 0 | 87 |
| 1/11/2024 | 20 | 1089.85 | 2170 | 708.61 | 87 | 0 | 0 | 87 |
| 1/11/2024 | 21 | 1089.85 | 2170 | 708.58 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 22 | 1089.85 | 2170 | 708.59 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 23 | 1089.84 | 820 | 707.55 | 86 | 0 | 0 | 86 |
| 1/11/2024 | 24 | 1089.82 | 820 | 707.54 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 1 | 1089.78 | 820 | 707.90 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 2 | 1089.78 | 820 | 708.14 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 3 | 1089.78 | 820 | 708.09 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 4 | 1089.78 | 820 | 708.29 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 5 | 1089.78 | 820 | 708.57 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 6 | 1089.78 | 830 | 708.77 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 7 | 1089.78 | 2220 | 709.18 | 87 | 0 | 0 | 87 |
| 1/12/2024 | 8 | 1089.76 | 2240 | 709.06 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 9 | 1089.77 | 2220 | 709.04 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 10 | 1089.78 | 2230 | 708.82 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 11 | 1089.76 | 2230 | 708.89 | 87 | 0 | 0 | 87 |
| 1/12/2024 | 12 | 1089.76 | 2210 | 708.86 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/12/2024 | 13 | 1089.76 | 2230 | 708.73 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 14 | 1089.76 | 2230 | 708.77 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 15 | 1089.75 | 2240 | 708.87 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 16 | 1089.75 | 2250 | 708.80 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 17 | 1089.76 | 2250 | 708.77 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 18 | 1089.75 | 2220 | 708.94 | 87 | 0 | 0 | 87 |
| 1/12/2024 | 19 | 1089.74 | 2220 | 708.83 | 87 | 0 | 0 | 87 |
| 1/12/2024 | 20 | 1089.74 | 2230 | 708.79 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 21 | 1089.75 | 2240 | 709.11 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 22 | 1089.75 | 2090 | 709.32 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 23 | 1089.74 | 980 | 709.13 | 86 | 0 | 0 | 86 |
| 1/12/2024 | 24 | 1089.74 | 780 | 708.92 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 1 | 1089.75 | 790 | 708.63 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 2 | 1089.75 | 780 | 708.30 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 3 | 1089.74 | 860 | 707.89 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 4 | 1089.72 | 820 | 707.89 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 5 | 1089.73 | 820 | 707.66 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 6 | 1089.72 | 830 | 708.39 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 7 | 1089.72 | 2230 | 709.10 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 8 | 1089.72 | 2250 | 709.16 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 9 | 1089.67 | 2240 | 709.24 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 10 | 1089.70 | 2250 | 709.24 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 11 | 1089.71 | 2250 | 709.29 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 12 | 1089.69 | 2220 | 709.15 | 87 | 0 | 0 | 87 |
| 1/13/2024 | 13 | 1089.66 | 2230 | 709.11 | 87 | 0 | 0 | 87 |
| 1/13/2024 | 14 | 1089.67 | 2240 | 709.11 | 87 | 0 | 0 | 87 |
| 1/13/2024 | 15 | 1089.70 | 2250 | 709.13 | 87 | 0 | 0 | 87 |
| 1/13/2024 | 16 | 1089.65 | 2240 | 709.23 | 87 | 0 | 0 | 87 |
| 1/13/2024 | 17 | 1089.66 | 2250 | 709.45 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 18 | 1089.65 | 2240 | 709.57 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 19 | 1089.65 | 2240 | 709.58 | 87 | 0 | 0 | 87 |
| 1/13/2024 | 20 | 1089.63 | 2220 | 709.63 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 21 | 1089.64 | 2230 | 709.53 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 22 | 1089.65 | 2240 | 709.76 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 23 | 1089.63 | 2240 | 709.77 | 86 | 0 | 0 | 86 |
| 1/13/2024 | 24 | 1089.63 | 2080 | 709.74 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 1 | 1089.63 | 820 | 709.30 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 2 | 1089.63 | 820 | 708.51 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 3 | 1089.62 | 820 | 708.07 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 4 | 1089.62 | 820 | 707.75 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 5 | 1089.62 | 820 | 707.04 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 6 | 1089.62 | 930 | 707.32 | 87 | 0 | 0 | 87 |
| 1/14/2024 | 7 | 1089.62 | 2220 | 708.46 | 87 | 0 | 0 | 87 |
| 1/14/2024 | 8 | 1089.62 | 2190 | 708.47 | 87 | 0 | 0 | 87 |
| 1/14/2024 | 9 | 1089.62 | 2180 | 708.49 | 87 | 0 | 0 | 87 |
| 1/14/2024 | 10 | 1089.62 | 2170 | 708.64 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/14/2024 | 11 | 1089.60 | 2050 | 708.47 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 12 | 1089.60 | 1650 | 708.32 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 13 | 1089.60 | 1640 | 708.30 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 14 | 1089.60 | 1530 | 708.27 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 15 | 1089.60 | 820 | 708.15 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 16 | 1089.60 | 830 | 708.51 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 17 | 1089.60 | 820 | 708.63 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 18 | 1089.60 | 810 | 708.85 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 19 | 1089.60 | 820 | 708.95 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 20 | 1089.59 | 820 | 708.84 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 21 | 1089.60 | 820 | 708.77 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 22 | 1089.60 | 820 | 708.31 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 23 | 1089.60 | 820 | 708.10 | 86 | 0 | 0 | 86 |
| 1/14/2024 | 24 | 1089.59 | 820 | 707.64 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 1 | 1089.60 | 2160 | 708.51 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 2 | 1089.55 | 2180 | 708.63 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 3 | 1089.54 | 2180 | 708.63 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 4 | 1089.53 | 2190 | 708.55 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 5 | 1089.53 | 2190 | 708.53 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 6 | 1089.53 | 2210 | 708.51 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 7 | 1089.51 | 2200 | 708.51 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 8 | 1089.51 | 2190 | 708.52 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 9 | 1089.51 | 2200 | 708.48 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 10 | 1089.51 | 2170 | 708.55 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 11 | 1089.50 | 2170 | 708.53 | 87 | 0 | 0 | 87 |
| 1/15/2024 | 12 | 1089.50 | 2180 | 708.76 | 87 | 0 | 0 | 87 |
| 1/15/2024 | 13 | 1089.50 | 2180 | 709.13 | 87 | 0 | 0 | 87 |
| 1/15/2024 | 14 | 1089.50 | 2180 | 709.21 | 87 | 0 | 0 | 87 |
| 1/15/2024 | 15 | 1089.50 | 2160 | 709.39 | 87 | 0 | 0 | 87 |
| 1/15/2024 | 16 | 1089.50 | 2220 | 709.36 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 17 | 1089.50 | 2210 | 709.42 | 87 | 0 | 0 | 87 |
| 1/15/2024 | 18 | 1089.50 | 2180 | 709.41 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 19 | 1089.49 | 2190 | 709.90 | 87 | 0 | 0 | 87 |
| 1/15/2024 | 20 | 1089.49 | 2180 | 709.98 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 21 | 1089.49 | 2200 | 709.93 | 87 | 0 | 0 | 87 |
| 1/15/2024 | 22 | 1089.49 | 2180 | 709.32 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 23 | 1089.49 | 2170 | 709.02 | 86 | 0 | 0 | 86 |
| 1/15/2024 | 24 | 1089.47 | 2180 | 708.54 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 1 | 1089.47 | 2180 | 708.50 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 2 | 1089.47 | 2190 | 708.50 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 3 | 1089.47 | 2190 | 708.50 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 4 | 1089.44 | 2190 | 708.50 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 5 | 1089.41 | 2200 | 708.51 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 6 | 1089.41 | 2200 | 708.56 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 7 | 1089.40 | 2190 | 708.56 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 8 | 1089.39 | 2170 | 708.60 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/16/2024 | 9 | 1089.40 | 2180 | 708.66 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 10 | 1089.40 | 2180 | 708.50 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 11 | 1089.38 | 2170 | 708.48 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 12 | 1089.38 | 2170 | 708.48 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 13 | 1089.39 | 2190 | 708.47 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 14 | 1089.39 | 2170 | 708.45 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 15 | 1089.38 | 2170 | 708.49 | 87 | 0 | 0 | 87 |
| 1/16/2024 | 16 | 1089.38 | 2210 | 708.65 | 87 | 0 | 0 | 87 |
| 1/16/2024 | 17 | 1089.38 | 2180 | 708.94 | 87 | 0 | 0 | 87 |
| 1/16/2024 | 18 | 1089.38 | 2180 | 709.25 | 87 | 0 | 0 | 87 |
| 1/16/2024 | 19 | 1089.37 | 2170 | 709.17 | 87 | 0 | 0 | 87 |
| 1/16/2024 | 20 | 1089.37 | 2180 | 709.20 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 21 | 1089.37 | 2190 | 709.48 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 22 | 1089.37 | 2180 | 709.34 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 23 | 1089.37 | 2200 | 709.30 | 86 | 0 | 0 | 86 |
| 1/16/2024 | 24 | 1089.35 | 2090 | 708.96 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 1 | 1089.35 | 1040 | 708.04 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 2 | 1089.36 | 1050 | 708.06 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 3 | 1089.35 | 1040 | 708.04 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 4 | 1089.35 | 1050 | 707.69 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 5 | 1089.35 | 1050 | 707.76 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 6 | 1089.36 | 1050 | 707.65 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 7 | 1089.34 | 2250 | 708.62 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 8 | 1089.34 | 2230 | 708.99 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 9 | 1089.29 | 2190 | 708.64 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 10 | 1089.31 | 2170 | 708.86 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 11 | 1089.34 | 2180 | 709.00 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 12 | 1089.31 | 2180 | 709.14 | 87 | 0 | 0 | 87 |
| 1/17/2024 | 13 | 1089.31 | 2190 | 709.29 | 87 | 0 | 0 | 87 |
| 1/17/2024 | 14 | 1089.35 | 2190 | 708.98 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 15 | 1089.34 | 2190 | 708.70 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 16 | 1089.32 | 2170 | 708.52 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 17 | 1089.28 | 2190 | 708.50 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 18 | 1089.28 | 2160 | 708.51 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 19 | 1089.27 | 2160 | 708.52 | 86 | 0 | 0 | 86 |
| 1/17/2024 | 20 | 1089.27 | 2180 | 708.51 | 87 | 0 | 0 | 87 |
| 1/17/2024 | 21 | 1089.28 | 2190 | 708.46 | 87 | 0 | 0 | 87 |
| 1/17/2024 | 22 | 1089.28 | 2110 | 708.43 | 87 | 0 | 0 | 87 |
| 1/17/2024 | 23 | 1089.26 | 1050 | 707.32 | 87 | 0 | 0 | 87 |
| 1/17/2024 | 24 | 1089.26 | 1040 | 707.28 | 87 | 0 | 0 | 87 |
| 1/18/2024 | 1 | 1089.26 | 1040 | 707.26 | 87 | 0 | 0 | 87 |
| 1/18/2024 | 2 | 1089.27 | 1040 | 707.38 | 87 | 0 | 0 | 87 |
| 1/18/2024 | 3 | 1089.26 | 1040 | 707.44 | 87 | 0 | 0 | 87 |
| 1/18/2024 | 4 | 1089.26 | 1040 | 707.56 | 87 | 0 | 0 | 87 |
| 1/18/2024 | 5 | 1089.26 | 1040 | 707.66 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 6 | 1089.26 | 1100 | 707.86 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/18/2024 | 7 | 1089.25 | 2180 | 708.65 | 87 | 0 | 0 | 87 |
| 1/18/2024 | 8 | 1089.25 | 2150 | 708.56 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 9 | 1089.25 | 2170 | 708.51 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 10 | 1089.25 | 2170 | 708.52 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 11 | 1089.25 | 2170 | 708.52 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 12 | 1089.25 | 2170 | 708.51 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 13 | 1089.25 | 2180 | 708.57 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 14 | 1089.25 | 2180 | 708.57 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 15 | 1089.24 | 2190 | 708.53 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 16 | 1089.25 | 2210 | 708.55 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 17 | 1089.24 | 2200 | 708.85 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 18 | 1089.24 | 2180 | 709.18 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 19 | 1089.23 | 2180 | 709.04 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 20 | 1089.22 | 2200 | 709.22 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 21 | 1089.22 | 2200 | 709.28 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 22 | 1089.22 | 2130 | 709.35 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 23 | 1089.22 | 820 | 708.44 | 86 | 0 | 0 | 86 |
| 1/18/2024 | 24 | 1089.22 | 820 | 708.37 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 1 | 1089.22 | 820 | 708.10 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 2 | 1089.22 | 830 | 708.07 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 3 | 1089.22 | 830 | 708.01 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 4 | 1089.22 | 820 | 708.08 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 5 | 1089.22 | 820 | 708.08 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 6 | 1089.22 | 830 | 708.34 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 7 | 1089.22 | 820 | 708.05 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 8 | 1089.22 | 820 | 707.66 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 9 | 1089.22 | 810 | 707.39 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 10 | 1089.22 | 820 | 707.28 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 11 | 1089.22 | 820 | 707.40 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 12 | 1089.22 | 820 | 707.55 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 13 | 1089.22 | 820 | 707.49 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 14 | 1089.22 | 820 | 707.46 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 15 | 1089.22 | 830 | 707.60 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 16 | 1089.22 | 830 | 707.63 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 17 | 1089.22 | 820 | 707.70 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 18 | 1089.22 | 810 | 707.49 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 19 | 1089.22 | 820 | 707.37 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 20 | 1089.22 | 820 | 707.90 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 21 | 1089.22 | 820 | 707.99 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 22 | 1089.22 | 820 | 708.08 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 23 | 1089.22 | 820 | 707.89 | 86 | 0 | 0 | 86 |
| 1/19/2024 | 24 | 1089.21 | 820 | 708.23 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 1 | 1089.22 | 820 | 708.62 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 2 | 1089.18 | 820 | 708.55 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 3 | 1089.18 | 820 | 708.47 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 4 | 1089.16 | 820 | 708.24 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/20/2024 | 5 | 1089.16 | 820 | 708.26 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 6 | 1089.16 | 820 | 707.93 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 7 | 1089.16 | 820 | 707.67 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 8 | 1089.16 | 820 | 707.41 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 9 | 1089.16 | 820 | 707.36 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 10 | 1089.16 | 820 | 707.68 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 11 | 1089.19 | 810 | 707.54 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 12 | 1089.16 | 810 | 707.33 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 13 | 1089.16 | 810 | 707.54 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 14 | 1089.17 | 820 | 707.36 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 15 | 1089.20 | 820 | 707.42 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 16 | 1089.16 | 820 | 707.51 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 17 | 1089.16 | 820 | 707.72 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 18 | 1089.18 | 810 | 707.68 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 19 | 1089.21 | 820 | 707.62 | 87 | 0 | 0 | 87 |
| 1/20/2024 | 20 | 1089.18 | 820 | 707.56 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 21 | 1089.16 | 820 | 707.46 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 22 | 1089.18 | 820 | 707.31 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 23 | 1089.21 | 820 | 707.31 | 86 | 0 | 0 | 86 |
| 1/20/2024 | 24 | 1089.16 | 820 | 707.23 | 87 | 0 | 0 | 87 |
| 1/21/2024 | 1 | 1089.16 | 820 | 707.16 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 2 | 1089.16 | 820 | 707.27 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 3 | 1089.15 | 820 | 707.38 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 4 | 1089.15 | 820 | 707.46 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 5 | 1089.16 | 820 | 707.56 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 6 | 1089.15 | 810 | 707.78 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 7 | 1089.15 | 820 | 707.98 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 8 | 1089.15 | 830 | 708.21 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 9 | 1089.16 | 820 | 708.30 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 10 | 1089.15 | 810 | 708.44 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 11 | 1089.15 | 810 | 708.54 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 12 | 1089.15 | 820 | 708.51 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 13 | 1089.15 | 820 | 708.32 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 14 | 1089.15 | 820 | 708.18 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 15 | 1089.15 | 820 | 707.92 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 16 | 1089.15 | 820 | 707.87 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 17 | 1089.16 | 820 | 707.97 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 18 | 1089.17 | 820 | 708.18 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 19 | 1089.18 | 820 | 708.28 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 20 | 1089.16 | 820 | 708.39 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 21 | 1089.16 | 820 | 708.61 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 22 | 1089.18 | 820 | 708.62 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 23 | 1089.15 | 820 | 708.58 | 86 | 0 | 0 | 86 |
| 1/21/2024 | 24 | 1089.16 | 820 | 708.36 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 1 | 1089.15 | 810 | 707.67 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 2 | 1089.15 | 810 | 707.62 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/22/2024 | 3 | 1089.15 | 820 | 707.53 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 4 | 1089.15 | 820 | 707.31 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 5 | 1089.15 | 820 | 707.42 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 6 | 1089.15 | 820 | 707.58 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 7 | 1089.16 | 820 | 707.55 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 8 | 1089.16 | 820 | 707.33 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 9 | 1089.17 | 810 | 707.17 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 10 | 1089.22 | 810 | 707.38 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 11 | 1089.19 | 810 | 707.70 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 12 | 1089.16 | 820 | 708.13 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 13 | 1089.18 | 820 | 708.54 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 14 | 1089.22 | 820 | 708.90 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 15 | 1089.18 | 830 | 709.06 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 16 | 1089.16 | 820 | 708.80 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 17 | 1089.21 | 820 | 708.68 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 18 | 1089.22 | 820 | 708.51 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 19 | 1089.21 | 810 | 708.27 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 20 | 1089.17 | 820 | 707.93 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 21 | 1089.19 | 820 | 707.88 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 22 | 1089.22 | 810 | 707.74 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 23 | 1089.18 | 810 | 707.36 | 86 | 0 | 0 | 86 |
| 1/22/2024 | 24 | 1089.16 | 820 | 707.45 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 1 | 1089.16 | 820 | 707.71 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 2 | 1089.15 | 820 | 707.74 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 3 | 1089.15 | 820 | 707.59 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 4 | 1089.16 | 820 | 707.85 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 5 | 1089.15 | 820 | 708.04 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 6 | 1089.15 | 820 | 708.30 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 7 | 1089.15 | 820 | 708.64 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 8 | 1089.15 | 810 | 708.40 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 9 | 1089.15 | 820 | 708.48 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 10 | 1089.15 | 810 | 708.31 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 11 | 1089.15 | 820 | 708.30 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 12 | 1089.15 | 820 | 708.08 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 13 | 1089.15 | 820 | 707.88 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 14 | 1089.15 | 830 | 707.68 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 15 | 1089.14 | 820 | 707.67 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 16 | 1089.14 | 830 | 707.68 | 86 | 0 | 0 | 86 |
| 1/23/2024 | 17 | 1089.15 | 830 | 707.77 | 87 | 0 | 0 | 87 |
| 1/23/2024 | 18 | 1089.15 | 820 | 707.75 | 87 | 0 | 0 | 87 |
| 1/23/2024 | 19 | 1089.15 | 820 | 707.67 | 87 | 0 | 0 | 87 |
| 1/23/2024 | 20 | 1089.15 | 820 | 707.86 | 87 | 0 | 0 | 87 |
| 1/23/2024 | 21 | 1089.15 | 810 | 707.71 | 87 | 0 | 0 | 87 |
| 1/23/2024 | 22 | 1089.13 | 820 | 707.50 | 87 | 0 | 0 | 87 |
| 1/23/2024 | 23 | 1089.13 | 810 | 707.44 | 87 | 0 | 0 | 87 |
| 1/23/2024 | 24 | 1089.15 | 810 | 707.84 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/24/2024 | 1 | 1089.15 | 810 | 707.55 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 2 | 1089.13 | 810 | 707.57 | 86 | 0 | 0 | 86 |
| 1/24/2024 | 3 | 1089.13 | 820 | 707.98 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 4 | 1089.13 | 820 | 707.66 | 86 | 0 | 0 | 86 |
| 1/24/2024 | 5 | 1089.13 | 820 | 707.46 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 6 | 1089.13 | 830 | 708.00 | 86 | 0 | 0 | 86 |
| 1/24/2024 | 7 | 1089.13 | 820 | 708.25 | 86 | 0 | 0 | 86 |
| 1/24/2024 | 8 | 1089.13 | 820 | 708.18 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 9 | 1089.13 | 810 | 708.17 | 86 | 0 | 0 | 86 |
| 1/24/2024 | 10 | 1089.13 | 770 | 708.40 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 11 | 1089.13 | 770 | 708.31 | 86 | 0 | 0 | 86 |
| 1/24/2024 | 12 | 1089.15 | 770 | 708.29 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 13 | 1089.15 | 780 | 708.10 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 14 | 1089.15 | 780 | 708.13 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 15 | 1089.15 | 780 | 708.48 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 16 | 1089.15 | 780 | 708.35 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 17 | 1089.15 | 780 | 708.43 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 18 | 1089.15 | 780 | 708.58 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 19 | 1089.15 | 780 | 708.54 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 20 | 1089.15 | 780 | 708.42 | 86 | 0 | 0 | 86 |
| 1/24/2024 | 21 | 1089.15 | 770 | 708.01 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 22 | 1089.15 | 780 | 707.78 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 23 | 1089.15 | 770 | 707.34 | 87 | 0 | 0 | 87 |
| 1/24/2024 | 24 | 1089.15 | 770 | 706.99 | 87 | 0 | 0 | 87 |
| 1/25/2024 | 1 | 1089.15 | 770 | 707.02 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 2 | 1089.13 | 770 | 707.12 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 3 | 1089.13 | 770 | 707.07 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 4 | 1089.14 | 770 | 707.11 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 5 | 1089.13 | 780 | 707.24 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 6 | 1089.13 | 780 | 707.18 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 7 | 1089.13 | 780 | 707.26 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 8 | 1089.13 | 770 | 707.39 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 9 | 1089.13 | 770 | 707.27 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 10 | 1089.13 | 770 | 707.15 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 11 | 1089.13 | 770 | 707.45 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 12 | 1089.13 | 780 | 707.49 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 13 | 1089.13 | 780 | 707.42 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 14 | 1089.13 | 780 | 707.75 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 15 | 1089.13 | 770 | 707.78 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 16 | 1089.13 | 780 | 707.86 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 17 | 1089.12 | 780 | 707.82 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 18 | 1089.13 | 780 | 707.96 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 19 | 1089.13 | 780 | 707.59 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 20 | 1089.13 | 770 | 707.57 | 85 | 0 | 0 | 85 |
| 1/25/2024 | 21 | 1089.13 | 780 | 707.45 | 87 | 0 | 0 | 87 |
| 1/25/2024 | 22 | 1089.13 | 770 | 707.51 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/25/2024 | 23 | 1089.13 | 780 | 707.52 | 86 | 0 | 0 | 86 |
| 1/25/2024 | 24 | 1089.13 | 780 | 707.50 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 1 | 1089.13 | 790 | 707.76 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 2 | 1089.12 | 780 | 707.99 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 3 | 1089.13 | 780 | 707.88 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 4 | 1089.13 | 780 | 708.22 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 5 | 1089.12 | 780 | 708.21 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 6 | 1089.13 | 780 | 708.21 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 7 | 1089.12 | 780 | 708.35 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 8 | 1089.12 | 770 | 708.41 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 9 | 1089.12 | 770 | 708.02 | 87 | 0 | 0 | 87 |
| 1/26/2024 | 10 | 1089.12 | 780 | 708.05 | 87 | 0 | 0 | 87 |
| 1/26/2024 | 11 | 1089.12 | 780 | 708.19 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 12 | 1089.12 | 770 | 708.29 | 87 | 0 | 0 | 87 |
| 1/26/2024 | 13 | 1089.12 | 780 | 708.14 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 14 | 1089.12 | 780 | 708.21 | 87 | 0 | 0 | 87 |
| 1/26/2024 | 15 | 1089.12 | 780 | 708.30 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 16 | 1089.12 | 790 | 708.17 | 87 | 0 | 0 | 87 |
| 1/26/2024 | 17 | 1089.12 | 790 | 707.94 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 18 | 1089.12 | 780 | 707.78 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 19 | 1089.12 | 780 | 707.63 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 20 | 1089.12 | 780 | 707.53 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 21 | 1089.12 | 780 | 707.58 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 22 | 1089.13 | 770 | 707.47 | 86 | 0 | 0 | 86 |
| 1/26/2024 | 23 | 1089.13 | 770 | 707.69 | 87 | 0 | 0 | 87 |
| 1/26/2024 | 24 | 1089.13 | 770 | 708.08 | 87 | 0 | 0 | 87 |
| 1/27/2024 | 1 | 1089.13 | 780 | 707.99 | 87 | 0 | 0 | 87 |
| 1/27/2024 | 2 | 1089.13 | 780 | 708.15 | 87 | 0 | 0 | 87 |
| 1/27/2024 | 3 | 1089.13 | 780 | 707.96 | 87 | 0 | 0 | 87 |
| 1/27/2024 | 4 | 1089.12 | 780 | 708.10 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 5 | 1089.12 | 780 | 708.23 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 6 | 1089.12 | 780 | 708.13 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 7 | 1089.12 | 770 | 708.31 | 87 | 0 | 0 | 87 |
| 1/27/2024 | 8 | 1089.12 | 770 | 708.12 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 9 | 1089.12 | 780 | 708.03 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 10 | 1089.12 | 780 | 708.09 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 11 | 1089.12 | 780 | 707.97 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 12 | 1089.13 | 770 | 707.69 | 87 | 0 | 0 | 87 |
| 1/27/2024 | 13 | 1089.13 | 770 | 707.80 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 14 | 1089.13 | 780 | 708.01 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 15 | 1089.13 | 780 | 708.02 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 16 | 1089.13 | 780 | 708.04 | 87 | 0 | 0 | 87 |
| 1/27/2024 | 17 | 1089.13 | 780 | 707.99 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 18 | 1089.13 | 780 | 707.81 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 19 | 1089.13 | 770 | 707.39 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 20 | 1089.12 | 780 | 707.38 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/27/2024 | 21 | 1089.13 | 770 | 707.28 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 22 | 1089.13 | 770 | 707.52 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 23 | 1089.13 | 780 | 707.46 | 86 | 0 | 0 | 86 |
| 1/27/2024 | 24 | 1089.13 | 770 | 707.41 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 1 | 1089.13 | 780 | 707.44 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 2 | 1089.13 | 780 | 707.69 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 3 | 1089.12 | 780 | 707.80 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 4 | 1089.13 | 780 | 707.94 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 5 | 1089.13 | 780 | 708.16 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 6 | 1089.13 | 780 | 708.34 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 7 | 1089.12 | 770 | 708.28 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 8 | 1089.13 | 780 | 708.22 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 9 | 1089.13 | 770 | 708.03 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 10 | 1089.13 | 770 | 707.82 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 11 | 1089.12 | 780 | 707.96 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 12 | 1089.12 | 790 | 708.09 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 13 | 1089.13 | 770 | 708.06 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 14 | 1089.13 | 770 | 708.07 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 15 | 1089.13 | 770 | 708.28 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 16 | 1089.12 | 790 | 708.45 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 17 | 1089.13 | 780 | 708.22 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 18 | 1089.12 | 780 | 708.27 | 87 | 0 | 0 | 87 |
| 1/28/2024 | 19 | 1089.12 | 770 | 708.03 | 87 | 0 | 0 | 87 |
| 1/28/2024 | 20 | 1089.12 | 780 | 707.81 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 21 | 1089.13 | 770 | 707.80 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 22 | 1089.13 | 780 | 707.64 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 23 | 1089.13 | 780 | 707.49 | 86 | 0 | 0 | 86 |
| 1/28/2024 | 24 | 1089.13 | 770 | 707.24 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 1 | 1089.13 | 780 | 707.12 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 2 | 1089.13 | 780 | 707.05 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 3 | 1089.13 | 770 | 707.11 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 4 | 1089.13 | 780 | 707.21 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 5 | 1089.13 | 770 | 707.30 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 6 | 1089.13 | 780 | 707.45 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 7 | 1089.12 | 780 | 707.77 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 8 | 1089.13 | 770 | 707.79 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 9 | 1089.13 | 770 | 707.24 | 87 | 0 | 0 | 87 |
| 1/29/2024 | 10 | 1089.13 | 780 | 707.09 | 87 | 0 | 0 | 87 |
| 1/29/2024 | 11 | 1089.13 | 770 | 707.10 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 12 | 1089.13 | 770 | 707.05 | 87 | 0 | 0 | 87 |
| 1/29/2024 | 13 | 1089.13 | 780 | 707.04 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 14 | 1089.15 | 780 | 707.11 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 15 | 1089.13 | 770 | 707.23 | 87 | 0 | 0 | 87 |
| 1/29/2024 | 16 | 1089.13 | 790 | 707.42 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 17 | 1089.13 | 780 | 707.52 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 18 | 1089.15 | 780 | 707.44 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/29/2024 | 19 | 1089.13 | 770 | 707.15 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 20 | 1089.13 | 780 | 707.16 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 21 | 1089.15 | 780 | 707.40 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 22 | 1089.15 | 770 | 708.34 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 23 | 1089.14 | 780 | 708.42 | 86 | 0 | 0 | 86 |
| 1/29/2024 | 24 | 1089.14 | 770 | 708.44 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 1 | 1089.15 | 770 | 708.23 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 2 | 1089.15 | 790 | 708.35 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 3 | 1089.14 | 780 | 708.50 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 4 | 1089.13 | 780 | 708.27 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 5 | 1089.14 | 780 | 708.58 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 6 | 1089.15 | 780 | 709.01 | 87 | 0 | 0 | 87 |
| 1/30/2024 | 7 | 1089.14 | 780 | 708.78 | 87 | 0 | 0 | 87 |
| 1/30/2024 | 8 | 1089.13 | 770 | 708.61 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 9 | 1089.14 | 780 | 708.09 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 10 | 1089.15 | 770 | 707.59 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 11 | 1089.19 | 770 | 707.91 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 12 | 1089.16 | 780 | 707.81 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 13 | 1089.16 | 770 | 707.80 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 14 | 1089.17 | 780 | 707.73 | 87 | 0 | 0 | 87 |
| 1/30/2024 | 15 | 1089.20 | 780 | 707.70 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 16 | 1089.17 | 780 | 707.89 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 17 | 1089.16 | 780 | 707.98 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 18 | 1089.18 | 780 | 707.82 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 19 | 1089.21 | 770 | 707.77 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 20 | 1089.20 | 770 | 707.97 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 21 | 1089.17 | 780 | 708.11 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 22 | 1089.20 | 770 | 708.14 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 23 | 1089.21 | 770 | 707.97 | 86 | 0 | 0 | 86 |
| 1/30/2024 | 24 | 1089.20 | 780 | 707.97 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 1 | 1089.18 | 780 | 708.25 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 2 | 1089.23 | 780 | 708.37 | 87 | 0 | 0 | 87 |
| 1/31/2024 | 3 | 1089.22 | 780 | 708.07 | 87 | 0 | 0 | 87 |
| 1/31/2024 | 4 | 1089.20 | 780 | 707.97 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 5 | 1089.19 | 780 | 707.78 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 6 | 1089.24 | 780 | 708.17 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 7 | 1089.22 | 780 | 707.94 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 8 | 1089.22 | 780 | 707.95 | 87 | 0 | 0 | 87 |
| 1/31/2024 | 9 | 1089.24 | 780 | 708.03 | 87 | 0 | 0 | 87 |
| 1/31/2024 | 10 | 1089.24 | 770 | 707.97 | 87 | 0 | 0 | 87 |
| 1/31/2024 | 11 | 1089.23 | 770 | 708.36 | 87 | 0 | 0 | 87 |
| 1/31/2024 | 12 | 1089.23 | 780 | 708.20 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 13 | 1089.25 | 780 | 707.80 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 14 | 1089.25 | 780 | 707.87 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 15 | 1089.24 | 780 | 707.90 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 16 | 1089.26 | 790 | 707.79 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 1/31/2024 | 17 | 1089.27 | 770 | 707.50 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 18 | 1089.27 | 770 | 707.69 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 19 | 1089.28 | 770 | 707.89 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 20 | 1089.27 | 770 | 707.71 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 21 | 1089.28 | 780 | 707.92 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 22 | 1089.32 | 780 | 708.54 | 87 | 0 | 0 | 87 |
| 1/31/2024 | 23 | 1089.34 | 780 | 708.44 | 86 | 0 | 0 | 86 |
| 1/31/2024 | 24 | 1089.31 | 770 | 708.14 | 87 | 0 | 0 | 87 |
| 2/1/2024 | 1 | 1089.31 | 780 | 708.28 | 87 | 0 | 0 | 87 |
| 2/1/2024 | 2 | 1089.36 | 770 | 708.11 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 3 | 1089.34 | 770 | 707.87 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 4 | 1089.35 | 780 | 708.06 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 5 | 1089.37 | 790 | 708.15 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 6 | 1089.37 | 780 | 708.17 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 7 | 1089.36 | 780 | 708.10 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 8 | 1089.37 | 770 | 707.96 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 9 | 1089.38 | 780 | 707.66 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 10 | 1089.37 | 780 | 707.78 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 11 | 1089.37 | 770 | 707.85 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 12 | 1089.38 | 770 | 707.84 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 13 | 1089.40 | 780 | 707.82 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 14 | 1089.42 | 780 | 708.02 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 15 | 1089.44 | 760 | 707.90 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 16 | 1089.41 | 780 | 707.92 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 17 | 1089.41 | 770 | 707.70 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 18 | 1089.46 | 780 | 707.60 | 87 | 0 | 0 | 87 |
| 2/1/2024 | 19 | 1089.46 | 780 | 707.83 | 87 | 0 | 0 | 87 |
| 2/1/2024 | 20 | 1089.43 | 780 | 707.63 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 21 | 1089.45 | 780 | 707.54 | 87 | 0 | 0 | 87 |
| 2/1/2024 | 22 | 1089.48 | 770 | 707.68 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 23 | 1089.47 | 770 | 707.94 | 86 | 0 | 0 | 86 |
| 2/1/2024 | 24 | 1089.48 | 770 | 707.71 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 1 | 1089.50 | 770 | 708.00 | 85 | 0 | 0 | 85 |
| 2/2/2024 | 2 | 1089.49 | 780 | 708.41 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 3 | 1089.48 | 780 | 708.41 | 87 | 0 | 0 | 87 |
| 2/2/2024 | 4 | 1089.49 | 780 | 708.35 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 5 | 1089.50 | 770 | 708.29 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 6 | 1089.50 | 780 | 708.22 | 87 | 0 | 0 | 87 |
| 2/2/2024 | 7 | 1089.49 | 780 | 708.04 | 87 | 0 | 0 | 87 |
| 2/2/2024 | 8 | 1089.51 | 770 | 707.90 | 87 | 0 | 0 | 87 |
| 2/2/2024 | 9 | 1089.51 | 770 | 707.55 | 87 | 0 | 0 | 87 |
| 2/2/2024 | 10 | 1089.50 | 770 | 707.34 | 87 | 0 | 0 | 87 |
| 2/2/2024 | 11 | 1089.50 | 770 | 707.73 | 87 | 0 | 0 | 87 |
| 2/2/2024 | 12 | 1089.51 | 780 | 707.72 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 13 | 1089.53 | 760 | 707.40 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 14 | 1089.52 | 780 | 707.40 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/2/2024 | 15 | 1089.51 | 770 | 707.64 | 87 | 0 | 0 | 87 |
| 2/2/2024 | 16 | 1089.53 | 780 | 707.63 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 17 | 1089.54 | 780 | 707.90 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 18 | 1089.57 | 780 | 708.44 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 19 | 1089.56 | 770 | 708.17 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 20 | 1089.54 | 770 | 707.85 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 21 | 1089.55 | 780 | 707.97 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 22 | 1089.59 | 780 | 708.22 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 23 | 1089.59 | 770 | 708.72 | 86 | 0 | 0 | 86 |
| 2/2/2024 | 24 | 1089.56 | 760 | 708.31 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 1 | 1089.58 | 770 | 708.42 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 2 | 1089.60 | 770 | 708.53 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 3 | 1089.59 | 770 | 708.57 | 87 | 0 | 0 | 87 |
| 2/3/2024 | 4 | 1089.60 | 780 | 708.81 | 87 | 0 | 0 | 87 |
| 2/3/2024 | 5 | 1089.62 | 780 | 708.57 | 87 | 0 | 0 | 87 |
| 2/3/2024 | 6 | 1089.61 | 780 | 708.54 | 87 | 0 | 0 | 87 |
| 2/3/2024 | 7 | 1089.60 | 770 | 708.95 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 8 | 1089.62 | 770 | 708.34 | 87 | 0 | 0 | 87 |
| 2/3/2024 | 9 | 1089.62 | 770 | 708.07 | 87 | 0 | 0 | 87 |
| 2/3/2024 | 10 | 1089.62 | 770 | 707.94 | 87 | 0 | 0 | 87 |
| 2/3/2024 | 11 | 1089.60 | 770 | 707.98 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 12 | 1089.63 | 780 | 707.84 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 13 | 1089.62 | 770 | 707.61 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 14 | 1089.62 | 780 | 707.67 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 15 | 1089.62 | 780 | 707.87 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 16 | 1089.63 | 780 | 707.92 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 17 | 1089.64 | 780 | 707.84 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 18 | 1089.63 | 770 | 707.85 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 19 | 1089.63 | 770 | 707.52 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 20 | 1089.64 | 770 | 707.07 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 21 | 1089.65 | 770 | 707.01 | 86 | 0 | 0 | 86 |
| 2/3/2024 | 22 | 1089.63 | 780 | 707.07 | 87 | 0 | 0 | 87 |
| 2/3/2024 | 23 | 1089.63 | 770 | 707.18 | 87 | 0 | 0 | 87 |
| 2/3/2024 | 24 | 1089.64 | 770 | 707.14 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 1 | 1089.65 | 780 | 707.12 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 2 | 1089.64 | 770 | 707.18 | 87 | 0 | 0 | 87 |
| 2/4/2024 | 3 | 1089.63 | 770 | 707.40 | 87 | 0 | 0 | 87 |
| 2/4/2024 | 4 | 1089.65 | 770 | 707.19 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 5 | 1089.66 | 780 | 707.31 | 87 | 0 | 0 | 87 |
| 2/4/2024 | 6 | 1089.69 | 780 | 707.48 | 87 | 0 | 0 | 87 |
| 2/4/2024 | 7 | 1089.66 | 820 | 707.38 | 87 | 0 | 0 | 87 |
| 2/4/2024 | 8 | 1089.66 | 830 | 707.22 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 9 | 1089.67 | 830 | 707.17 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 10 | 1089.71 | 830 | 707.45 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 11 | 1089.69 | 820 | 707.41 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 12 | 1089.66 | 820 | 707.54 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/4/2024 | 13 | 1089.68 | 820 | 707.64 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 14 | 1089.72 | 830 | 707.72 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 15 | 1089.72 | 830 | 707.89 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 16 | 1089.72 | 830 | 708.13 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 17 | 1089.74 | 840 | 708.43 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 18 | 1089.72 | 830 | 708.43 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 19 | 1089.72 | 830 | 708.36 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 20 | 1089.73 | 830 | 708.20 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 21 | 1089.74 | 830 | 708.19 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 22 | 1089.73 | 830 | 707.92 | 87 | 0 | 0 | 87 |
| 2/4/2024 | 23 | 1089.72 | 830 | 707.64 | 86 | 0 | 0 | 86 |
| 2/4/2024 | 24 | 1089.73 | 830 | 707.36 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 1 | 1089.74 | 830 | 707.43 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 2 | 1089.74 | 830 | 707.28 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 3 | 1089.74 | 820 | 707.16 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 4 | 1089.75 | 830 | 707.24 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 5 | 1089.75 | 830 | 707.39 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 6 | 1089.74 | 840 | 707.44 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 7 | 1089.74 | 840 | 707.78 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 8 | 1089.75 | 830 | 707.84 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 9 | 1089.75 | 830 | 707.57 | 87 | 0 | 0 | 87 |
| 2/5/2024 | 10 | 1089.74 | 830 | 707.64 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 11 | 1089.75 | 820 | 707.70 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 12 | 1089.75 | 830 | 707.57 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 13 | 1089.75 | 830 | 707.63 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 14 | 1089.75 | 840 | 707.64 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 15 | 1089.75 | 820 | 707.56 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 16 | 1089.76 | 840 | 707.67 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 17 | 1089.77 | 830 | 707.88 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 18 | 1089.77 | 820 | 708.18 | 86 | 0 | 0 | 86 |
| 2/5/2024 | 19 | 1089.76 | 830 | 707.88 | 87 | 0 | 0 | 87 |
| 2/5/2024 | 20 | 1089.77 | 840 | 707.56 | 87 | 0 | 0 | 87 |
| 2/5/2024 | 21 | 1089.78 | 830 | 707.38 | 87 | 0 | 0 | 87 |
| 2/5/2024 | 22 | 1089.77 | 830 | 707.19 | 87 | 0 | 0 | 87 |
| 2/5/2024 | 23 | 1089.76 | 830 | 707.01 | 87 | 0 | 0 | 87 |
| 2/5/2024 | 24 | 1089.78 | 820 | 707.07 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 1 | 1089.78 | 820 | 707.22 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 2 | 1089.78 | 830 | 707.16 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 3 | 1089.76 | 830 | 707.25 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 4 | 1089.78 | 830 | 707.82 | 87 | 0 | 0 | 87 |
| 2/6/2024 | 5 | 1089.78 | 840 | 708.07 | 87 | 0 | 0 | 87 |
| 2/6/2024 | 6 | 1089.81 | 840 | 708.45 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 7 | 1089.82 | 840 | 708.63 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 8 | 1089.79 | 840 | 708.42 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 9 | 1089.80 | 840 | 708.06 | 87 | 0 | 0 | 87 |
| 2/6/2024 | 10 | 1089.84 | 840 | 708.04 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/6/2024 | 11 | 1089.84 | 820 | 707.88 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 12 | 1089.82 | 830 | 707.35 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 13 | 1089.81 | 830 | 707.27 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 14 | 1089.85 | 830 | 707.55 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 15 | 1089.84 | 840 | 707.58 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 16 | 1089.85 | 830 | 707.65 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 17 | 1089.87 | 830 | 707.52 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 18 | 1089.86 | 830 | 707.65 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 19 | 1089.85 | 830 | 707.46 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 20 | 1089.86 | 840 | 707.16 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 21 | 1089.87 | 830 | 707.02 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 22 | 1089.87 | 830 | 707.07 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 23 | 1089.85 | 820 | 707.07 | 86 | 0 | 0 | 86 |
| 2/6/2024 | 24 | 1089.87 | 820 | 707.07 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 1 | 1089.87 | 820 | 707.06 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 2 | 1089.87 | 830 | 707.16 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 3 | 1089.85 | 830 | 707.39 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 4 | 1089.86 | 830 | 707.54 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 5 | 1089.87 | 830 | 707.40 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 6 | 1089.87 | 830 | 707.61 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 7 | 1089.87 | 830 | 708.41 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 8 | 1089.87 | 830 | 708.33 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 9 | 1089.87 | 820 | 707.55 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 10 | 1089.87 | 830 | 708.02 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 11 | 1089.87 | 830 | 708.07 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 12 | 1089.88 | 840 | 707.82 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 13 | 1089.88 | 830 | 707.74 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 14 | 1089.87 | 830 | 707.99 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 15 | 1089.88 | 830 | 708.46 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 16 | 1089.88 | 830 | 708.17 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 17 | 1089.88 | 840 | 707.99 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 18 | 1089.88 | 830 | 708.06 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 19 | 1089.88 | 830 | 707.89 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 20 | 1089.88 | 830 | 707.68 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 21 | 1089.90 | 820 | 707.52 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 22 | 1089.90 | 820 | 707.54 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 23 | 1089.88 | 830 | 707.48 | 86 | 0 | 0 | 86 |
| 2/7/2024 | 24 | 1089.89 | 820 | 707.35 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 1 | 1089.90 | 830 | 707.52 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 2 | 1089.89 | 820 | 707.56 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 3 | 1089.88 | 830 | 707.52 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 4 | 1089.88 | 830 | 707.77 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 5 | 1089.90 | 830 | 707.97 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 6 | 1089.90 | 830 | 708.03 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 7 | 1089.88 | 830 | 708.04 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 8 | 1089.89 | 820 | 707.91 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/8/2024 | 9 | 1089.90 | 830 | 707.61 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 10 | 1089.90 | 820 | 707.71 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 11 | 1089.89 | 820 | 707.67 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 12 | 1089.90 | 830 | 707.75 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 13 | 1089.91 | 830 | 708.16 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 14 | 1089.90 | 830 | 707.95 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 15 | 1089.93 | 840 | 708.16 | 87 | 0 | 0 | 87 |
| 2/8/2024 | 16 | 1089.91 | 830 | 708.24 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 17 | 1089.91 | 840 | 708.11 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 18 | 1089.96 | 840 | 708.91 | 87 | 0 | 0 | 87 |
| 2/8/2024 | 19 | 1089.95 | 830 | 709.06 | 87 | 0 | 0 | 87 |
| 2/8/2024 | 20 | 1089.97 | 830 | 708.74 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 21 | 1089.99 | 830 | 708.83 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 22 | 1089.97 | 830 | 708.57 | 86 | 0 | 0 | 86 |
| 2/8/2024 | 23 | 1089.97 | 830 | 708.03 | 87 | 0 | 0 | 87 |
| 2/8/2024 | 24 | 1089.97 | 820 | 707.94 | 87 | 0 | 0 | 87 |
| 2/9/2024 | 1 | 1089.98 | 830 | 707.99 | 87 | 0 | 0 | 87 |
| 2/9/2024 | 2 | 1089.97 | 820 | 707.90 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 3 | 1089.97 | 830 | 707.85 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 4 | 1089.96 | 830 | 707.67 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 5 | 1089.95 | 830 | 707.57 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 6 | 1089.97 | 830 | 707.84 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 7 | 1089.97 | 830 | 707.82 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 8 | 1089.94 | 830 | 707.61 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 9 | 1089.97 | 830 | 707.55 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 10 | 1089.97 | 820 | 707.58 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 11 | 1089.97 | 820 | 707.62 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 12 | 1089.96 | 830 | 707.41 | 87 | 0 | 0 | 87 |
| 2/9/2024 | 13 | 1089.97 | 830 | 707.54 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 14 | 1089.97 | 830 | 707.51 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 15 | 1089.97 | 830 | 707.46 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 16 | 1089.94 | 840 | 707.55 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 17 | 1089.95 | 830 | 707.86 | 87 | 0 | 0 | 87 |
| 2/9/2024 | 18 | 1089.97 | 830 | 708.16 | 87 | 0 | 0 | 87 |
| 2/9/2024 | 19 | 1089.97 | 830 | 708.30 | 86 | 0 | 0 | 86 |
| 2/9/2024 | 20 | 1089.98 | 830 | 708.02 | 87 | 0 | 0 | 87 |
| 2/9/2024 | 21 | 1089.99 | 830 | 708.21 | 87 | 0 | 0 | 87 |
| 2/9/2024 | 22 | 1089.99 | 830 | 708.21 | 87 | 0 | 0 | 87 |
| 2/9/2024 | 23 | 1089.99 | 830 | 708.34 | 87 | 0 | 0 | 87 |
| 2/9/2024 | 24 | 1090.00 | 820 | 708.32 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 1 | 1090.00 | 830 | 708.00 | 87 | 0 | 0 | 87 |
| 2/10/2024 | 2 | 1089.99 | 830 | 707.28 | 87 | 0 | 0 | 87 |
| 2/10/2024 | 3 | 1089.98 | 840 | 707.26 | 87 | 0 | 0 | 87 |
| 2/10/2024 | 4 | 1089.99 | 840 | 707.11 | 87 | 0 | 0 | 87 |
| 2/10/2024 | 5 | 1089.99 | 830 | 707.06 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 6 | 1089.98 | 830 | 707.03 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/10/2024 | 7 | 1089.97 | 840 | 707.36 | 87 | 0 | 0 | 87 |
| 2/10/2024 | 8 | 1089.99 | 830 | 707.53 | 87 | 0 | 0 | 87 |
| 2/10/2024 | 9 | 1089.99 | 820 | 707.49 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 10 | 1089.99 | 820 | 707.60 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 11 | 1089.99 | 830 | 707.85 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 12 | 1090.00 | 830 | 707.33 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 13 | 1089.99 | 830 | 707.24 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 14 | 1089.99 | 820 | 707.39 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 15 | 1089.99 | 830 | 707.27 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 16 | 1090.00 | 840 | 707.20 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 17 | 1089.99 | 840 | 707.26 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 18 | 1090.00 | 830 | 707.47 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 19 | 1089.99 | 830 | 707.40 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 20 | 1090.00 | 830 | 707.24 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 21 | 1090.00 | 830 | 707.48 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 22 | 1090.00 | 830 | 707.71 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 23 | 1090.01 | 820 | 707.71 | 86 | 0 | 0 | 86 |
| 2/10/2024 | 24 | 1090.00 | 820 | 707.37 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 1 | 1090.00 | 830 | 707.19 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 2 | 1090.00 | 820 | 707.25 | 87 | 0 | 0 | 87 |
| 2/11/2024 | 3 | 1090.00 | 820 | 707.50 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 4 | 1090.00 | 820 | 707.35 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 5 | 1090.00 | 830 | 707.39 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 6 | 1089.99 | 830 | 707.39 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 7 | 1090.00 | 820 | 707.47 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 8 | 1090.00 | 820 | 707.32 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 9 | 1090.00 | 830 | 707.19 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 10 | 1090.00 | 830 | 707.60 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 11 | 1090.01 | 830 | 707.59 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 12 | 1090.01 | 820 | 707.56 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 13 | 1090.01 | 830 | 707.62 | 87 | 0 | 0 | 87 |
| 2/11/2024 | 14 | 1090.00 | 830 | 707.80 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 15 | 1090.01 | 830 | 707.74 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 16 | 1090.02 | 820 | 707.90 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 17 | 1090.02 | 840 | 707.97 | 87 | 0 | 0 | 87 |
| 2/11/2024 | 18 | 1090.00 | 830 | 707.72 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 19 | 1090.01 | 830 | 707.47 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 20 | 1090.03 | 830 | 707.36 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 21 | 1090.02 | 840 | 707.42 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 22 | 1090.01 | 820 | 707.61 | 86 | 0 | 0 | 86 |
| 2/11/2024 | 23 | 1090.01 | 820 | 707.43 | 87 | 0 | 0 | 87 |
| 2/11/2024 | 24 | 1090.03 | 820 | 707.48 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 1 | 1090.03 | 830 | 707.56 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 2 | 1090.01 | 830 | 707.83 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 3 | 1090.02 | 830 | 708.08 | 86 | 0 | 0 | 86 |
| 2/12/2024 | 4 | 1090.03 | 830 | 708.15 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/12/2024 | 5 | 1090.02 | 830 | 708.14 | 86 | 0 | 0 | 86 |
| 2/12/2024 | 6 | 1090.01 | 840 | 708.05 | 85 | 0 | 0 | 85 |
| 2/12/2024 | 7 | 1090.01 | 830 | 707.99 | 86 | 0 | 0 | 86 |
| 2/12/2024 | 8 | 1090.03 | 820 | 707.82 | 86 | 0 | 0 | 86 |
| 2/12/2024 | 9 | 1090.02 | 820 | 707.69 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 10 | 1090.01 | 830 | 707.98 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 11 | 1090.02 | 830 | 707.68 | 86 | 0 | 0 | 86 |
| 2/12/2024 | 12 | 1090.03 | 830 | 707.58 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 13 | 1090.04 | 830 | 707.69 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 14 | 1090.03 | 830 | 708.06 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 15 | 1090.03 | 830 | 708.00 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 16 | 1090.03 | 840 | 708.20 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 17 | 1090.04 | 840 | 708.53 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 18 | 1090.02 | 830 | 708.33 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 19 | 1090.03 | 820 | 708.14 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 20 | 1090.03 | 830 | 707.84 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 21 | 1090.08 | 830 | 707.96 | 86 | 0 | 0 | 86 |
| 2/12/2024 | 22 | 1090.07 | 830 | 708.12 | 86 | 0 | 0 | 86 |
| 2/12/2024 | 23 | 1090.03 | 820 | 707.93 | 87 | 0 | 0 | 87 |
| 2/12/2024 | 24 | 1090.05 | 830 | 708.16 | 86 | 0 | 0 | 86 |
| 2/13/2024 | 1 | 1090.08 | 830 | 708.67 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 2 | 1090.07 | 830 | 708.64 | 86 | 0 | 0 | 86 |
| 2/13/2024 | 3 | 1090.03 | 830 | 708.52 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 4 | 1090.03 | 830 | 708.38 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 5 | 1090.03 | 830 | 708.30 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 6 | 1090.03 | 830 | 708.17 | 86 | 0 | 0 | 86 |
| 2/13/2024 | 7 | 1090.03 | 1180 | 708.57 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 8 | 1090.03 | 1170 | 708.35 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 9 | 1090.08 | 1180 | 708.22 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 10 | 1090.06 | 1190 | 708.42 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 11 | 1090.03 | 1180 | 708.15 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 12 | 1090.04 | 1180 | 708.07 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 13 | 1090.08 | 1170 | 707.78 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 14 | 1090.04 | 1180 | 707.70 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 15 | 1090.03 | 1190 | 707.55 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 16 | 1090.04 | 1180 | 707.52 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 17 | 1090.03 | 1180 | 707.51 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 18 | 1090.03 | 1180 | 707.53 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 19 | 1090.03 | 1180 | 707.56 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 20 | 1090.03 | 1170 | 707.56 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 21 | 1090.03 | 1170 | 707.65 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 22 | 1090.03 | 1180 | 707.65 | 87 | 0 | 0 | 87 |
| 2/13/2024 | 23 | 1090.03 | 830 | 707.27 | 86 | 0 | 0 | 86 |
| 2/13/2024 | 24 | 1090.03 | 820 | 707.22 | 87 | 0 | 0 | 87 |
| 2/14/2024 | 1 | 1090.03 | 820 | 707.16 | 87 | 0 | 0 | 87 |
| 2/14/2024 | 2 | 1090.04 | 830 | 707.28 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/14/2024 | 3 | 1090.03 | 820 | 707.32 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 4 | 1090.03 | 820 | 707.34 | 87 | 0 | 0 | 87 |
| 2/14/2024 | 5 | 1090.03 | 830 | 707.36 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 6 | 1090.03 | 830 | 707.43 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 7 | 1090.03 | 1170 | 707.79 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 8 | 1090.03 | 1180 | 707.68 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 9 | 1090.03 | 1180 | 707.48 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 10 | 1090.03 | 1180 | 707.62 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 11 | 1090.03 | 1180 | 708.04 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 12 | 1090.03 | 1180 | 708.00 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 13 | 1090.03 | 1170 | 708.12 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 14 | 1090.03 | 1160 | 708.27 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 15 | 1090.03 | 1160 | 708.41 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 16 | 1090.03 | 1180 | 708.34 | 87 | 0 | 0 | 87 |
| 2/14/2024 | 17 | 1090.03 | 1180 | 708.22 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 18 | 1090.03 | 1170 | 708.03 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 19 | 1090.03 | 1170 | 708.10 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 20 | 1090.03 | 1170 | 707.92 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 21 | 1090.03 | 1170 | 707.70 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 22 | 1090.03 | 1170 | 707.54 | 86 | 0 | 0 | 86 |
| 2/14/2024 | 23 | 1090.03 | 1160 | 707.44 | 87 | 0 | 0 | 87 |
| 2/14/2024 | 24 | 1090.03 | 850 | 707.41 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 1 | 1090.03 | 810 | 707.26 | 87 | 0 | 0 | 87 |
| 2/15/2024 | 2 | 1090.03 | 820 | 707.46 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 3 | 1090.03 | 810 | 707.27 | 87 | 0 | 0 | 87 |
| 2/15/2024 | 4 | 1090.03 | 810 | 707.29 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 5 | 1090.03 | 810 | 707.38 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 6 | 1090.03 | 900 | 707.43 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 7 | 1090.03 | 2240 | 708.56 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 8 | 1090.03 | 2210 | 708.55 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 9 | 1090.01 | 2220 | 708.52 | 87 | 0 | 0 | 87 |
| 2/15/2024 | 10 | 1090.01 | 2230 | 708.50 | 87 | 0 | 0 | 87 |
| 2/15/2024 | 11 | 1090.01 | 2240 | 708.49 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 12 | 1090.01 | 2300 | 708.49 | 87 | 0 | 0 | 87 |
| 2/15/2024 | 13 | 1090.01 | 2310 | 708.49 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 14 | 1090.00 | 2320 | 708.50 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 15 | 1090.01 | 2320 | 708.50 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 16 | 1090.01 | 2330 | 708.56 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 17 | 1090.00 | 2340 | 708.75 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 18 | 1090.00 | 2350 | 708.87 | 87 | 0 | 0 | 87 |
| 2/15/2024 | 19 | 1090.00 | 2320 | 709.09 | 87 | 0 | 0 | 87 |
| 2/15/2024 | 20 | 1090.00 | 2300 | 709.07 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 21 | 1090.00 | 2320 | 709.32 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 22 | 1090.00 | 2320 | 709.48 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 23 | 1090.00 | 840 | 708.96 | 86 | 0 | 0 | 86 |
| 2/15/2024 | 24 | 1090.00 | 820 | 708.85 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/16/2024 | 1 | 1090.00 | 820 | 708.89 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 2 | 1090.00 | 820 | 708.63 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 3 | 1090.01 | 820 | 708.35 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 4 | 1090.00 | 820 | 708.35 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 5 | 1090.00 | 820 | 708.13 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 6 | 1090.00 | 830 | 707.75 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 7 | 1090.00 | 2340 | 708.66 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 8 | 1089.99 | 2310 | 708.79 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 9 | 1089.99 | 2320 | 708.73 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 10 | 1089.99 | 2320 | 708.95 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 11 | 1090.00 | 2340 | 709.00 | 87 | 0 | 0 | 87 |
| 2/16/2024 | 12 | 1089.99 | 2320 | 709.08 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 13 | 1089.99 | 2310 | 708.92 | 87 | 0 | 0 | 87 |
| 2/16/2024 | 14 | 1089.99 | 2330 | 708.58 | 87 | 0 | 0 | 87 |
| 2/16/2024 | 15 | 1089.99 | 2330 | 708.52 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 16 | 1089.99 | 2350 | 708.53 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 17 | 1089.97 | 2340 | 708.52 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 18 | 1089.97 | 2330 | 708.56 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 19 | 1089.97 | 2300 | 708.59 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 20 | 1089.97 | 2320 | 708.86 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 21 | 1089.97 | 2310 | 708.64 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 22 | 1089.96 | 2310 | 708.52 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 23 | 1089.91 | 2320 | 708.52 | 86 | 0 | 0 | 86 |
| 2/16/2024 | 24 | 1089.94 | 2320 | 708.53 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 1 | 1089.96 | 1170 | 707.64 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 2 | 1089.94 | 810 | 707.26 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 3 | 1089.91 | 810 | 707.26 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 4 | 1089.91 | 810 | 707.12 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 5 | 1089.96 | 820 | 707.14 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 6 | 1089.93 | 920 | 707.19 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 7 | 1089.91 | 2330 | 708.47 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 8 | 1089.91 | 2300 | 708.50 | 87 | 0 | 0 | 87 |
| 2/17/2024 | 9 | 1089.90 | 2330 | 708.51 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 10 | 1089.90 | 2320 | 708.55 | 87 | 0 | 0 | 87 |
| 2/17/2024 | 11 | 1089.91 | 2310 | 708.55 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 12 | 1089.90 | 2330 | 708.58 | 87 | 0 | 0 | 87 |
| 2/17/2024 | 13 | 1089.90 | 2320 | 708.65 | 87 | 0 | 0 | 87 |
| 2/17/2024 | 14 | 1089.90 | 2310 | 708.67 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 15 | 1089.90 | 2340 | 708.55 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 16 | 1089.90 | 2340 | 708.57 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 17 | 1089.88 | 2320 | 708.54 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 18 | 1089.88 | 2330 | 708.52 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 19 | 1089.90 | 2320 | 708.52 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 20 | 1089.88 | 2330 | 708.52 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 21 | 1089.88 | 2320 | 708.55 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 22 | 1089.88 | 2320 | 708.55 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/17/2024 | 23 | 1089.88 | 890 | 707.70 | 86 | 0 | 0 | 86 |
| 2/17/2024 | 24 | 1089.88 | 820 | 707.12 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 1 | 1089.88 | 820 | 707.60 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 2 | 1089.88 | 820 | 707.62 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 3 | 1089.88 | 820 | 707.25 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 4 | 1089.87 | 820 | 707.51 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 5 | 1089.88 | 820 | 707.74 | 87 | 0 | 0 | 87 |
| 2/18/2024 | 6 | 1089.88 | 840 | 707.53 | 87 | 0 | 0 | 87 |
| 2/18/2024 | 7 | 1089.88 | 870 | 707.39 | 87 | 0 | 0 | 87 |
| 2/18/2024 | 8 | 1089.87 | 810 | 707.30 | 87 | 0 | 0 | 87 |
| 2/18/2024 | 9 | 1089.88 | 820 | 707.47 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 10 | 1089.88 | 810 | 707.51 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 11 | 1089.88 | 820 | 707.35 | 87 | 0 | 0 | 87 |
| 2/18/2024 | 12 | 1089.87 | 820 | 707.19 | 87 | 0 | 0 | 87 |
| 2/18/2024 | 13 | 1089.88 | 810 | 707.44 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 14 | 1089.88 | 810 | 707.42 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 15 | 1089.88 | 810 | 707.21 | 87 | 0 | 0 | 87 |
| 2/18/2024 | 16 | 1089.87 | 820 | 707.15 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 17 | 1089.88 | 820 | 707.18 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 18 | 1089.88 | 820 | 707.13 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 19 | 1089.88 | 810 | 707.09 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 20 | 1089.88 | 810 | 707.02 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 21 | 1089.88 | 820 | 707.04 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 22 | 1089.88 | 810 | 707.03 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 23 | 1089.87 | 810 | 707.19 | 86 | 0 | 0 | 86 |
| 2/18/2024 | 24 | 1089.87 | 820 | 707.24 | 85 | 0 | 0 | 85 |
| 2/19/2024 | 1 | 1089.88 | 820 | 708.34 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 2 | 1089.88 | 820 | 707.40 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 3 | 1089.88 | 820 | 707.87 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 4 | 1089.87 | 820 | 708.11 | 87 | 0 | 0 | 87 |
| 2/19/2024 | 5 | 1089.88 | 820 | 707.85 | 87 | 0 | 0 | 87 |
| 2/19/2024 | 6 | 1089.88 | 820 | 707.76 | 87 | 0 | 0 | 87 |
| 2/19/2024 | 7 | 1089.88 | 1130 | 708.27 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 8 | 1089.87 | 1160 | 708.21 | 87 | 0 | 0 | 87 |
| 2/19/2024 | 9 | 1089.88 | 1170 | 708.22 | 87 | 0 | 0 | 87 |
| 2/19/2024 | 10 | 1089.88 | 1160 | 708.14 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 11 | 1089.89 | 1170 | 708.00 | 87 | 0 | 0 | 87 |
| 2/19/2024 | 12 | 1089.87 | 1170 | 708.00 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 13 | 1089.87 | 1170 | 707.89 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 14 | 1089.88 | 1170 | 707.85 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 15 | 1089.89 | 1170 | 707.66 | 87 | 0 | 0 | 87 |
| 2/19/2024 | 16 | 1089.87 | 1180 | 707.53 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 17 | 1089.88 | 1170 | 707.54 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 18 | 1089.88 | 1170 | 707.82 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 19 | 1089.90 | 1170 | 707.79 | 87 | 0 | 0 | 87 |
| 2/19/2024 | 20 | 1089.87 | 1170 | 707.74 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/19/2024 | 21 | 1089.88 | 1170 | 707.71 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 22 | 1089.88 | 1160 | 707.70 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 23 | 1089.90 | 810 | 707.22 | 86 | 0 | 0 | 86 |
| 2/19/2024 | 24 | 1089.87 | 820 | 707.03 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 1 | 1089.88 | 810 | 706.96 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 2 | 1089.88 | 820 | 707.07 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 3 | 1089.89 | 820 | 707.08 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 4 | 1089.87 | 820 | 707.03 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 5 | 1089.87 | 820 | 707.08 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 6 | 1089.88 | 820 | 707.26 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 7 | 1089.89 | 1170 | 707.68 | 87 | 0 | 0 | 87 |
| 2/20/2024 | 8 | 1089.87 | 1180 | 707.55 | 87 | 0 | 0 | 87 |
| 2/20/2024 | 9 | 1089.87 | 1160 | 707.53 | 87 | 0 | 0 | 87 |
| 2/20/2024 | 10 | 1089.88 | 1170 | 707.63 | 87 | 0 | 0 | 87 |
| 2/20/2024 | 11 | 1089.90 | 1180 | 707.57 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 12 | 1089.87 | 1170 | 707.73 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 13 | 1089.87 | 1160 | 708.19 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 14 | 1089.88 | 1180 | 708.29 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 15 | 1089.89 | 1170 | 708.49 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 16 | 1089.87 | 1180 | 708.79 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 17 | 1089.88 | 1180 | 708.65 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 18 | 1089.88 | 1170 | 708.31 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 19 | 1089.90 | 1170 | 708.55 | 87 | 0 | 0 | 87 |
| 2/20/2024 | 20 | 1089.87 | 1170 | 708.43 | 87 | 0 | 0 | 87 |
| 2/20/2024 | 21 | 1089.88 | 1180 | 708.45 | 87 | 0 | 0 | 87 |
| 2/20/2024 | 22 | 1089.88 | 1170 | 708.43 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 23 | 1089.88 | 1170 | 708.39 | 86 | 0 | 0 | 86 |
| 2/20/2024 | 24 | 1089.87 | 1170 | 708.17 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 1 | 1089.86 | 1170 | 708.22 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 2 | 1089.88 | 1170 | 708.08 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 3 | 1089.87 | 1170 | 708.04 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 4 | 1089.87 | 1180 | 708.20 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 5 | 1089.85 | 1170 | 708.47 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 6 | 1089.87 | 1180 | 708.63 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 7 | 1089.87 | 1180 | 708.72 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 8 | 1089.86 | 1160 | 708.53 | 87 | 0 | 0 | 87 |
| 2/21/2024 | 9 | 1089.85 | 1170 | 708.41 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 10 | 1089.88 | 1160 | 708.24 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 11 | 1089.87 | 1170 | 708.25 | 87 | 0 | 0 | 87 |
| 2/21/2024 | 12 | 1089.87 | 1170 | 708.26 | 87 | 0 | 0 | 87 |
| 2/21/2024 | 13 | 1089.85 | 1170 | 708.32 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 14 | 1089.87 | 1170 | 707.85 | 87 | 0 | 0 | 87 |
| 2/21/2024 | 15 | 1089.87 | 1170 | 708.06 | 87 | 0 | 0 | 87 |
| 2/21/2024 | 16 | 1089.86 | 1170 | 708.11 | 87 | 0 | 0 | 87 |
| 2/21/2024 | 17 | 1089.85 | 1180 | 708.15 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 18 | 1089.88 | 1170 | 708.04 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/21/2024 | 19 | 1089.87 | 1170 | 707.77 | 87 | 0 | 0 | 87 |
| 2/21/2024 | 20 | 1089.87 | 1170 | 707.56 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 21 | 1089.86 | 1170 | 707.58 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 22 | 1089.88 | 1170 | 707.56 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 23 | 1089.87 | 1170 | 707.52 | 86 | 0 | 0 | 86 |
| 2/21/2024 | 24 | 1089.87 | 1040 | 707.40 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 1 | 1089.85 | 820 | 707.37 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 2 | 1089.87 | 820 | 707.49 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 3 | 1089.87 | 820 | 707.48 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 4 | 1089.86 | 820 | 707.61 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 5 | 1089.85 | 820 | 707.83 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 6 | 1089.87 | 830 | 708.25 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 7 | 1089.87 | 1180 | 708.79 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 8 | 1089.86 | 1170 | 708.62 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 9 | 1089.85 | 1170 | 708.31 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 10 | 1089.87 | 1170 | 708.64 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 11 | 1089.87 | 1170 | 708.59 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 12 | 1089.85 | 900 | 708.47 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 13 | 1089.85 | 1170 | 708.74 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 14 | 1089.86 | 1160 | 708.46 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 15 | 1089.87 | 1160 | 708.41 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 16 | 1089.85 | 1170 | 708.15 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 17 | 1089.85 | 1180 | 708.09 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 18 | 1089.87 | 1170 | 708.20 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 19 | 1089.87 | 1170 | 708.20 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 20 | 1089.86 | 1160 | 707.95 | 87 | 0 | 0 | 87 |
| 2/22/2024 | 21 | 1089.85 | 1170 | 708.18 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 22 | 1089.87 | 1170 | 708.58 | 86 | 0 | 0 | 86 |
| 2/22/2024 | 23 | 1089.87 | 820 | 708.19 | 87 | 0 | 0 | 87 |
| 2/22/2024 | 24 | 1089.86 | 810 | 708.22 | 86 | 0 | 0 | 86 |
| 2/23/2024 | 1 | 1089.85 | 820 | 707.60 | 86 | 0 | 0 | 86 |
| 2/23/2024 | 2 | 1089.86 | 810 | 707.69 | 86 | 0 | 0 | 86 |
| 2/23/2024 | 3 | 1089.87 | 820 | 707.43 | 86 | 0 | 0 | 86 |
| 2/23/2024 | 4 | 1089.84 | 820 | 707.32 | 86 | 0 | 0 | 86 |
| 2/23/2024 | 5 | 1089.85 | 820 | 707.27 | 86 | 0 | 0 | 86 |
| 2/23/2024 | 6 | 1089.85 | 830 | 707.59 | 86 | 0 | 0 | 86 |
| 2/23/2024 | 7 | 1089.87 | 1170 | 707.63 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 8 | 1089.84 | 1160 | 707.82 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 9 | 1089.85 | 1170 | 707.57 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 10 | 1089.86 | 1170 | 707.45 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 11 | 1089.87 | 1170 | 707.42 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 12 | 1089.85 | 1160 | 707.40 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 13 | 1089.85 | 1170 | 707.47 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 14 | 1089.85 | 1170 | 707.51 | 86 | 0 | 0 | 86 |
| 2/23/2024 | 15 | 1089.86 | 1160 | 707.54 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 16 | 1089.84 | 1170 | 707.59 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/23/2024 | 17 | 1089.85 | 1180 | 707.72 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 18 | 1089.85 | 1170 | 707.99 | 86 | 0 | 0 | 86 |
| 2/23/2024 | 19 | 1089.87 | 1170 | 707.96 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 20 | 1089.86 | 1170 | 707.82 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 21 | 1089.85 | 1170 | 708.08 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 22 | 1089.85 | 1170 | 708.15 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 23 | 1089.86 | 1170 | 707.99 | 87 | 0 | 0 | 87 |
| 2/23/2024 | 24 | 1089.85 | 900 | 707.62 | 87 | 0 | 0 | 87 |
| 2/24/2024 | 1 | 1089.85 | 820 | 708.03 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 2 | 1089.85 | 820 | 708.55 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 3 | 1089.84 | 820 | 708.17 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 4 | 1089.84 | 820 | 708.28 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 5 | 1089.84 | 820 | 709.19 | 85 | 0 | 0 | 85 |
| 2/24/2024 | 6 | 1089.84 | 820 | 709.05 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 7 | 1089.85 | 820 | 709.13 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 8 | 1089.85 | 820 | 709.28 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 9 | 1089.85 | 810 | 709.09 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 10 | 1089.87 | 820 | 708.24 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 11 | 1089.87 | 810 | 707.95 | 87 | 0 | 0 | 87 |
| 2/24/2024 | 12 | 1089.87 | 960 | 708.17 | 87 | 0 | 0 | 87 |
| 2/24/2024 | 13 | 1089.86 | 1170 | 708.26 | 87 | 0 | 0 | 87 |
| 2/24/2024 | 14 | 1089.87 | 1170 | 708.16 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 15 | 1089.88 | 1170 | 708.24 | 87 | 0 | 0 | 87 |
| 2/24/2024 | 16 | 1089.85 | 1180 | 708.35 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 17 | 1089.85 | 1180 | 708.32 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 18 | 1089.87 | 1180 | 708.57 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 19 | 1089.87 | 1170 | 707.97 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 20 | 1089.84 | 1170 | 707.65 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 21 | 1089.85 | 1170 | 707.63 | 87 | 0 | 0 | 87 |
| 2/24/2024 | 22 | 1089.85 | 1160 | 707.51 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 23 | 1089.85 | 1160 | 707.60 | 86 | 0 | 0 | 86 |
| 2/24/2024 | 24 | 1089.84 | 1160 | 707.65 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 1 | 1089.84 | 980 | 707.73 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 2 | 1089.85 | 820 | 708.39 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 3 | 1089.82 | 820 | 707.98 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 4 | 1089.81 | 810 | 708.03 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 5 | 1089.78 | 820 | 708.72 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 6 | 1089.78 | 820 | 708.41 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 7 | 1089.78 | 820 | 708.60 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 8 | 1089.80 | 820 | 708.13 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 9 | 1089.84 | 820 | 708.44 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 10 | 1089.85 | 820 | 708.68 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 11 | 1089.85 | 810 | 708.50 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 12 | 1089.85 | 810 | 708.59 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 13 | 1089.85 | 810 | 708.54 | 87 | 0 | 0 | 87 |
| 2/25/2024 | 14 | 1089.87 | 820 | 708.69 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/25/2024 | 15 | 1089.87 | 820 | 708.65 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 16 | 1089.86 | 820 | 708.63 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 17 | 1089.86 | 820 | 708.58 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 18 | 1089.87 | 820 | 708.52 | 87 | 0 | 0 | 87 |
| 2/25/2024 | 19 | 1089.96 | 820 | 708.41 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 20 | 1090.00 | 820 | 707.89 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 21 | 1089.99 | 820 | 707.80 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 22 | 1089.95 | 820 | 707.84 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 23 | 1089.90 | 810 | 707.81 | 86 | 0 | 0 | 86 |
| 2/25/2024 | 24 | 1089.89 | 810 | 707.69 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 1 | 1089.88 | 820 | 707.41 | 87 | 0 | 0 | 87 |
| 2/26/2024 | 2 | 1089.87 | 820 | 707.43 | 87 | 0 | 0 | 87 |
| 2/26/2024 | 3 | 1089.87 | 820 | 707.78 | 87 | 0 | 0 | 87 |
| 2/26/2024 | 4 | 1089.87 | 820 | 707.47 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 5 | 1089.87 | 820 | 707.37 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 6 | 1089.87 | 970 | 707.68 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 7 | 1089.85 | 2320 | 708.63 | 87 | 0 | 0 | 87 |
| 2/26/2024 | 8 | 1089.85 | 2310 | 708.84 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 9 | 1089.87 | 2330 | 708.67 | 87 | 0 | 0 | 87 |
| 2/26/2024 | 10 | 1089.87 | 2310 | 708.59 | 87 | 0 | 0 | 87 |
| 2/26/2024 | 11 | 1089.87 | 2310 | 708.58 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 12 | 1089.87 | 2300 | 708.56 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 13 | 1089.87 | 2310 | 708.62 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 14 | 1089.87 | 2330 | 708.62 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 15 | 1089.85 | 2300 | 708.73 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 16 | 1089.85 | 2320 | 708.74 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 17 | 1089.87 | 2340 | 708.80 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 18 | 1089.85 | 2330 | 708.79 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 19 | 1089.82 | 2310 | 708.72 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 20 | 1089.78 | 2310 | 708.70 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 21 | 1089.78 | 2330 | 708.74 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 22 | 1089.78 | 2310 | 708.83 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 23 | 1089.78 | 2250 | 709.16 | 86 | 0 | 0 | 86 |
| 2/26/2024 | 24 | 1089.78 | 810 | 708.55 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 1 | 1089.78 | 820 | 708.88 | 87 | 0 | 0 | 87 |
| 2/27/2024 | 2 | 1089.78 | 820 | 708.74 | 87 | 0 | 0 | 87 |
| 2/27/2024 | 3 | 1089.78 | 820 | 708.55 | 87 | 0 | 0 | 87 |
| 2/27/2024 | 4 | 1089.78 | 820 | 708.36 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 5 | 1089.76 | 820 | 708.44 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 6 | 1089.76 | 890 | 708.20 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 7 | 1089.76 | 2340 | 708.90 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 8 | 1089.75 | 2320 | 708.98 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 9 | 1089.75 | 2300 | 708.84 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 10 | 1089.75 | 2270 | 708.77 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 11 | 1089.75 | 2310 | 708.71 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 12 | 1089.75 | 2330 | 708.78 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/27/2024 | 13 | 1089.75 | 2310 | 708.99 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 14 | 1089.76 | 2310 | 708.99 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 15 | 1089.75 | 2300 | 708.75 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 16 | 1089.75 | 2330 | 708.68 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 17 | 1089.75 | 2350 | 708.77 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 18 | 1089.75 | 2340 | 708.80 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 19 | 1089.74 | 2310 | 708.67 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 20 | 1089.74 | 2300 | 708.55 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 21 | 1089.75 | 2320 | 708.52 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 22 | 1089.74 | 2320 | 708.52 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 23 | 1089.74 | 1220 | 707.57 | 86 | 0 | 0 | 86 |
| 2/27/2024 | 24 | 1089.74 | 820 | 707.07 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 1 | 1089.75 | 820 | 707.17 | 87 | 0 | 0 | 87 |
| 2/28/2024 | 2 | 1089.75 | 820 | 707.15 | 87 | 0 | 0 | 87 |
| 2/28/2024 | 3 | 1089.74 | 810 | 707.24 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 4 | 1089.74 | 820 | 707.08 | 87 | 0 | 0 | 87 |
| 2/28/2024 | 5 | 1089.74 | 820 | 707.10 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 6 | 1089.74 | 970 | 707.30 | 87 | 0 | 0 | 87 |
| 2/28/2024 | 7 | 1089.74 | 2300 | 708.59 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 8 | 1089.72 | 2310 | 708.54 | 87 | 0 | 0 | 87 |
| 2/28/2024 | 9 | 1089.72 | 2320 | 708.56 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 10 | 1089.74 | 2310 | 708.58 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 11 | 1089.74 | 2300 | 708.55 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 12 | 1089.73 | 2290 | 708.51 | 87 | 0 | 0 | 87 |
| 2/28/2024 | 13 | 1089.74 | 2310 | 708.62 | 87 | 0 | 0 | 87 |
| 2/28/2024 | 14 | 1089.74 | 2310 | 708.79 | 87 | 0 | 0 | 87 |
| 2/28/2024 | 15 | 1089.74 | 2320 | 708.95 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 16 | 1089.73 | 2320 | 709.10 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 17 | 1089.73 | 2330 | 709.26 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 18 | 1089.74 | 2310 | 709.19 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 19 | 1089.72 | 2290 | 709.01 | 87 | 0 | 0 | 87 |
| 2/28/2024 | 20 | 1089.72 | 2320 | 708.80 | 87 | 0 | 0 | 87 |
| 2/28/2024 | 21 | 1089.67 | 2330 | 708.75 | 87 | 0 | 0 | 87 |
| 2/28/2024 | 22 | 1089.66 | 2140 | 708.55 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 23 | 1089.66 | 810 | 707.52 | 86 | 0 | 0 | 86 |
| 2/28/2024 | 24 | 1089.65 | 820 | 707.69 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 1 | 1089.65 | 820 | 707.51 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 2 | 1089.66 | 820 | 707.48 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 3 | 1089.67 | 820 | 707.58 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 4 | 1089.72 | 820 | 707.58 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 5 | 1089.72 | 820 | 707.37 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 6 | 1089.67 | 820 | 707.42 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 7 | 1089.71 | 1120 | 707.93 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 8 | 1089.72 | 1170 | 707.87 | 87 | 0 | 0 | 87 |
| 2/29/2024 | 9 | 1089.69 | 1170 | 707.71 | 87 | 0 | 0 | 87 |
| 2/29/2024 | 10 | 1089.68 | 1170 | 708.02 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 2/29/2024 | 11 | 1089.71 | 1170 | 708.13 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 12 | 1089.69 | 1170 | 707.90 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 13 | 1089.66 | 1170 | 707.85 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 14 | 1089.66 | 1170 | 707.99 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 15 | 1089.71 | 1170 | 707.96 | 87 | 0 | 0 | 87 |
| 2/29/2024 | 16 | 1089.71 | 1170 | 707.91 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 17 | 1089.66 | 1180 | 708.18 | 87 | 0 | 0 | 87 |
| 2/29/2024 | 18 | 1089.66 | 1170 | 708.15 | 87 | 0 | 0 | 87 |
| 2/29/2024 | 19 | 1089.69 | 1170 | 707.78 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 20 | 1089.69 | 1170 | 707.55 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 21 | 1089.66 | 1170 | 707.70 | 87 | 0 | 0 | 87 |
| 2/29/2024 | 22 | 1089.66 | 1170 | 707.81 | 86 | 0 | 0 | 86 |
| 2/29/2024 | 23 | 1089.69 | 820 | 707.56 | 87 | 0 | 0 | 87 |
| 2/29/2024 | 24 | 1089.67 | 820 | 707.65 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 1 | 1089.66 | 820 | 708.02 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 2 | 1089.66 | 820 | 708.25 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 3 | 1089.65 | 820 | 708.11 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 4 | 1089.65 | 820 | 708.21 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 5 | 1089.66 | 820 | 708.40 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 6 | 1089.66 | 830 | 708.33 | 87 | 0 | 0 | 87 |
| 3/1/2024 | 7 | 1089.65 | 820 | 708.35 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 8 | 1089.66 | 820 | 708.06 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 9 | 1089.65 | 820 | 707.78 | 87 | 0 | 0 | 87 |
| 3/1/2024 | 10 | 1089.66 | 1120 | 708.07 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 11 | 1089.65 | 1170 | 708.28 | 87 | 0 | 0 | 87 |
| 3/1/2024 | 12 | 1089.65 | 1170 | 708.46 | 87 | 0 | 0 | 87 |
| 3/1/2024 | 13 | 1089.65 | 1160 | 707.94 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 14 | 1089.65 | 1170 | 708.19 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 15 | 1089.65 | 1160 | 707.61 | 87 | 0 | 0 | 87 |
| 3/1/2024 | 16 | 1089.65 | 1170 | 707.69 | 87 | 0 | 0 | 87 |
| 3/1/2024 | 17 | 1089.65 | 1180 | 707.80 | 87 | 0 | 0 | 87 |
| 3/1/2024 | 18 | 1089.66 | 1180 | 707.76 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 19 | 1089.66 | 1170 | 707.88 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 20 | 1089.65 | 1170 | 707.90 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 21 | 1089.67 | 1170 | 707.69 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 22 | 1089.66 | 1160 | 707.63 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 23 | 1089.65 | 820 | 707.11 | 86 | 0 | 0 | 86 |
| 3/1/2024 | 24 | 1089.65 | 810 | 707.04 | 87 | 0 | 0 | 87 |
| 3/2/2024 | 1 | 1089.65 | 820 | 707.00 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 2 | 1089.65 | 820 | 707.00 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 3 | 1089.66 | 820 | 707.00 | 87 | 0 | 0 | 87 |
| 3/2/2024 | 4 | 1089.70 | 820 | 707.04 | 87 | 0 | 0 | 87 |
| 3/2/2024 | 5 | 1089.68 | 820 | 707.08 | 87 | 0 | 0 | 87 |
| 3/2/2024 | 6 | 1089.67 | 820 | 707.09 | 87 | 0 | 0 | 87 |
| 3/2/2024 | 7 | 1089.68 | 1060 | 707.36 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 8 | 1089.71 | 1170 | 707.48 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/2/2024 | 9 | 1089.70 | 1170 | 707.71 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 10 | 1089.67 | 1160 | 707.77 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 11 | 1089.69 | 1160 | 707.69 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 12 | 1089.72 | 1160 | 707.75 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 13 | 1089.70 | 1170 | 707.99 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 14 | 1089.69 | 1170 | 708.05 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 15 | 1089.72 | 1180 | 708.11 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 16 | 1089.72 | 1170 | 708.29 | 87 | 0 | 0 | 87 |
| 3/2/2024 | 17 | 1089.71 | 1180 | 708.52 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 18 | 1089.66 | 1180 | 708.68 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 19 | 1089.67 | 1180 | 709.06 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 20 | 1089.72 | 1170 | 708.73 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 21 | 1089.70 | 1180 | 708.56 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 22 | 1089.66 | 1180 | 708.76 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 23 | 1089.68 | 840 | 708.25 | 86 | 0 | 0 | 86 |
| 3/2/2024 | 24 | 1089.71 | 810 | 708.43 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 1 | 1089.69 | 820 | 708.44 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 2 | 1089.66 | 820 | 708.17 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 3 | 1089.67 | 820 | 707.41 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 4 | 1089.70 | 810 | 707.39 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 5 | 1089.65 | 810 | 707.21 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 6 | 1089.66 | 820 | 707.00 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 7 | 1089.66 | 810 | 707.01 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 8 | 1089.65 | 810 | 707.07 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 9 | 1089.65 | 810 | 707.02 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 10 | 1089.65 | 810 | 707.03 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 11 | 1089.66 | 810 | 707.14 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 12 | 1089.65 | 810 | 707.03 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 13 | 1089.66 | 820 | 707.19 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 14 | 1089.66 | 820 | 707.24 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 15 | 1089.66 | 820 | 707.05 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 16 | 1089.70 | 820 | 707.23 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 17 | 1089.68 | 820 | 707.08 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 18 | 1089.66 | 820 | 707.14 | 86 | 0 | 0 | 86 |
| 3/3/2024 | 19 | 1089.67 | 810 | 707.10 | 87 | 0 | 0 | 87 |
| 3/3/2024 | 20 | 1089.72 | 810 | 707.16 | 87 | 0 | 0 | 87 |
| 3/3/2024 | 21 | 1089.72 | 820 | 707.25 | 87 | 0 | 0 | 87 |
| 3/3/2024 | 22 | 1089.67 | 810 | 707.62 | 87 | 0 | 0 | 87 |
| 3/3/2024 | 23 | 1089.70 | 810 | 707.34 | 87 | 0 | 0 | 87 |
| 3/3/2024 | 24 | 1089.72 | 820 | 707.27 | 87 | 0 | 0 | 87 |
| 3/4/2024 | 1 | 1089.69 | 820 | 707.22 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 2 | 1089.66 | 820 | 707.46 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 3 | 1089.67 | 820 | 707.49 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 4 | 1089.68 | 820 | 707.47 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 5 | 1089.66 | 820 | 707.57 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 6 | 1089.66 | 830 | 707.93 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/4/2024 | 7 | 1089.66 | 1100 | 708.24 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 8 | 1089.68 | 1170 | 707.96 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 9 | 1089.65 | 1160 | 707.81 | 87 | 0 | 0 | 87 |
| 3/4/2024 | 10 | 1089.66 | 1170 | 707.64 | 87 | 0 | 0 | 87 |
| 3/4/2024 | 11 | 1089.66 | 1170 | 707.89 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 12 | 1089.68 | 1170 | 708.09 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 13 | 1089.70 | 1170 | 708.09 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 14 | 1089.66 | 1170 | 708.31 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 15 | 1089.67 | 1180 | 708.57 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 16 | 1089.70 | 1180 | 708.39 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 17 | 1089.69 | 1190 | 708.37 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 18 | 1089.66 | 1180 | 708.45 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 19 | 1089.70 | 1180 | 708.42 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 20 | 1089.72 | 1180 | 708.59 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 21 | 1089.67 | 1170 | 708.76 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 22 | 1089.66 | 1170 | 708.82 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 23 | 1089.68 | 940 | 708.69 | 86 | 0 | 0 | 86 |
| 3/4/2024 | 24 | 1089.69 | 820 | 708.44 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 1 | 1089.65 | 820 | 708.36 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 2 | 1089.66 | 820 | 708.10 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 3 | 1089.65 | 820 | 708.08 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 4 | 1089.65 | 820 | 707.93 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 5 | 1089.65 | 820 | 708.00 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 6 | 1089.66 | 830 | 708.04 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 7 | 1089.65 | 1170 | 708.44 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 8 | 1089.65 | 1160 | 708.05 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 9 | 1089.65 | 1170 | 707.90 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 10 | 1089.65 | 1170 | 707.82 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 11 | 1089.64 | 1170 | 707.66 | 84 | 0 | 0 | 84 |
| 3/5/2024 | 12 | 1089.63 | 1170 | 707.64 | 86 | 0 | 0 | 86 |
| 3/5/2024 | 13 | 1089.63 | 1170 | 707.58 | 87 | 0 | 0 | 87 |
| 3/5/2024 | 14 | 1089.65 | 1170 | 707.53 | 87 | 0 | 0 | 87 |
| 3/5/2024 | 15 | 1089.65 | 1170 | 707.55 | 87 | 0 | 0 | 87 |
| 3/5/2024 | 16 | 1089.63 | 1170 | 707.59 | 87 | 0 | 0 | 87 |
| 3/5/2024 | 17 | 1089.64 | 1180 | 707.57 | 87 | 0 | 0 | 87 |
| 3/5/2024 | 18 | 1089.65 | 1180 | 707.65 | 87 | 0 | 0 | 87 |
| 3/5/2024 | 19 | 1089.65 | 1170 | 708.03 | 87 | 0 | 0 | 87 |
| 3/5/2024 | 20 | 1089.65 | 1170 | 707.89 | 87 | 0 | 0 | 87 |
| 3/5/2024 | 21 | 1089.65 | 1170 | 707.77 | 87 | 0 | 0 | 87 |
| 3/5/2024 | 22 | 1089.65 | 1150 | 707.76 | 87 | 0 | 0 | 87 |
| 3/5/2024 | 23 | 1089.65 | 820 | 707.35 | 87 | 0 | 0 | 87 |
| 3/5/2024 | 24 | 1089.63 | 820 | 707.42 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 1 | 1089.63 | 820 | 707.35 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 2 | 1089.63 | 820 | 707.25 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 3 | 1089.63 | 820 | 707.44 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 4 | 1089.63 | 820 | 707.28 | 88 | 0 | 0 | 88 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/6/2024 | 5 | 1089.63 | 820 | 707.19 | 88 | 0 | 0 | 88 |
| 3/6/2024 | 6 | 1089.63 | 900 | 707.39 | 88 | 0 | 0 | 88 |
| 3/6/2024 | 7 | 1089.63 | 2210 | 708.54 | 88 | 0 | 0 | 88 |
| 3/6/2024 | 8 | 1089.63 | 2200 | 708.51 | 88 | 0 | 0 | 88 |
| 3/6/2024 | 9 | 1089.63 | 2190 | 708.52 | 88 | 0 | 0 | 88 |
| 3/6/2024 | 10 | 1089.62 | 2200 | 708.48 | 88 | 0 | 0 | 88 |
| 3/6/2024 | 11 | 1089.62 | 2190 | 708.47 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 12 | 1089.62 | 2200 | 708.45 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 13 | 1089.62 | 2220 | 708.46 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 14 | 1089.62 | 2200 | 708.49 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 15 | 1089.62 | 2230 | 708.54 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 16 | 1089.62 | 2210 | 708.52 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 17 | 1089.62 | 2240 | 708.54 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 18 | 1089.62 | 2220 | 708.50 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 19 | 1089.62 | 2210 | 708.51 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 20 | 1089.62 | 2210 | 708.49 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 21 | 1089.62 | 2220 | 708.49 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 22 | 1089.62 | 2210 | 708.47 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 23 | 1089.62 | 1370 | 707.94 | 87 | 0 | 0 | 87 |
| 3/6/2024 | 24 | 1089.60 | 820 | 707.58 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 1 | 1089.60 | 820 | 707.62 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 2 | 1089.60 | 820 | 707.71 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 3 | 1089.60 | 820 | 708.05 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 4 | 1089.60 | 820 | 708.19 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 5 | 1089.60 | 830 | 708.48 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 6 | 1089.60 | 830 | 709.07 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 7 | 1089.60 | 1190 | 709.78 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 8 | 1089.59 | 1180 | 709.61 | 88 | 0 | 0 | 88 |
| 3/7/2024 | 9 | 1089.59 | 1170 | 708.93 | 88 | 0 | 0 | 88 |
| 3/7/2024 | 10 | 1089.53 | 1180 | 708.70 | 88 | 0 | 0 | 88 |
| 3/7/2024 | 11 | 1089.55 | 1180 | 708.58 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 12 | 1089.53 | 1180 | 708.34 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 13 | 1089.53 | 1180 | 708.36 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 14 | 1089.53 | 1180 | 708.29 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 15 | 1089.53 | 1170 | 708.24 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 16 | 1089.53 | 1250 | 708.27 | 88 | 0 | 0 | 88 |
| 3/7/2024 | 17 | 1089.53 | 2240 | 708.85 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 18 | 1089.53 | 2260 | 708.89 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 19 | 1089.53 | 2230 | 708.90 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 20 | 1089.53 | 2220 | 708.78 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 21 | 1089.53 | 2210 | 708.75 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 22 | 1089.53 | 2140 | 708.85 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 23 | 1089.53 | 820 | 708.03 | 87 | 0 | 0 | 87 |
| 3/7/2024 | 24 | 1089.52 | 810 | 707.90 | 87 | 0 | 0 | 87 |
| 3/8/2024 | 1 | 1089.52 | 820 | 707.38 | 87 | 0 | 0 | 87 |
| 3/8/2024 | 2 | 1089.52 | 820 | 707.57 | 88 | 0 | 0 | 88 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/8/2024 | 3 | 1089.51 | 820 | 707.62 | 87 | 0 | 0 | 87 |
| 3/8/2024 | 4 | 1089.51 | 810 | 707.52 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 5 | 1089.51 | 820 | 707.66 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 6 | 1089.51 | 880 | 708.00 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 7 | 1089.50 | 2220 | 708.98 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 8 | 1089.51 | 2200 | 708.73 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 9 | 1089.51 | 2190 | 708.52 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 10 | 1089.51 | 2190 | 708.52 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 11 | 1089.50 | 2210 | 708.58 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 12 | 1089.50 | 2210 | 708.61 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 13 | 1089.50 | 2200 | 708.66 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 14 | 1089.50 | 2200 | 708.71 | 87 | 0 | 0 | 87 |
| 3/8/2024 | 15 | 1089.50 | 2210 | 708.72 | 87 | 0 | 0 | 87 |
| 3/8/2024 | 16 | 1089.50 | 2200 | 708.69 | 87 | 0 | 0 | 87 |
| 3/8/2024 | 17 | 1089.50 | 2250 | 708.76 | 87 | 0 | 0 | 87 |
| 3/8/2024 | 18 | 1089.49 | 2240 | 708.88 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 19 | 1089.49 | 2210 | 708.90 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 20 | 1089.50 | 2210 | 708.66 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 21 | 1089.50 | 2210 | 708.58 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 22 | 1089.49 | 2200 | 708.54 | 88 | 0 | 0 | 88 |
| 3/8/2024 | 23 | 1089.49 | 820 | 707.49 | 87 | 0 | 0 | 87 |
| 3/8/2024 | 24 | 1089.50 | 810 | 707.17 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 1 | 1089.49 | 820 | 707.09 | 86 | 0 | 0 | 86 |
| 3/9/2024 | 2 | 1089.49 | 820 | 707.14 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 3 | 1089.47 | 810 | 707.33 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 4 | 1089.48 | 820 | 707.19 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 5 | 1089.49 | 820 | 707.21 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 6 | 1089.47 | 820 | 707.25 | 88 | 0 | 0 | 88 |
| 3/9/2024 | 7 | 1089.47 | 1160 | 707.48 | 88 | 0 | 0 | 88 |
| 3/9/2024 | 8 | 1089.47 | 1180 | 707.59 | 88 | 0 | 0 | 88 |
| 3/9/2024 | 9 | 1089.49 | 1180 | 707.61 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 10 | 1089.47 | 1170 | 707.67 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 11 | 1089.47 | 1160 | 707.73 | 88 | 0 | 0 | 88 |
| 3/9/2024 | 12 | 1089.47 | 1160 | 707.93 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 13 | 1089.47 | 1160 | 708.10 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 14 | 1089.47 | 1170 | 708.39 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 15 | 1089.47 | 1170 | 708.62 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 16 | 1089.47 | 1180 | 709.05 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 17 | 1089.50 | 1200 | 709.06 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 18 | 1089.48 | 1180 | 708.95 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 19 | 1089.48 | 1180 | 708.76 | 88 | 0 | 0 | 88 |
| 3/9/2024 | 20 | 1089.50 | 1180 | 708.65 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 21 | 1089.49 | 1180 | 708.62 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 22 | 1089.48 | 1170 | 708.17 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 23 | 1089.47 | 960 | 707.81 | 87 | 0 | 0 | 87 |
| 3/9/2024 | 24 | 1089.47 | 820 | 707.94 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/10/2024 | 1 | 1089.47 | 820 | 708.02 | 88 | 0 | 0 | 88 |
| 3/10/2024 | 2 | 1089.47 | 810 | 707.92 | 88 | 0 | 0 | 88 |
| 3/10/2024 | 3 | 1089.47 | 810 | 707.92 | 88 | 0 | 0 | 88 |
| 3/10/2024 | 4 | 1089.46 | 820 | 708.10 | 88 | 0 | 0 | 88 |
| 3/10/2024 | 5 | 1089.41 | 810 | 708.19 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 6 | 1089.44 | 820 | 708.31 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 7 | 1089.47 | 820 | 708.34 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 8 | 1089.42 | 810 | 708.16 | 88 | 0 | 0 | 88 |
| 3/10/2024 | 9 | 1089.43 | 810 | 708.03 | 88 | 0 | 0 | 88 |
| 3/10/2024 | 10 | 1089.46 | 820 | 707.97 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 11 | 1089.47 | 810 | 708.13 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 12 | 1089.47 | 810 | 707.79 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 13 | 1089.48 | 810 | 707.81 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 14 | 1089.49 | 810 | 707.97 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 15 | 1089.48 | 810 | 708.09 | 88 | 0 | 0 | 88 |
| 3/10/2024 | 16 | 1089.48 | 810 | 708.15 | 88 | 0 | 0 | 88 |
| 3/10/2024 | 17 | 1089.49 | 830 | 708.12 | 88 | 0 | 0 | 88 |
| 3/10/2024 | 18 | 1089.49 | 830 | 708.34 | 88 | 0 | 0 | 88 |
| 3/10/2024 | 19 | 1089.47 | 820 | 708.53 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 20 | 1089.48 | 820 | 708.44 | 86 | 0 | 0 | 86 |
| 3/10/2024 | 21 | 1089.49 | 820 | 708.32 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 22 | 1089.49 | 820 | 708.40 | 87 | 0 | 0 | 87 |
| 3/10/2024 | 23 | 1089.47 | 820 | 708.67 | 88 | 0 | 0 | 88 |
| 3/10/2024 | 24 | 1089.47 | 820 | 708.89 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 1 | 1089.49 | 820 | 709.09 | 88 | 0 | 0 | 88 |
| 3/11/2024 | 2 | 1089.48 | 820 | 709.26 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 3 | 1089.47 | 820 | 709.31 | 88 | 0 | 0 | 88 |
| 3/11/2024 | 4 | 1089.47 | 820 | 709.25 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 5 | 1089.49 | 820 | 709.26 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 6 | 1089.47 | 820 | 709.42 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 7 | 1089.47 | 1190 | 709.39 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 8 | 1089.47 | 1180 | 709.17 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 9 | 1089.46 | 1180 | 709.01 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 10 | 1089.47 | 1170 | 709.24 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 11 | 1089.47 | 1170 | 708.79 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 12 | 1089.47 | 1160 | 708.50 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 13 | 1089.49 | 1170 | 708.22 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 14 | 1089.47 | 1160 | 707.80 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 15 | 1089.46 | 1170 | 707.45 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 16 | 1089.42 | 1170 | 707.48 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 17 | 1089.44 | 1180 | 707.51 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 18 | 1089.47 | 1180 | 707.50 | 88 | 0 | 0 | 88 |
| 3/11/2024 | 19 | 1089.43 | 1190 | 707.60 | 88 | 0 | 0 | 88 |
| 3/11/2024 | 20 | 1089.41 | 1170 | 707.68 | 88 | 0 | 0 | 88 |
| 3/11/2024 | 21 | 1089.42 | 1170 | 707.68 | 88 | 0 | 0 | 88 |
| 3/11/2024 | 22 | 1089.46 | 1170 | 707.55 | 88 | 0 | 0 | 88 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/11/2024 | 23 | 1089.44 | 830 | 707.12 | 87 | 0 | 0 | 87 |
| 3/11/2024 | 24 | 1089.43 | 810 | 707.02 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 1 | 1089.45 | 810 | 707.16 | 88 | 0 | 0 | 88 |
| 3/12/2024 | 2 | 1089.47 | 820 | 707.36 | 88 | 0 | 0 | 88 |
| 3/12/2024 | 3 | 1089.45 | 810 | 707.14 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 4 | 1089.42 | 820 | 707.29 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 5 | 1089.44 | 820 | 707.64 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 6 | 1089.46 | 820 | 707.79 | 86 | 0 | 0 | 86 |
| 3/12/2024 | 7 | 1089.44 | 1160 | 707.99 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 8 | 1089.41 | 1180 | 708.07 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 9 | 1089.42 | 1170 | 707.88 | 88 | 0 | 0 | 88 |
| 3/12/2024 | 10 | 1089.46 | 1170 | 707.80 | 88 | 0 | 0 | 88 |
| 3/12/2024 | 11 | 1089.45 | 1170 | 707.84 | 88 | 0 | 0 | 88 |
| 3/12/2024 | 12 | 1089.46 | 1180 | 707.98 | 88 | 0 | 0 | 88 |
| 3/12/2024 | 13 | 1089.49 | 1170 | 707.98 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 14 | 1089.48 | 1180 | 707.86 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 15 | 1089.47 | 1170 | 707.99 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 16 | 1089.49 | 1180 | 708.03 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 17 | 1089.49 | 1180 | 708.01 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 18 | 1089.48 | 1190 | 707.96 | 88 | 0 | 0 | 88 |
| 3/12/2024 | 19 | 1089.47 | 1180 | 707.91 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 20 | 1089.43 | 1190 | 707.84 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 21 | 1089.43 | 1180 | 707.69 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 22 | 1089.46 | 1180 | 707.55 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 23 | 1089.45 | 930 | 707.24 | 87 | 0 | 0 | 87 |
| 3/12/2024 | 24 | 1089.41 | 820 | 706.96 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 1 | 1089.42 | 820 | 706.97 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 2 | 1089.46 | 830 | 707.00 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 3 | 1089.43 | 830 | 707.00 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 4 | 1089.41 | 830 | 706.99 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 5 | 1089.42 | 830 | 707.07 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 6 | 1089.46 | 830 | 707.08 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 7 | 1089.42 | 1130 | 707.50 | 88 | 0 | 0 | 88 |
| 3/13/2024 | 8 | 1089.41 | 1180 | 707.81 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 9 | 1089.43 | 1170 | 707.87 | 88 | 0 | 0 | 88 |
| 3/13/2024 | 10 | 1089.46 | 1170 | 707.62 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 11 | 1089.45 | 1180 | 707.53 | 88 | 0 | 0 | 88 |
| 3/13/2024 | 12 | 1089.41 | 1170 | 707.63 | 88 | 0 | 0 | 88 |
| 3/13/2024 | 13 | 1089.41 | 1180 | 708.08 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 14 | 1089.47 | 1170 | 707.94 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 15 | 1089.43 | 1180 | 708.40 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 16 | 1089.41 | 1180 | 708.76 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 17 | 1089.41 | 1190 | 709.07 | 88 | 0 | 0 | 88 |
| 3/13/2024 | 18 | 1089.40 | 1200 | 708.91 | 88 | 0 | 0 | 88 |
| 3/13/2024 | 19 | 1089.40 | 1190 | 708.27 | 88 | 0 | 0 | 88 |
| 3/13/2024 | 20 | 1089.41 | 1190 | 708.26 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/13/2024 | 21 | 1089.40 | 1190 | 708.01 | 88 | 0 | 0 | 88 |
| 3/13/2024 | 22 | 1089.40 | 1180 | 707.85 | 88 | 0 | 0 | 88 |
| 3/13/2024 | 23 | 1089.41 | 830 | 707.68 | 87 | 0 | 0 | 87 |
| 3/13/2024 | 24 | 1089.41 | 820 | 707.75 | 87 | 0 | 0 | 87 |
| 3/14/2024 | 1 | 1089.40 | 820 | 707.65 | 87 | 0 | 0 | 87 |
| 3/14/2024 | 2 | 1089.40 | 820 | 707.76 | 86 | 0 | 0 | 86 |
| 3/14/2024 | 3 | 1089.41 | 830 | 707.94 | 87 | 0 | 0 | 87 |
| 3/14/2024 | 4 | 1089.40 | 820 | 708.13 | 87 | 0 | 0 | 87 |
| 3/14/2024 | 5 | 1089.39 | 830 | 708.18 | 87 | 0 | 0 | 87 |
| 3/14/2024 | 6 | 1089.38 | 830 | 708.25 | 87 | 0 | 0 | 87 |
| 3/14/2024 | 7 | 1089.38 | 1160 | 708.47 | 87 | 0 | 0 | 87 |
| 3/14/2024 | 8 | 1089.38 | 1190 | 708.21 | 87 | 0 | 0 | 87 |
| 3/14/2024 | 9 | 1089.38 | 1180 | 707.78 | 87 | 0 | 0 | 87 |
| 3/14/2024 | 10 | 1089.38 | 1170 | 707.65 | 88 | 0 | 0 | 88 |
| 3/14/2024 | 11 | 1089.38 | 1170 | 707.79 | 88 | 0 | 0 | 88 |
| 3/14/2024 | 12 | 1089.38 | 1170 | 707.92 | 87 | 0 | 27 | 115 |
| 3/14/2024 | 13 | 1089.37 | 1170 | 708.43 | 87 | 0 | 160 | 248 |
| 3/14/2024 | 14 | 1089.38 | 1180 | 708.89 | 87 | 0 | 214 | 302 |
| 3/14/2024 | 15 | 1089.38 | 1190 | 709.32 | 87 | 0 | 215 | 302 |
| 3/14/2024 | 16 | 1089.38 | 1190 | 709.29 | 87 | 0 | 215 | 302 |
| 3/14/2024 | 17 | 1089.37 | 1190 | 708.91 | 87 | 0 | 214 | 301 |
| 3/14/2024 | 18 | 1089.38 | 1190 | 708.76 | 87 | 0 | 213 | 299 |
| 3/14/2024 | 19 | 1089.38 | 1190 | 708.81 | 87 | 0 | 213 | 300 |
| 3/14/2024 | 20 | 1089.38 | 1190 | 708.71 | 88 | 0 | 212 | 300 |
| 3/14/2024 | 21 | 1089.37 | 1180 | 708.44 | 88 | 0 | 211 | 299 |
| 3/14/2024 | 22 | 1089.37 | 1180 | 708.38 | 88 | 0 | 211 | 299 |
| 3/14/2024 | 23 | 1089.38 | 1180 | 708.24 | 87 | 0 | 211 | 299 |
| 3/14/2024 | 24 | 1089.37 | 1180 | 707.90 | 87 | 0 | 210 | 297 |
| 3/15/2024 | 1 | 1089.37 | 1180 | 707.79 | 87 | 0 | 210 | 297 |
| 3/15/2024 | 2 | 1089.37 | 1180 | 707.73 | 87 | 0 | 210 | 297 |
| 3/15/2024 | 3 | 1089.38 | 1180 | 707.55 | 87 | 0 | 209 | 296 |
| 3/15/2024 | 4 | 1089.37 | 1180 | 707.44 | 87 | 0 | 209 | 296 |
| 3/15/2024 | 5 | 1089.37 | 1180 | 707.55 | 87 | 0 | 209 | 297 |
| 3/15/2024 | 6 | 1089.37 | 1410 | 707.71 | 87 | 0 | 209 | 296 |
| 3/15/2024 | 7 | 1089.37 | 2340 | 708.54 | 87 | 0 | 212 | 299 |
| 3/15/2024 | 8 | 1089.37 | 2330 | 708.55 | 87 | 0 | 213 | 300 |
| 3/15/2024 | 9 | 1089.37 | 2330 | 708.52 | 88 | 0 | 212 | 300 |
| 3/15/2024 | 10 | 1089.35 | 2330 | 708.51 | 88 | 0 | 213 | 301 |
| 3/15/2024 | 11 | 1089.36 | 2320 | 708.49 | 87 | 0 | 212 | 299 |
| 3/15/2024 | 12 | 1089.37 | 2310 | 708.50 | 87 | 0 | 212 | 299 |
| 3/15/2024 | 13 | 1089.35 | 2320 | 708.48 | 87 | 0 | 212 | 299 |
| 3/15/2024 | 14 | 1089.35 | 2320 | 708.49 | 87 | 0 | 213 | 299 |
| 3/15/2024 | 15 | 1089.32 | 2320 | 708.53 | 88 | 0 | 213 | 300 |
| 3/15/2024 | 16 | 1089.33 | 2340 | 708.55 | 88 | 0 | 212 | 300 |
| 3/15/2024 | 17 | 1089.34 | 2330 | 708.54 | 88 | 0 | 212 | 300 |
| 3/15/2024 | 18 | 1089.33 | 2350 | 708.57 | 87 | 0 | 212 | 299 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/15/2024 | 19 | 1089.29 | 2350 | 708.60 | 86 | 0 | 211 | 298 |
| 3/15/2024 | 20 | 1089.30 | 2340 | 708.56 | 87 | 0 | 212 | 300 |
| 3/15/2024 | 21 | 1089.32 | 2340 | 708.55 | 87 | 0 | 213 | 300 |
| 3/15/2024 | 22 | 1089.28 | 2320 | 708.51 | 88 | 0 | 212 | 299 |
| 3/15/2024 | 23 | 1089.28 | 2320 | 708.51 | 88 | 0 | 211 | 299 |
| 3/15/2024 | 24 | 1089.28 | 2320 | 708.50 | 88 | 0 | 212 | 300 |
| 3/16/2024 | 1 | 1089.28 | 2310 | 708.51 | 88 | 0 | 212 | 300 |
| 3/16/2024 | 2 | 1089.26 | 2320 | 708.50 | 88 | 0 | 212 | 300 |
| 3/16/2024 | 3 | 1089.27 | 2330 | 708.55 | 87 | 0 | 212 | 299 |
| 3/16/2024 | 4 | 1089.28 | 2340 | 708.57 | 87 | 0 | 212 | 299 |
| 3/16/2024 | 5 | 1089.25 | 2350 | 708.57 | 87 | 0 | 213 | 300 |
| 3/16/2024 | 6 | 1089.25 | 2350 | 708.61 | 87 | 0 | 212 | 299 |
| 3/16/2024 | 7 | 1089.26 | 2340 | 708.63 | 87 | 0 | 213 | 299 |
| 3/16/2024 | 8 | 1089.25 | 2320 | 708.61 | 87 | 0 | 213 | 299 |
| 3/16/2024 | 9 | 1089.25 | 2320 | 708.52 | 87 | 0 | 212 | 299 |
| 3/16/2024 | 10 | 1089.25 | 2320 | 708.47 | 87 | 0 | 212 | 299 |
| 3/16/2024 | 11 | 1089.25 | 2310 | 708.48 | 87 | 0 | 212 | 299 |
| 3/16/2024 | 12 | 1089.25 | 2310 | 708.47 | 87 | 0 | 212 | 299 |
| 3/16/2024 | 13 | 1089.24 | 2320 | 708.49 | 87 | 0 | 212 | 299 |
| 3/16/2024 | 14 | 1089.25 | 2330 | 708.56 | 87 | 0 | 212 | 299 |
| 3/16/2024 | 15 | 1089.25 | 2350 | 708.62 | 87 | 0 | 212 | 299 |
| 3/16/2024 | 16 | 1089.25 | 2340 | 708.85 | 87 | 0 | 213 | 300 |
| 3/16/2024 | 17 | 1089.24 | 2340 | 709.01 | 87 | 0 | 213 | 300 |
| 3/16/2024 | 18 | 1089.24 | 2340 | 709.27 | 87 | 0 | 213 | 301 |
| 3/16/2024 | 19 | 1089.25 | 2340 | 709.36 | 87 | 0 | 213 | 300 |
| 3/16/2024 | 20 | 1089.25 | 2340 | 709.51 | 87 | 0 | 215 | 302 |
| 3/16/2024 | 21 | 1089.24 | 2330 | 709.18 | 87 | 0 | 214 | 301 |
| 3/16/2024 | 22 | 1089.22 | 2340 | 708.98 | 87 | 0 | 213 | 300 |
| 3/16/2024 | 23 | 1089.24 | 2330 | 708.90 | 87 | 0 | 212 | 299 |
| 3/16/2024 | 24 | 1089.24 | 2340 | 708.71 | 87 | 0 | 211 | 299 |
| 3/17/2024 | 1 | 1089.22 | 2320 | 708.52 | 87 | 0 | 212 | 299 |
| 3/17/2024 | 2 | 1089.22 | 2330 | 708.49 | 87 | 0 | 211 | 299 |
| 3/17/2024 | 3 | 1089.18 | 2330 | 708.51 | 87 | 0 | 212 | 299 |
| 3/17/2024 | 4 | 1089.20 | 2330 | 708.47 | 88 | 0 | 211 | 299 |
| 3/17/2024 | 5 | 1089.21 | 2340 | 708.49 | 88 | 0 | 211 | 299 |
| 3/17/2024 | 6 | 1089.18 | 2340 | 708.47 | 87 | 0 | 212 | 299 |
| 3/17/2024 | 7 | 1089.16 | 2340 | 708.48 | 87 | 0 | 211 | 298 |
| 3/17/2024 | 8 | 1089.16 | 2330 | 708.45 | 87 | 0 | 211 | 298 |
| 3/17/2024 | 9 | 1089.15 | 2310 | 708.43 | 87 | 0 | 211 | 298 |
| 3/17/2024 | 10 | 1089.14 | 2320 | 708.43 | 87 | 0 | 211 | 298 |
| 3/17/2024 | 11 | 1089.15 | 2300 | 708.45 | 87 | 0 | 211 | 298 |
| 3/17/2024 | 12 | 1089.15 | 2310 | 708.45 | 88 | 0 | 211 | 299 |
| 3/17/2024 | 13 | 1089.13 | 2330 | 708.45 | 88 | 0 | 211 | 298 |
| 3/17/2024 | 14 | 1089.13 | 2310 | 708.45 | 88 | 0 | 211 | 298 |
| 3/17/2024 | 15 | 1089.15 | 2320 | 708.46 | 87 | 0 | 210 | 298 |
| 3/17/2024 | 16 | 1089.15 | 2330 | 708.46 | 87 | 0 | 211 | 298 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/17/2024 | 17 | 1089.13 | 2320 | 708.45 | 88 | 0 | 210 | 298 |
| 3/17/2024 | 18 | 1089.13 | 2350 | 708.48 | 87 | 0 | 210 | 298 |
| 3/17/2024 | 19 | 1089.14 | 2350 | 708.50 | 87 | 0 | 210 | 298 |
| 3/17/2024 | 20 | 1089.14 | 2340 | 708.60 | 87 | 0 | 211 | 298 |
| 3/17/2024 | 21 | 1089.13 | 2320 | 708.54 | 87 | 0 | 210 | 298 |
| 3/17/2024 | 22 | 1089.13 | 2320 | 708.54 | 88 | 0 | 210 | 298 |
| 3/17/2024 | 23 | 1089.14 | 2310 | 708.65 | 88 | 0 | 211 | 298 |
| 3/17/2024 | 24 | 1089.13 | 2330 | 708.73 | 87 | 0 | 211 | 298 |
| 3/18/2024 | 1 | 1089.13 | 2330 | 708.67 | 87 | 0 | 211 | 298 |
| 3/18/2024 | 2 | 1089.13 | 2340 | 708.60 | 87 | 0 | 211 | 298 |
| 3/18/2024 | 3 | 1089.13 | 2320 | 708.66 | 88 | 0 | 211 | 299 |
| 3/18/2024 | 4 | 1089.12 | 2320 | 708.66 | 87 | 0 | 211 | 298 |
| 3/18/2024 | 5 | 1089.12 | 2340 | 708.64 | 87 | 0 | 211 | 298 |
| 3/18/2024 | 6 | 1089.12 | 2340 | 708.82 | 87 | 0 | 212 | 299 |
| 3/18/2024 | 7 | 1089.12 | 2350 | 709.18 | 87 | 0 | 213 | 300 |
| 3/18/2024 | 8 | 1089.12 | 2310 | 709.12 | 87 | 0 | 212 | 300 |
| 3/18/2024 | 9 | 1089.11 | 2330 | 708.71 | 87 | 0 | 212 | 299 |
| 3/18/2024 | 10 | 1089.10 | 2330 | 708.61 | 87 | 0 | 211 | 298 |
| 3/18/2024 | 11 | 1089.11 | 2340 | 708.71 | 87 | 0 | 211 | 298 |
| 3/18/2024 | 12 | 1089.12 | 2330 | 708.62 | 87 | 0 | 211 | 299 |
| 3/18/2024 | 13 | 1089.10 | 2330 | 708.64 | 87 | 0 | 212 | 299 |
| 3/18/2024 | 14 | 1089.10 | 2340 | 708.63 | 87 | 0 | 211 | 298 |
| 3/18/2024 | 15 | 1089.11 | 2340 | 708.62 | 87 | 0 | 211 | 298 |
| 3/18/2024 | 16 | 1089.12 | 2330 | 708.57 | 88 | 0 | 210 | 298 |
| 3/18/2024 | 17 | 1089.11 | 2310 | 708.60 | 87 | 0 | 210 | 297 |
| 3/18/2024 | 18 | 1089.10 | 2350 | 708.64 | 87 | 0 | 210 | 297 |
| 3/18/2024 | 19 | 1089.10 | 2340 | 708.73 | 87 | 0 | 210 | 297 |
| 3/18/2024 | 20 | 1089.12 | 2330 | 708.70 | 87 | 0 | 211 | 298 |
| 3/18/2024 | 21 | 1089.10 | 2310 | 708.53 | 87 | 0 | 210 | 297 |
| 3/18/2024 | 22 | 1089.10 | 2320 | 708.45 | 87 | 0 | 210 | 297 |
| 3/18/2024 | 23 | 1089.10 | 2310 | 708.43 | 87 | 0 | 210 | 297 |
| 3/18/2024 | 24 | 1089.10 | 2310 | 708.45 | 87 | 0 | 209 | 296 |
| 3/19/2024 | 1 | 1089.09 | 2320 | 708.45 | 87 | 0 | 210 | 297 |
| 3/19/2024 | 2 | 1089.09 | 2330 | 708.46 | 87 | 0 | 210 | 297 |
| 3/19/2024 | 3 | 1089.04 | 2320 | 708.43 | 87 | 0 | 210 | 297 |
| 3/19/2024 | 4 | 1089.06 | 2330 | 708.45 | 87 | 0 | 211 | 298 |
| 3/19/2024 | 5 | 1089.09 | 2320 | 708.45 | 87 | 0 | 210 | 297 |
| 3/19/2024 | 6 | 1089.04 | 2350 | 708.53 | 87 | 0 | 210 | 298 |
| 3/19/2024 | 7 | 1089.03 | 2340 | 708.66 | 87 | 0 | 211 | 298 |
| 3/19/2024 | 8 | 1089.05 | 2320 | 708.71 | 87 | 0 | 211 | 298 |
| 3/19/2024 | 9 | 1089.07 | 2320 | 708.59 | 87 | 0 | 211 | 298 |
| 3/19/2024 | 10 | 1089.03 | 2330 | 708.52 | 87 | 0 | 210 | 298 |
| 3/19/2024 | 11 | 1089.03 | 2310 | 708.60 | 88 | 0 | 211 | 299 |
| 3/19/2024 | 12 | 1089.03 | 2310 | 708.73 | 88 | 0 | 212 | 300 |
| 3/19/2024 | 13 | 1089.03 | 2310 | 708.81 | 87 | 0 | 212 | 299 |
| 3/19/2024 | 14 | 1089.03 | 2320 | 709.06 | 87 | 0 | 212 | 299 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/19/2024 | 15 | 1089.03 | 2330 | 709.16 | 87 | 0 | 212 | 299 |
| 3/19/2024 | 16 | 1089.03 | 2330 | 709.09 | 87 | 0 | 211 | 299 |
| 3/19/2024 | 17 | 1089.07 | 2310 | 709.08 | 87 | 0 | 211 | 299 |
| 3/19/2024 | 18 | 1089.05 | 2340 | 708.81 | 87 | 0 | 210 | 297 |
| 3/19/2024 | 19 | 1089.03 | 2340 | 709.22 | 87 | 0 | 211 | 298 |
| 3/19/2024 | 20 | 1089.06 | 2330 | 709.11 | 87 | 0 | 211 | 298 |
| 3/19/2024 | 21 | 1089.09 | 2330 | 708.93 | 87 | 0 | 211 | 298 |
| 3/19/2024 | 22 | 1089.07 | 2330 | 708.79 | 87 | 0 | 210 | 297 |
| 3/19/2024 | 23 | 1089.05 | 2310 | 708.82 | 87 | 0 | 210 | 297 |
| 3/19/2024 | 24 | 1089.06 | 2320 | 708.62 | 87 | 0 | 210 | 297 |
| 3/20/2024 | 1 | 1089.09 | 2320 | 708.55 | 87 | 0 | 210 | 297 |
| 3/20/2024 | 2 | 1089.05 | 2320 | 708.73 | 87 | 0 | 211 | 298 |
| 3/20/2024 | 3 | 1089.03 | 2320 | 708.68 | 87 | 0 | 210 | 297 |
| 3/20/2024 | 4 | 1089.03 | 2330 | 708.76 | 87 | 0 | 211 | 298 |
| 3/20/2024 | 5 | 1089.03 | 2330 | 708.80 | 87 | 0 | 210 | 298 |
| 3/20/2024 | 6 | 1089.03 | 2340 | 708.78 | 87 | 0 | 210 | 297 |
| 3/20/2024 | 7 | 1089.03 | 2340 | 708.79 | 87 | 0 | 211 | 298 |
| 3/20/2024 | 8 | 1089.03 | 2310 | 708.58 | 87 | 0 | 211 | 298 |
| 3/20/2024 | 9 | 1089.03 | 2320 | 708.50 | 87 | 0 | 210 | 297 |
| 3/20/2024 | 10 | 1089.03 | 2320 | 708.53 | 87 | 0 | 211 | 298 |
| 3/20/2024 | 11 | 1089.03 | 2320 | 708.67 | 87 | 0 | 211 | 298 |
| 3/20/2024 | 12 | 1089.03 | 2340 | 708.71 | 88 | 0 | 211 | 299 |
| 3/20/2024 | 13 | 1089.03 | 2310 | 708.81 | 87 | 0 | 211 | 298 |
| 3/20/2024 | 14 | 1089.03 | 2320 | 709.13 | 87 | 0 | 213 | 300 |
| 3/20/2024 | 15 | 1089.03 | 2300 | 708.77 | 87 | 0 | 211 | 298 |
| 3/20/2024 | 16 | 1089.03 | 2320 | 708.92 | 87 | 0 | 212 | 298 |
| 3/20/2024 | 17 | 1089.03 | 2320 | 709.17 | 87 | 0 | 211 | 298 |
| 3/20/2024 | 18 | 1089.04 | 2350 | 709.17 | 88 | 0 | 211 | 299 |
| 3/20/2024 | 19 | 1089.03 | 2340 | 709.11 | 88 | 0 | 210 | 298 |
| 3/20/2024 | 20 | 1089.09 | 2350 | 709.21 | 88 | 0 | 212 | 300 |
| 3/20/2024 | 21 | 1089.09 | 2340 | 709.11 | 88 | 0 | 210 | 297 |
| 3/20/2024 | 22 | 1089.09 | 2330 | 709.08 | 87 | 0 | 211 | 297 |
| 3/20/2024 | 23 | 1089.10 | 2330 | 709.11 | 87 | 0 | 210 | 297 |
| 3/20/2024 | 24 | 1089.11 | 2330 | 708.99 | 87 | 0 | 210 | 296 |
| 3/21/2024 | 1 | 1089.09 | 840 | 708.37 | 87 | 0 | 208 | 295 |
| 3/21/2024 | 2 | 1089.10 | 830 | 708.82 | 87 | 0 | 209 | 296 |
| 3/21/2024 | 3 | 1089.10 | 830 | 709.12 | 87 | 0 | 211 | 298 |
| 3/21/2024 | 4 | 1089.10 | 830 | 709.24 | 87 | 0 | 211 | 298 |
| 3/21/2024 | 5 | 1089.09 | 830 | 709.21 | 87 | 0 | 210 | 297 |
| 3/21/2024 | 6 | 1089.10 | 830 | 709.20 | 87 | 0 | 209 | 296 |
| 3/21/2024 | 7 | 1089.10 | 830 | 709.18 | 87 | 0 | 211 | 298 |
| 3/21/2024 | 8 | 1089.10 | 830 | 709.22 | 87 | 0 | 212 | 299 |
| 3/21/2024 | 9 | 1089.10 | 820 | 708.95 | 87 | 0 | 211 | 298 |
| 3/21/2024 | 10 | 1089.10 | 810 | 708.51 | 87 | 0 | 210 | 297 |
| 3/21/2024 | 11 | 1089.10 | 820 | 708.65 | 88 | 0 | 210 | 298 |
| 3/21/2024 | 12 | 1089.12 | 820 | 707.91 | 88 | 0 | 208 | 296 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/21/2024 | 13 | 1089.12 | 820 | 708.06 | 88 | 0 | 208 | 295 |
| 3/21/2024 | 14 | 1089.12 | 820 | 707.67 | 87 | 0 | 208 | 295 |
| 3/21/2024 | 15 | 1089.12 | 820 | 707.62 | 88 | 0 | 210 | 297 |
| 3/21/2024 | 16 | 1089.12 | 820 | 707.49 | 87 | 0 | 208 | 295 |
| 3/21/2024 | 17 | 1089.12 | 830 | 708.28 | 87 | 0 | 209 | 296 |
| 3/21/2024 | 18 | 1089.12 | 830 | 708.13 | 87 | 0 | 207 | 294 |
| 3/21/2024 | 19 | 1089.13 | 830 | 708.50 | 87 | 0 | 208 | 296 |
| 3/21/2024 | 20 | 1089.13 | 830 | 708.58 | 87 | 0 | 209 | 296 |
| 3/21/2024 | 21 | 1089.13 | 830 | 708.70 | 87 | 0 | 209 | 296 |
| 3/21/2024 | 22 | 1089.13 | 820 | 708.85 | 87 | 0 | 211 | 298 |
| 3/21/2024 | 23 | 1089.13 | 830 | 708.92 | 87 | 0 | 211 | 298 |
| 3/21/2024 | 24 | 1089.15 | 820 | 708.65 | 87 | 0 | 210 | 297 |
| 3/22/2024 | 1 | 1089.13 | 820 | 708.16 | 87 | 0 | 209 | 296 |
| 3/22/2024 | 2 | 1089.13 | 830 | 708.06 | 87 | 0 | 209 | 296 |
| 3/22/2024 | 3 | 1089.15 | 820 | 707.91 | 87 | 0 | 208 | 295 |
| 3/22/2024 | 4 | 1089.15 | 820 | 708.06 | 87 | 0 | 210 | 297 |
| 3/22/2024 | 5 | 1089.14 | 820 | 708.33 | 87 | 0 | 209 | 296 |
| 3/22/2024 | 6 | 1089.14 | 830 | 708.43 | 87 | 0 | 209 | 296 |
| 3/22/2024 | 7 | 1089.15 | 830 | 708.54 | 87 | 0 | 210 | 297 |
| 3/22/2024 | 8 | 1089.15 | 820 | 708.61 | 87 | 0 | 209 | 296 |
| 3/22/2024 | 9 | 1089.15 | 820 | 708.51 | 87 | 0 | 210 | 297 |
| 3/22/2024 | 10 | 1089.16 | 820 | 708.32 | 87 | 0 | 210 | 296 |
| 3/22/2024 | 11 | 1089.16 | 820 | 708.18 | 87 | 0 | 210 | 297 |
| 3/22/2024 | 12 | 1089.22 | 820 | 708.00 | 87 | 0 | 209 | 296 |
| 3/22/2024 | 13 | 1089.22 | 830 | 707.85 | 87 | 0 | 209 | 296 |
| 3/22/2024 | 14 | 1089.20 | 830 | 707.76 | 87 | 0 | 208 | 295 |
| 3/22/2024 | 15 | 1089.22 | 820 | 707.82 | 87 | 0 | 208 | 295 |
| 3/22/2024 | 16 | 1089.22 | 830 | 708.10 | 87 | 0 | 209 | 296 |
| 3/22/2024 | 17 | 1089.22 | 820 | 708.15 | 87 | 0 | 211 | 298 |
| 3/22/2024 | 18 | 1089.22 | 830 | 708.07 | 87 | 0 | 210 | 297 |
| 3/22/2024 | 19 | 1089.24 | 830 | 707.88 | 87 | 0 | 210 | 296 |
| 3/22/2024 | 20 | 1089.24 | 820 | 707.52 | 87 | 0 | 208 | 295 |
| 3/22/2024 | 21 | 1089.24 | 830 | 707.70 | 87 | 0 | 208 | 295 |
| 3/22/2024 | 22 | 1089.25 | 820 | 707.58 | 87 | 0 | 209 | 296 |
| 3/22/2024 | 23 | 1089.25 | 820 | 707.50 | 87 | 0 | 207 | 294 |
| 3/22/2024 | 24 | 1089.25 | 820 | 707.36 | 88 | 0 | 207 | 294 |
| 3/23/2024 | 1 | 1089.25 | 820 | 707.63 | 87 | 0 | 207 | 294 |
| 3/23/2024 | 2 | 1089.25 | 830 | 707.81 | 87 | 0 | 208 | 295 |
| 3/23/2024 | 3 | 1089.25 | 820 | 707.72 | 87 | 0 | 208 | 295 |
| 3/23/2024 | 4 | 1089.25 | 830 | 707.95 | 87 | 0 | 209 | 296 |
| 3/23/2024 | 5 | 1089.25 | 820 | 707.99 | 87 | 0 | 208 | 296 |
| 3/23/2024 | 6 | 1089.25 | 830 | 707.89 | 87 | 0 | 208 | 296 |
| 3/23/2024 | 7 | 1089.26 | 830 | 708.13 | 87 | 0 | 208 | 296 |
| 3/23/2024 | 8 | 1089.28 | 830 | 708.08 | 88 | 0 | 208 | 296 |
| 3/23/2024 | 9 | 1089.30 | 830 | 708.18 | 87 | 0 | 210 | 297 |
| 3/23/2024 | 10 | 1089.27 | 830 | 708.15 | 87 | 0 | 210 | 297 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/23/2024 | 11 | 1089.28 | 830 | 708.01 | 87 | 0 | 209 | 296 |
| 3/23/2024 | 12 | 1089.30 | 820 | 707.49 | 87 | 0 | 208 | 295 |
| 3/23/2024 | 13 | 1089.33 | 820 | 707.64 | 87 | 0 | 208 | 295 |
| 3/23/2024 | 14 | 1089.31 | 820 | 707.96 | 88 | 0 | 210 | 297 |
| 3/23/2024 | 15 | 1089.29 | 820 | 707.83 | 87 | 0 | 208 | 295 |
| 3/23/2024 | 16 | 1089.35 | 820 | 708.27 | 87 | 0 | 210 | 297 |
| 3/23/2024 | 17 | 1089.34 | 830 | 708.71 | 88 | 0 | 211 | 299 |
| 3/23/2024 | 18 | 1089.35 | 830 | 709.18 | 88 | 0 | 212 | 300 |
| 3/23/2024 | 19 | 1089.37 | 830 | 708.74 | 86 | 0 | 210 | 297 |
| 3/23/2024 | 20 | 1089.37 | 830 | 708.93 | 88 | 0 | 211 | 299 |
| 3/23/2024 | 21 | 1089.37 | 840 | 708.91 | 88 | 0 | 211 | 299 |
| 3/23/2024 | 22 | 1089.38 | 830 | 709.23 | 87 | 0 | 212 | 299 |
| 3/23/2024 | 23 | 1089.38 | 830 | 709.04 | 88 | 0 | 212 | 300 |
| 3/23/2024 | 24 | 1089.37 | 830 | 708.82 | 87 | 0 | 211 | 298 |
| 3/24/2024 | 1 | 1089.37 | 830 | 708.64 | 88 | 0 | 211 | 298 |
| 3/24/2024 | 2 | 1089.38 | 820 | 708.61 | 88 | 0 | 211 | 298 |
| 3/24/2024 | 3 | 1089.39 | 830 | 708.35 | 87 | 0 | 210 | 297 |
| 3/24/2024 | 4 | 1089.40 | 820 | 707.81 | 87 | 0 | 209 | 297 |
| 3/24/2024 | 5 | 1089.38 | 830 | 707.77 | 88 | 0 | 208 | 296 |
| 3/24/2024 | 6 | 1089.38 | 830 | 707.98 | 87 | 0 | 209 | 296 |
| 3/24/2024 | 7 | 1089.41 | 820 | 707.91 | 88 | 0 | 208 | 296 |
| 3/24/2024 | 8 | 1089.43 | 820 | 708.14 | 88 | 0 | 209 | 297 |
| 3/24/2024 | 9 | 1089.46 | 820 | 708.24 | 88 | 0 | 210 | 297 |
| 3/24/2024 | 10 | 1089.43 | 820 | 708.35 | 88 | 0 | 211 | 298 |
| 3/24/2024 | 11 | 1089.41 | 820 | 707.94 | 88 | 0 | 208 | 296 |
| 3/24/2024 | 12 | 1089.44 | 820 | 707.99 | 88 | 0 | 209 | 297 |
| 3/24/2024 | 13 | 1089.46 | 820 | 707.68 | 88 | 0 | 209 | 297 |
| 3/24/2024 | 14 | 1089.43 | 820 | 707.38 | 87 | 0 | 208 | 295 |
| 3/24/2024 | 15 | 1089.41 | 820 | 707.49 | 87 | 0 | 207 | 294 |
| 3/24/2024 | 16 | 1089.47 | 830 | 707.71 | 87 | 0 | 209 | 296 |
| 3/24/2024 | 17 | 1089.47 | 820 | 707.51 | 87 | 0 | 208 | 295 |
| 3/24/2024 | 18 | 1089.47 | 830 | 707.49 | 87 | 0 | 208 | 294 |
| 3/24/2024 | 19 | 1089.48 | 830 | 707.69 | 87 | 0 | 207 | 294 |
| 3/24/2024 | 20 | 1089.49 | 830 | 708.26 | 87 | 0 | 208 | 295 |
| 3/24/2024 | 21 | 1089.48 | 830 | 708.32 | 87 | 0 | 209 | 296 |
| 3/24/2024 | 22 | 1089.49 | 820 | 708.62 | 87 | 0 | 210 | 297 |
| 3/24/2024 | 23 | 1089.50 | 820 | 708.53 | 87 | 0 | 209 | 296 |
| 3/24/2024 | 24 | 1089.49 | 820 | 708.57 | 87 | 0 | 209 | 296 |
| 3/25/2024 | 1 | 1089.49 | 820 | 708.32 | 87 | 0 | 209 | 296 |
| 3/25/2024 | 2 | 1089.50 | 820 | 708.39 | 87 | 0 | 209 | 296 |
| 3/25/2024 | 3 | 1089.50 | 830 | 708.11 | 87 | 0 | 209 | 296 |
| 3/25/2024 | 4 | 1089.49 | 830 | 708.26 | 87 | 0 | 209 | 296 |
| 3/25/2024 | 5 | 1089.49 | 1090 | 708.49 | 87 | 0 | 210 | 297 |
| 3/25/2024 | 6 | 1089.49 | 1190 | 708.34 | 87 | 0 | 210 | 297 |
| 3/25/2024 | 7 | 1089.50 | 1180 | 708.64 | 87 | 0 | 210 | 297 |
| 3/25/2024 | 8 | 1089.50 | 1180 | 708.95 | 87 | 0 | 211 | 298 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/25/2024 | 9 | 1089.49 | 1170 | 709.15 | 87 | 0 | 212 | 299 |
| 3/25/2024 | 10 | 1089.50 | 1180 | 709.47 | 87 | 0 | 213 | 300 |
| 3/25/2024 | 11 | 1089.51 | 1180 | 709.28 | 87 | 0 | 214 | 301 |
| 3/25/2024 | 12 | 1089.50 | 1170 | 708.75 | 87 | 0 | 213 | 300 |
| 3/25/2024 | 13 | 1089.50 | 1170 | 708.37 | 87 | 0 | 211 | 298 |
| 3/25/2024 | 14 | 1089.50 | 1170 | 707.81 | 87 | 0 | 210 | 297 |
| 3/25/2024 | 15 | 1089.51 | 1170 | 707.85 | 87 | 0 | 210 | 296 |
| 3/25/2024 | 16 | 1089.50 | 1160 | 707.79 | 87 | 0 | 209 | 297 |
| 3/25/2024 | 17 | 1089.50 | 1180 | 707.55 | 87 | 0 | 208 | 295 |
| 3/25/2024 | 18 | 1089.51 | 1180 | 707.49 | 87 | 0 | 209 | 296 |
| 3/25/2024 | 19 | 1089.51 | 1190 | 707.84 | 87 | 0 | 208 | 295 |
| 3/25/2024 | 20 | 1089.52 | 1180 | 708.01 | 87 | 0 | 208 | 295 |
| 3/25/2024 | 21 | 1089.51 | 1180 | 707.85 | 88 | 0 | 208 | 296 |
| 3/25/2024 | 22 | 1089.51 | 1170 | 708.03 | 88 | 0 | 209 | 296 |
| 3/25/2024 | 23 | 1089.53 | 1180 | 707.98 | 88 | 0 | 208 | 296 |
| 3/25/2024 | 24 | 1089.53 | 1180 | 708.37 | 88 | 0 | 210 | 297 |
| 3/26/2024 | 1 | 1089.53 | 1180 | 708.53 | 88 | 0 | 210 | 298 |
| 3/26/2024 | 2 | 1089.53 | 1180 | 708.38 | 88 | 0 | 210 | 298 |
| 3/26/2024 | 3 | 1089.53 | 1180 | 708.17 | 88 | 0 | 210 | 297 |
| 3/26/2024 | 4 | 1089.53 | 1180 | 708.05 | 88 | 0 | 209 | 297 |
| 3/26/2024 | 5 | 1089.53 | 1180 | 707.90 | 88 | 0 | 209 | 296 |
| 3/26/2024 | 6 | 1089.53 | 1190 | 708.11 | 88 | 0 | 209 | 297 |
| 3/26/2024 | 7 | 1089.53 | 1180 | 708.05 | 88 | 0 | 210 | 297 |
| 3/26/2024 | 8 | 1089.56 | 1170 | 708.33 | 88 | 0 | 210 | 298 |
| 3/26/2024 | 9 | 1089.59 | 1180 | 708.14 | 88 | 0 | 210 | 297 |
| 3/26/2024 | 10 | 1089.57 | 1170 | 708.13 | 88 | 0 | 210 | 298 |
| 3/26/2024 | 11 | 1089.59 | 1170 | 708.50 | 88 | 0 | 211 | 299 |
| 3/26/2024 | 12 | 1089.60 | 1180 | 708.51 | 87 | 0 | 211 | 298 |
| 3/26/2024 | 13 | 1089.59 | 1170 | 708.26 | 87 | 0 | 209 | 296 |
| 3/26/2024 | 14 | 1089.60 | 1170 | 708.71 | 87 | 0 | 209 | 296 |
| 3/26/2024 | 15 | 1089.60 | 1170 | 709.02 | 87 | 0 | 210 | 297 |
| 3/26/2024 | 16 | 1089.62 | 1170 | 708.89 | 87 | 0 | 210 | 297 |
| 3/26/2024 | 17 | 1089.60 | 1170 | 708.66 | 87 | 0 | 208 | 295 |
| 3/26/2024 | 18 | 1089.60 | 1180 | 708.58 | 87 | 0 | 208 | 295 |
| 3/26/2024 | 19 | 1089.62 | 1190 | 708.88 | 87 | 0 | 209 | 296 |
| 3/26/2024 | 20 | 1089.62 | 1190 | 708.94 | 88 | 0 | 209 | 297 |
| 3/26/2024 | 21 | 1089.61 | 1180 | 708.51 | 88 | 0 | 208 | 296 |
| 3/26/2024 | 22 | 1089.61 | 1180 | 708.42 | 88 | 0 | 209 | 297 |
| 3/26/2024 | 23 | 1089.62 | 1180 | 708.53 | 88 | 0 | 209 | 297 |
| 3/26/2024 | 24 | 1089.62 | 1170 | 708.32 | 87 | 0 | 209 | 296 |
| 3/27/2024 | 1 | 1089.62 | 1180 | 708.05 | 87 | 0 | 208 | 295 |
| 3/27/2024 | 2 | 1089.62 | 1180 | 707.96 | 87 | 0 | 208 | 295 |
| 3/27/2024 | 3 | 1089.62 | 1170 | 708.17 | 87 | 0 | 209 | 296 |
| 3/27/2024 | 4 | 1089.62 | 1170 | 708.33 | 87 | 0 | 210 | 297 |
| 3/27/2024 | 5 | 1089.60 | 1180 | 708.60 | 87 | 0 | 211 | 298 |
| 3/27/2024 | 6 | 1089.60 | 1310 | 708.62 | 87 | 0 | 211 | 298 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/27/2024 | 7 | 1089.62 | 2220 | 709.01 | 87 | 0 | 212 | 299 |
| 3/27/2024 | 8 | 1089.62 | 2210 | 708.98 | 87 | 0 | 213 | 300 |
| 3/27/2024 | 9 | 1089.60 | 2210 | 708.81 | 87 | 0 | 213 | 300 |
| 3/27/2024 | 10 | 1089.60 | 2210 | 708.94 | 87 | 0 | 214 | 301 |
| 3/27/2024 | 11 | 1089.62 | 2200 | 708.97 | 87 | 0 | 214 | 301 |
| 3/27/2024 | 12 | 1089.62 | 2210 | 708.99 | 87 | 0 | 213 | 300 |
| 3/27/2024 | 13 | 1089.61 | 2200 | 709.00 | 87 | 0 | 214 | 301 |
| 3/27/2024 | 14 | 1089.60 | 2200 | 709.29 | 87 | 0 | 214 | 301 |
| 3/27/2024 | 15 | 1089.62 | 2220 | 709.39 | 87 | 0 | 214 | 301 |
| 3/27/2024 | 16 | 1089.62 | 2220 | 709.39 | 87 | 0 | 214 | 302 |
| 3/27/2024 | 17 | 1089.60 | 2220 | 709.44 | 88 | 0 | 214 | 301 |
| 3/27/2024 | 18 | 1089.62 | 2260 | 709.53 | 87 | 0 | 214 | 301 |
| 3/27/2024 | 19 | 1089.62 | 2240 | 709.30 | 88 | 0 | 213 | 301 |
| 3/27/2024 | 20 | 1089.62 | 2230 | 709.34 | 87 | 0 | 214 | 301 |
| 3/27/2024 | 21 | 1089.62 | 2210 | 709.05 | 87 | 0 | 213 | 300 |
| 3/27/2024 | 22 | 1089.62 | 2210 | 708.77 | 88 | 0 | 211 | 299 |
| 3/27/2024 | 23 | 1089.62 | 2220 | 708.62 | 87 | 0 | 211 | 299 |
| 3/27/2024 | 24 | 1089.62 | 2210 | 708.43 | 88 | 0 | 211 | 299 |
| 3/28/2024 | 1 | 1089.62 | 2210 | 708.41 | 87 | 0 | 211 | 298 |
| 3/28/2024 | 2 | 1089.61 | 2210 | 708.44 | 87 | 0 | 211 | 299 |
| 3/28/2024 | 3 | 1089.62 | 2220 | 708.38 | 87 | 0 | 212 | 299 |
| 3/28/2024 | 4 | 1089.62 | 2220 | 708.38 | 88 | 0 | 211 | 299 |
| 3/28/2024 | 5 | 1089.60 | 2230 | 708.38 | 87 | 0 | 211 | 298 |
| 3/28/2024 | 6 | 1089.60 | 2240 | 708.38 | 87 | 0 | 211 | 298 |
| 3/28/2024 | 7 | 1089.60 | 2240 | 708.42 | 88 | 0 | 212 | 299 |
| 3/28/2024 | 8 | 1089.62 | 2200 | 708.47 | 87 | 0 | 211 | 298 |
| 3/28/2024 | 9 | 1089.60 | 2200 | 708.57 | 88 | 0 | 212 | 299 |
| 3/28/2024 | 10 | 1089.60 | 2220 | 708.62 | 87 | 0 | 212 | 299 |
| 3/28/2024 | 11 | 1089.62 | 2220 | 708.71 | 87 | 0 | 212 | 299 |
| 3/28/2024 | 12 | 1089.61 | 2200 | 708.76 | 87 | 0 | 212 | 299 |
| 3/28/2024 | 13 | 1089.60 | 2200 | 708.63 | 88 | 0 | 212 | 299 |
| 3/28/2024 | 14 | 1089.60 | 2190 | 708.43 | 87 | 0 | 212 | 299 |
| 3/28/2024 | 15 | 1089.61 | 2200 | 708.38 | 87 | 0 | 210 | 298 |
| 3/28/2024 | 16 | 1089.61 | 2200 | 708.39 | 88 | 0 | 211 | 299 |
| 3/28/2024 | 17 | 1089.60 | 2200 | 708.41 | 87 | 0 | 211 | 298 |
| 3/28/2024 | 18 | 1089.60 | 2240 | 708.42 | 87 | 0 | 210 | 298 |
| 3/28/2024 | 19 | 1089.60 | 2220 | 708.58 | 87 | 0 | 211 | 299 |
| 3/28/2024 | 20 | 1089.62 | 2200 | 708.54 | 88 | 0 | 211 | 299 |
| 3/28/2024 | 21 | 1089.60 | 2200 | 708.51 | 87 | 0 | 211 | 299 |
| 3/28/2024 | 22 | 1089.60 | 2210 | 708.42 | 87 | 0 | 211 | 298 |
| 3/28/2024 | 23 | 1089.62 | 2220 | 708.41 | 87 | 0 | 211 | 298 |
| 3/28/2024 | 24 | 1089.62 | 2220 | 708.41 | 88 | 0 | 211 | 298 |
| 3/29/2024 | 1 | 1089.59 | 2210 | 708.44 | 88 | 0 | 211 | 298 |
| 3/29/2024 | 2 | 1089.60 | 2210 | 708.44 | 87 | 0 | 211 | 298 |
| 3/29/2024 | 3 | 1089.60 | 2220 | 708.38 | 87 | 0 | 211 | 298 |
| 3/29/2024 | 4 | 1089.60 | 2220 | 708.38 | 88 | 0 | 211 | 299 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/29/2024 | 5 | 1089.59 | 2220 | 708.46 | 88 | 0 | 211 | 299 |
| 3/29/2024 | 6 | 1089.59 | 2220 | 708.66 | 87 | 0 | 211 | 299 |
| 3/29/2024 | 7 | 1089.56 | 2210 | 708.76 | 87 | 0 | 212 | 300 |
| 3/29/2024 | 8 | 1089.58 | 2200 | 708.86 | 88 | 0 | 213 | 301 |
| 3/29/2024 | 9 | 1089.59 | 2200 | 708.99 | 88 | 0 | 213 | 300 |
| 3/29/2024 | 10 | 1089.58 | 2210 | 709.17 | 87 | 0 | 214 | 301 |
| 3/29/2024 | 11 | 1089.56 | 2200 | 709.07 | 87 | 0 | 214 | 302 |
| 3/29/2024 | 12 | 1089.57 | 2220 | 709.19 | 87 | 0 | 215 | 302 |
| 3/29/2024 | 13 | 1089.59 | 2200 | 708.89 | 87 | 0 | 215 | 302 |
| 3/29/2024 | 14 | 1089.59 | 2210 | 708.70 | 87 | 0 | 213 | 300 |
| 3/29/2024 | 15 | 1089.55 | 2200 | 708.52 | 87 | 0 | 211 | 298 |
| 3/29/2024 | 16 | 1089.56 | 2180 | 708.39 | 87 | 0 | 211 | 298 |
| 3/29/2024 | 17 | 1089.57 | 2200 | 708.41 | 87 | 0 | 212 | 300 |
| 3/29/2024 | 18 | 1089.53 | 2230 | 708.38 | 87 | 0 | 211 | 298 |
| 3/29/2024 | 19 | 1089.53 | 2220 | 708.38 | 87 | 0 | 210 | 297 |
| 3/29/2024 | 20 | 1089.53 | 2210 | 708.37 | 87 | 0 | 211 | 298 |
| 3/29/2024 | 21 | 1089.59 | 2220 | 708.38 | 87 | 0 | 210 | 298 |
| 3/29/2024 | 22 | 1089.56 | 2220 | 708.37 | 87 | 0 | 210 | 298 |
| 3/29/2024 | 23 | 1089.53 | 2210 | 708.37 | 87 | 0 | 210 | 297 |
| 3/29/2024 | 24 | 1089.55 | 2210 | 708.37 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 1 | 1089.59 | 2220 | 708.37 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 2 | 1089.55 | 2230 | 708.37 | 87 | 0 | 210 | 298 |
| 3/30/2024 | 3 | 1089.53 | 2230 | 708.37 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 4 | 1089.53 | 2200 | 708.36 | 87 | 0 | 210 | 298 |
| 3/30/2024 | 5 | 1089.53 | 2220 | 708.37 | 87 | 0 | 210 | 298 |
| 3/30/2024 | 6 | 1089.53 | 2220 | 708.37 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 7 | 1089.53 | 2220 | 708.38 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 8 | 1089.53 | 2200 | 708.35 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 9 | 1089.53 | 2200 | 708.35 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 10 | 1089.52 | 2210 | 708.36 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 11 | 1089.53 | 2210 | 708.36 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 12 | 1089.53 | 2200 | 708.35 | 87 | 0 | 211 | 299 |
| 3/30/2024 | 13 | 1089.53 | 2210 | 708.37 | 87 | 0 | 211 | 299 |
| 3/30/2024 | 14 | 1089.53 | 2220 | 708.48 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 15 | 1089.53 | 2220 | 708.63 | 87 | 0 | 211 | 299 |
| 3/30/2024 | 16 | 1089.53 | 2230 | 708.88 | 87 | 0 | 212 | 299 |
| 3/30/2024 | 17 | 1089.53 | 2240 | 709.14 | 87 | 0 | 213 | 300 |
| 3/30/2024 | 18 | 1089.53 | 2240 | 709.20 | 87 | 0 | 213 | 301 |
| 3/30/2024 | 19 | 1089.51 | 2230 | 709.09 | 87 | 0 | 212 | 300 |
| 3/30/2024 | 20 | 1089.51 | 2230 | 708.87 | 87 | 0 | 211 | 299 |
| 3/30/2024 | 21 | 1089.51 | 2220 | 708.83 | 87 | 0 | 212 | 299 |
| 3/30/2024 | 22 | 1089.53 | 2220 | 708.93 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 23 | 1089.52 | 2220 | 708.84 | 87 | 0 | 211 | 298 |
| 3/30/2024 | 24 | 1089.51 | 2210 | 708.83 | 87 | 0 | 211 | 298 |
| 3/31/2024 | 1 | 1089.51 | 2210 | 708.60 | 87 | 0 | 211 | 298 |
| 3/31/2024 | 2 | 1089.52 | 2210 | 708.46 | 87 | 0 | 211 | 298 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 3/31/2024 | 3 | 1089.52 | 2220 | 708.68 | 87 | 0 | 211 | 298 |
| 3/31/2024 | 4 | 1089.51 | 2210 | 708.60 | 87 | 0 | 212 | 299 |
| 3/31/2024 | 5 | 1089.51 | 2210 | 708.56 | 87 | 0 | 210 | 298 |
| 3/31/2024 | 6 | 1089.51 | 2220 | 708.66 | 87 | 0 | 211 | 298 |
| 3/31/2024 | 7 | 1089.50 | 2210 | 708.77 | 87 | 0 | 212 | 299 |
| 3/31/2024 | 8 | 1089.50 | 2200 | 708.87 | 87 | 0 | 212 | 300 |
| 3/31/2024 | 9 | 1089.50 | 2190 | 708.76 | 87 | 0 | 211 | 298 |
| 3/31/2024 | 10 | 1089.50 | 2210 | 708.73 | 87 | 0 | 212 | 299 |
| 3/31/2024 | 11 | 1089.50 | 2190 | 708.70 | 87 | 0 | 211 | 298 |
| 3/31/2024 | 12 | 1089.50 | 2190 | 708.65 | 87 | 0 | 213 | 300 |
| 3/31/2024 | 13 | 1089.50 | 2210 | 708.91 | 87 | 0 | 213 | 300 |
| 3/31/2024 | 14 | 1089.51 | 2190 | 709.26 | 87 | 0 | 215 | 302 |
| 3/31/2024 | 15 | 1089.50 | 2190 | 709.38 | 87 | 0 | 214 | 301 |
| 3/31/2024 | 16 | 1089.50 | 2210 | 709.55 | 87 | 0 | 214 | 301 |
| 3/31/2024 | 17 | 1089.50 | 2200 | 709.39 | 87 | 0 | 212 | 299 |
| 3/31/2024 | 18 | 1089.50 | 2230 | 709.23 | 87 | 0 | 212 | 299 |
| 3/31/2024 | 19 | 1089.50 | 2230 | 709.01 | 88 | 0 | 211 | 299 |
| 3/31/2024 | 20 | 1089.49 | 2230 | 709.11 | 88 | 0 | 212 | 300 |
| 3/31/2024 | 21 | 1089.50 | 2200 | 709.22 | 87 | 0 | 211 | 298 |
| 3/31/2024 | 22 | 1089.50 | 2220 | 709.07 | 88 | 0 | 211 | 299 |
| 3/31/2024 | 23 | 1089.50 | 2230 | 709.12 | 88 | 0 | 211 | 299 |
| 3/31/2024 | 24 | 1089.49 | 2190 | 709.16 | 87 | 0 | 212 | 300 |