

Kate Taylor

From: Scott Hopkins
Sent: Friday, July 19, 2024 1:57 PM
To: 'jody.walters@noaa.gov'; 'hugh_anthony@nps.gov'; 'paul.willard@usda.gov'; 'RD_Nelle@fws.gov'; 'travis.maitland@dfw.wa.gov'; Scott Hopkins; 'blod@yakamafish-nsn.gov'; 'bret.nine@colvilletribes.com'; 'justin.yeager@noaa.gov'; 'ashley_rawhouser@nps.gov'; 'kari.grover@usda.gov'; 'stuart_fety@fws.gov'; 'ana.cerro@usda.gov'; 'CHBR461@ECY.WA.GOV'; 'Leslie.King@dfw.wa.gov'; 'okeefe@americanwhitewater.org'; 'wfarris@cityofchelan.us'; 'info@mansonparks.com'; 'Fisheries@ctuir.org'; 'philiprarchibald@gmail.com'; 'damon.roberts@ecy.wa.gov'; Sara Peck
Cc: Kate Taylor; Meaghan Connell; Laura Clark
Subject: 2024 Chelan River Temperature Data - 2nd Quarter Reports
Attachments: 2024 Chelan River Daily Average Temperature Data 2nd Quarterly Report.pdf; 2024 Chelan River Hourly Temperature Data 2nd Quarterly Report.pdf
Categories: .Post Filing

To: Department of Ecology
Water Quality Program
Central Regional Office

Chelan River Fishery Forum:
Washington Department of Ecology
Washington Department of Fish and Wildlife
United States Forest Service
National Park Service
United States Fish and Wildlife Service
National Marine Fisheries Service
CCT (Colville)
YN (Yakama)
CTUIR (Umatilla tribe)
United States Geological Survey
Washington State Parks and Recreation Commission
Washington State Recreation and Conservation Office
City of Chelan
Manson Parks and Recreation Department
Lake Chelan Recreation Association
American Whitewater

From: Scott Hopkins, Fisheries Biologist III
Public Utility District No. 1 of Chelan County (Chelan PUD)
scott.hopkins@chelanpud.org
(509)661-4763

Re: Lake Chelan Hydroelectric Project No. 637 (Project)
Appendix D 401 Water Quality Certification Condition V.C.i)
Water Temperature Data Reports: 2nd Quarter 2024

Dear Ecology Water Quality Program, Chelan River Fishery Forum, and Other Parties:

Water temperature monitoring data for 2nd Quarter 2024 are provided in the attached files. This information will be posted to the Chelan County PUD external website under “River Flows, Water Temperatures and Total Dissolved Gas” (link below).

<https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance, calibration, or other miscellaneous events have been denoted with “NA” to designate these periods when data was either unavailable or inaccurate. Noteworthy events are explained below.

- There are a few hourly readings missed on April 18 while temperature loggers were swapped.

Please feel free to call or email any questions or comments.



Scott Hopkins

Fisheries Biologist III
Chelan County P.U.D.
P: (509) 661-4763
C: (509) 630-2708

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/1/2024	9.2	9.4	10.2	10.4	9.6	9.7	9.7	9.4
4/2/2024	9.7	9.9	11.0	11.3	10.2	10.3	10.2	9.6
4/3/2024	10.2	10.4	10.5	10.7	10.5	10.5	10.7	9.9
4/4/2024	9.9	10.0	9.5	9.6	10.0	9.9	10.4	9.7
4/5/2024	9.6	9.7	9.6	9.7	9.8	9.7	10.1	9.0
4/6/2024	9.5	9.6	10.2	10.4	9.8	9.8	10.0	8.8
4/7/2024	9.7	9.9	10.2	10.3	10.2	10.2	10.5	8.7
4/8/2024	10.1	10.2	10.3	10.4	10.4	10.3	10.7	9.8
4/9/2024	10.3	10.5	11.0	11.1	10.7	10.7	10.9	10.2
4/10/2024	10.4	10.6	11.1	11.2	10.8	10.8	11.0	10.6
4/11/2024	10.5	10.6	11.0	11.3	10.8	10.8	11.0	10.6
4/12/2024	10.5	10.8	11.5	11.8	11.0	11.0	11.1	10.6
4/13/2024	11.2	11.5	12.3	12.5	11.7	11.8	11.8	11.3
4/14/2024	11.9	12.3	13.0	13.3	12.6	12.7	12.8	12.9
4/15/2024	12.9	13.1	13.0	13.0	13.1	13.0	13.4	12.5
4/16/2024	12.2	12.4	12.3	12.2	12.4	12.4	12.8	12.3
4/17/2024	12.1	12.2	12.5	12.5	12.3	12.3	12.6	12.0
4/18/2024	11.1	11.2	11.8	12.1	11.5	11.5	11.6	11.2
4/19/2024	10.7	10.8	11.2	11.5	11.0	11.0	11.2	10.9
4/20/2024	10.8	11.0	11.4	11.7	11.1	11.2	11.3	11.0
4/21/2024	11.2	11.3	11.4	11.5	11.3	11.4	11.6	10.8
4/22/2024	11.3	11.4	11.8	12.0	11.6	11.7	11.8	11.5
4/23/2024	11.6	11.7	12.0	12.2	11.8	11.9	12.1	11.5
4/24/2024	11.7	11.9	12.1	12.3	11.9	12.0	12.1	10.6
4/25/2024	11.4	11.6	11.6	11.9	11.6	11.7	11.9	10.8
4/26/2024	11.6	11.8	12.4	12.7	11.9	12.0	12.1	11.7
4/27/2024	11.9	12.1	12.2	12.4	12.1	12.2	12.4	11.4
4/28/2024	11.8	12.0	11.8	12.0	11.9	12.0	12.3	11.5
4/29/2024	11.4	11.5	11.4	11.5	11.5	11.5	11.9	10.5
4/30/2024	11.3	11.5	11.6	11.7	11.5	11.6	11.8	11.3
5/1/2024	11.6	11.8	12.1	12.2	11.8	11.9	12.1	11.5
5/2/2024	12.1	12.2	12.6	12.7	12.3	12.4	12.5	11.8
5/3/2024	12.6	12.8	13.2	13.4	12.9	13.0	13.1	12.4
5/4/2024	12.2	12.4	12.4	12.7	12.4	12.5	12.7	12.2
5/5/2024	11.8	12.0	12.3	12.5	12.2	12.3	12.4	12.3
5/6/2024	12.1	12.3	12.7	12.9	12.4	12.5	12.7	12.2
5/7/2024	12.3	12.5	12.8	13.0	12.5	12.6	12.8	12.4
5/8/2024	12.3	12.5	13.3	13.5	12.7	12.8	12.8	12.5
5/9/2024	12.7	12.9	13.9	14.3	13.1	13.3	13.2	12.9
5/10/2024	13.0	13.3	14.4	14.8	13.5	13.7	13.5	13.1
5/11/2024	13.8	14.1	15.2	15.7	14.3	14.5	14.2	14.0
5/12/2024	14.8	15.2	16.0	16.4	15.5	15.6	15.7	15.1
5/13/2024	16.5	16.9	16.8	16.9	16.8	16.9	16.7	16.6
5/14/2024	16.8	17.2	17.4	17.4	17.2	17.3	17.5	17.1
5/15/2024	17.2	17.6	17.7	17.9	17.6	17.7	17.8	17.5
5/16/2024	17.3	17.6	17.1	17.5	17.7	17.8	17.7	17.5

Date	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/17/2024	16.3	16.5	16.2	16.3	16.1	16.2	16.9	16.5
5/18/2024	15.9	16.1	15.5	15.5	15.4	15.4	16.4	16.1
5/19/2024	15.6	15.8	15.8	15.7	15.6	15.7	16.2	16.0
5/20/2024	16.0	16.2	16.3	16.4	16.3	16.4	16.4	16.2
5/21/2024	16.0	16.1	15.4	15.5	15.4	15.4	16.4	16.1
5/22/2024	15.2	15.3	14.9	14.9	14.8	14.9	15.6	15.3
5/23/2024	15.3	15.5	15.9	16.1	16.0	16.1	15.7	15.4
5/24/2024	15.7	15.9	15.7	15.9	15.8	15.9	16.2	15.9
5/25/2024	15.7	15.8	15.6	15.6	15.5	15.5	16.1	15.8
5/26/2024	15.4	15.5	15.1	15.1	15.0	15.0	15.8	15.3
5/27/2024	15.5	15.7	16.4	16.6	16.5	16.6	15.8	15.6
5/28/2024	15.4	15.6	15.6	16.0	15.9	16.0	15.7	15.4
5/29/2024	15.0	15.2	15.2	15.3	15.2	15.2	15.4	14.8
5/30/2024	15.2	15.4	15.7	15.8	15.6	15.8	15.6	15.1
5/31/2024	15.7	15.9	16.3	16.5	16.4	16.5	16.0	15.4
6/1/2024	16.1	16.3	16.7	16.9	16.9	17.0	16.4	16.2
6/2/2024	16.2	16.3	16.1	16.3	16.2	16.3	16.6	16.2
6/3/2024	16.0	16.2	16.4	16.7	16.6	16.7	16.4	16.2
6/4/2024	15.8	15.9	16.2	16.3	16.2	16.3	16.1	15.9
6/5/2024	15.8	16.0	16.5	16.7	16.6	16.7	16.2	16.0
6/6/2024	16.2	16.4	17.0	17.2	17.1	17.3	16.5	16.4
6/7/2024	16.7	17.0	17.7	18.1	17.9	18.1	17.2	17.0
6/8/2024	16.8	17.0	17.8	18.3	18.2	18.3	17.3	17.1
6/9/2024	16.4	16.6	17.3	17.8	17.7	17.8	17.2	16.9
6/10/2024	16.5	16.8	17.4	17.9	17.8	17.9	17.3	17.1
6/11/2024	18.5	18.8	18.7	18.8	18.7	18.8	19.0	18.8
6/12/2024	18.3	18.5	18.4	18.4	18.2	18.3	18.7	18.5
6/13/2024	18.5	18.8	18.5	18.5	18.4	18.5	19.0	18.4
6/14/2024	18.1	18.3	17.6	17.8	17.7	17.7	18.5	18.2
6/15/2024	17.7	17.8	17.4	17.4	17.3	17.3	18.0	17.8
6/16/2024	17.4	17.5	17.2	17.1	17.0	17.1	17.8	17.5
6/17/2024	17.3	17.4	17.2	17.3	17.2	17.2	17.7	17.4
6/18/2024	17.2	17.4	17.6	17.8	17.7	17.8	17.7	17.2
6/19/2024	16.9	17.1	17.9	18.4	18.3	18.4	17.6	16.9
6/20/2024	16.8	17.0	18.0	18.5	18.4	18.5	17.5	17.3
6/21/2024	16.9	17.1	18.1	18.6	18.5	18.7	18.0	17.7
6/22/2024	17.6	17.9	18.2	18.6	18.5	18.6	18.7	18.0
6/23/2024	18.9	19.2	18.9	18.8	18.7	18.8	19.1	18.7
6/24/2024	18.8	19.1	19.4	19.5	19.4	19.5	19.3	18.4
6/25/2024	18.9	19.2	19.4	19.7	19.6	19.7	19.6	18.4
6/26/2024	18.8	19.0	18.8	19.1	19.0	19.1	19.6	19.4
6/27/2024	19.3	19.5	19.3	19.3	19.2	19.3	19.6	19.5
6/28/2024	19.3	19.5	19.9	20.0	19.9	20.1	19.8	19.6
6/29/2024	18.7	18.9	19.5	20.0	19.9	20.1	19.7	19.5
6/30/2024	19.2	19.5	19.9	20.2	20.1	20.2	20.0	20.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/1/2024	1	9.3	9.3	8.8	9.4	9.5	9.4	9.8	9.3
4/1/2024	2	9.2	9.3	8.7	9.2	9.4	9.3	9.8	9.2
4/1/2024	3	9.2	9.3	8.6	9.0	9.4	9.3	9.8	9.1
4/1/2024	4	9.2	9.2	8.5	8.8	9.3	9.2	9.7	9.2
4/1/2024	5	9.2	9.2	8.4	8.7	9.3	9.1	9.7	9.2
4/1/2024	6	9.2	9.2	8.4	8.6	9.2	9.1	9.7	9.3
4/1/2024	7	9.1	9.1	8.3	8.5	9.1	9.0	9.6	9.2
4/1/2024	8	9.0	9.1	8.7	8.8	9.1	9.0	9.6	9.1
4/1/2024	9	9.0	9.1	9.4	8.9	9.1	9.1	9.5	9.1
4/1/2024	10	8.9	9.2	10.2	9.0	9.1	9.2	9.5	9.1
4/1/2024	11	8.9	9.3	11.0	9.3	9.2	9.3	9.6	9.2
4/1/2024	12	9.0	9.3	11.8	9.9	9.3	9.5	9.6	9.3
4/1/2024	13	9.0	9.4	12.4	10.6	9.5	9.7	9.7	9.3
4/1/2024	14	9.1	9.5	12.9	11.5	9.7	10.0	9.7	9.4
4/1/2024	15	9.2	9.6	13.1	12.1	9.9	10.1	9.8	9.5
4/1/2024	16	9.3	9.7	12.6	12.8	10.0	10.2	9.8	9.6
4/1/2024	17	9.4	9.7	12.0	13.1	10.2	10.4	9.8	9.7
4/1/2024	18	9.5	9.7	11.3	13.1	10.2	10.4	9.8	9.7
4/1/2024	19	9.5	9.7	10.7	12.8	10.2	10.3	9.8	9.6
4/1/2024	20	9.5	9.6	10.2	12.4	10.2	10.2	9.8	9.6
4/1/2024	21	9.4	9.6	9.9	11.8	10.1	10.1	9.9	9.6
4/1/2024	22	9.4	9.5	9.7	11.2	10.0	9.9	9.9	9.6
4/1/2024	23	9.3	9.5	9.6	10.8	9.9	9.8	9.9	9.6
4/1/2024	24	9.3	9.5	9.5	10.4	9.8	9.8	9.9	9.3
4/2/2024	1	9.3	9.5	9.4	10.1	9.8	9.7	9.9	8.7
4/2/2024	2	9.3	9.4	9.3	10.0	9.7	9.6	9.9	8.1
4/2/2024	3	9.3	9.4	9.2	9.8	9.7	9.6	9.9	7.7
4/2/2024	4	9.3	9.4	9.1	9.7	9.7	9.6	9.9	7.3
4/2/2024	5	9.3	9.4	9.1	9.5	9.6	9.5	9.9	9.2
4/2/2024	6	9.3	9.4	9.0	9.4	9.5	9.4	9.9	9.4
4/2/2024	7	9.3	9.4	9.0	9.4	9.4	9.4	9.8	9.4
4/2/2024	8	9.2	9.4	9.4	9.5	9.4	9.4	9.8	9.3
4/2/2024	9	9.2	9.4	10.0	9.6	9.4	9.5	9.8	9.3
4/2/2024	10	9.2	9.5	10.8	9.7	9.5	9.6	9.9	9.4
4/2/2024	11	9.2	9.6	11.8	10.1	9.6	9.8	10.0	9.5
4/2/2024	12	9.3	9.7	12.8	10.7	9.8	10.0	10.0	9.6
4/2/2024	13	9.4	9.8	13.4	11.6	10.0	10.3	10.1	9.7
4/2/2024	14	9.4	10.0	13.8	12.5	10.3	10.6	10.1	10.1
4/2/2024	15	9.6	10.3	13.8	13.1	10.6	11.0	10.2	10.2
4/2/2024	16	10.0	10.4	13.5	13.7	10.8	11.1	10.4	10.3
4/2/2024	17	10.1	10.5	12.9	14.0	11.0	11.2	10.5	10.5
4/2/2024	18	10.2	10.6	12.3	14.0	11.2	11.3	10.6	10.7
4/2/2024	19	10.3	10.6	11.7	13.7	11.2	11.3	10.8	10.6
4/2/2024	20	10.4	10.6	11.1	13.3	11.1	11.2	10.9	10.6
4/2/2024	21	10.4	10.5	10.7	12.6	11.1	11.1	10.9	10.6
4/2/2024	22	10.3	10.5	10.5	12.1	11.0	11.0	10.9	9.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/2/2024	23	10.3	10.5	10.3	11.6	10.9	10.8	10.9	9.7
4/2/2024	24	10.3	10.5	10.3	11.2	10.8	10.7	10.9	9.9
4/3/2024	1	10.3	10.5	10.2	10.8	10.7	10.7	10.9	9.1
4/3/2024	2	10.3	10.5	10.0	10.6	10.7	10.6	10.9	8.3
4/3/2024	3	10.3	10.4	9.9	10.3	10.6	10.5	11.0	7.8
4/3/2024	4	10.3	10.4	9.8	10.1	10.5	10.4	10.9	7.6
4/3/2024	5	10.3	10.4	9.6	10.0	10.5	10.4	10.8	9.6
4/3/2024	6	10.2	10.3	9.5	9.9	10.4	10.3	10.8	10.4
4/3/2024	7	10.2	10.3	9.5	9.8	10.3	10.2	10.7	10.3
4/3/2024	8	10.1	10.2	9.8	9.8	10.2	10.1	10.7	10.1
4/3/2024	9	10.1	10.2	10.2	9.8	10.1	10.1	10.6	10.1
4/3/2024	10	10.0	10.2	10.7	9.9	10.1	10.1	10.5	10.1
4/3/2024	11	9.9	10.3	11.3	10.1	10.2	10.3	10.5	10.2
4/3/2024	12	10.0	10.3	11.8	10.5	10.3	10.4	10.5	10.3
4/3/2024	13	10.0	10.4	12.1	10.9	10.4	10.5	10.6	10.4
4/3/2024	14	10.1	10.5	12.1	11.4	10.6	10.7	10.7	10.5
4/3/2024	15	10.2	10.5	12.0	11.8	10.7	10.8	10.7	10.5
4/3/2024	16	10.3	10.5	11.7	12.0	10.8	10.8	10.7	10.5
4/3/2024	17	10.3	10.5	11.4	12.1	10.8	10.9	10.7	10.5
4/3/2024	18	10.3	10.5	11.0	12.0	10.8	10.8	10.7	10.5
4/3/2024	19	10.3	10.4	10.5	11.7	10.8	10.7	10.7	10.5
4/3/2024	20	10.3	10.4	10.2	11.4	10.7	10.6	10.7	10.4
4/3/2024	21	10.3	10.3	9.9	11.0	10.6	10.5	10.7	10.4
4/3/2024	22	10.2	10.3	9.7	10.7	10.5	10.4	10.7	10.0
4/3/2024	23	10.1	10.2	9.6	10.3	10.4	10.3	10.7	10.1
4/3/2024	24	10.1	10.2	9.5	10.0	10.3	10.2	10.6	10.1
4/4/2024	1	10.1	10.2	9.4	9.8	10.2	10.1	10.6	10.0
4/4/2024	2	10.1	10.1	9.2	9.6	10.2	10.1	10.6	10.1
4/4/2024	3	10.0	10.1	9.1	9.4	10.1	10.0	10.5	10.1
4/4/2024	4	10.0	10.1	9.1	9.3	10.0	9.9	10.5	10.0
4/4/2024	5	10.0	10.1	9.0	9.2	10.0	9.8	10.5	10.1
4/4/2024	6	10.0	10.0	9.0	9.1	10.0	9.9	10.5	10.1
4/4/2024	7	9.9	10.0	9.1	9.0	9.9	9.8	10.4	10.0
4/4/2024	8	9.9	10.0	9.3	9.0	9.9	9.8	10.4	10.1
4/4/2024	9	9.8	10.0	9.5	9.0	9.9	9.8	10.4	10.0
4/4/2024	10	9.8	10.0	9.7	9.1	9.9	9.8	10.4	10.0
4/4/2024	11	9.8	10.0	9.8	9.3	9.9	9.8	10.4	10.0
4/4/2024	12	9.8	10.0	9.9	9.5	9.9	9.9	10.3	10.0
4/4/2024	13	9.8	10.0	9.9	9.6	9.9	9.9	10.3	10.0
4/4/2024	14	9.8	10.0	9.9	9.8	10.0	9.9	10.3	10.0
4/4/2024	15	9.8	10.0	10.0	9.8	10.0	10.0	10.3	10.0
4/4/2024	16	9.8	10.0	10.0	9.9	10.0	10.0	10.3	10.0
4/4/2024	17	9.8	10.0	10.0	10.0	10.0	10.0	10.3	10.0
4/4/2024	18	9.8	10.0	9.9	10.0	10.0	10.0	10.3	10.1
4/4/2024	19	9.8	10.0	9.8	10.0	10.0	10.0	10.3	10.1
4/4/2024	20	9.9	10.0	9.7	10.0	10.1	10.0	10.3	10.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/4/2024	21	9.8	10.0	9.6	9.9	10.0	10.0	10.3	9.9
4/4/2024	22	9.8	10.0	9.5	9.8	10.0	9.9	10.3	7.5
4/4/2024	23	9.8	9.9	9.5	9.7	10.0	9.9	10.3	7.1
4/4/2024	24	9.8	9.9	9.5	9.6	10.0	9.9	10.3	7.0
4/5/2024	1	9.8	9.9	9.4	9.5	9.9	9.8	10.3	6.8
4/5/2024	2	9.8	9.9	9.4	9.5	9.9	9.8	10.3	6.6
4/5/2024	3	9.8	9.9	9.4	9.4	9.8	9.7	10.3	6.5
4/5/2024	4	9.8	9.9	9.3	9.4	9.8	9.7	10.2	6.5
4/5/2024	5	9.8	9.9	9.3	9.4	9.8	9.7	10.2	9.1
4/5/2024	6	9.8	9.8	9.3	9.3	9.8	9.8	10.2	9.9
4/5/2024	7	9.7	9.8	9.3	9.3	9.8	9.7	10.2	9.8
4/5/2024	8	9.7	9.8	9.3	9.3	9.8	9.7	10.1	9.8
4/5/2024	9	9.7	9.8	9.5	9.3	9.7	9.7	10.1	9.8
4/5/2024	10	9.6	9.8	9.5	9.4	9.7	9.7	10.1	9.8
4/5/2024	11	9.6	9.7	9.6	9.4	9.7	9.7	10.1	9.8
4/5/2024	12	9.6	9.8	9.8	9.5	9.7	9.7	10.1	9.8
4/5/2024	13	9.6	9.8	9.9	9.6	9.7	9.7	10.1	9.8
4/5/2024	14	9.6	9.8	10.1	9.8	9.8	9.8	10.1	9.8
4/5/2024	15	9.6	9.8	10.2	9.9	9.8	9.8	10.1	9.8
4/5/2024	16	9.6	9.8	10.2	10.0	9.8	9.8	10.1	9.8
4/5/2024	17	9.6	9.7	10.1	10.1	9.8	9.8	10.0	9.7
4/5/2024	18	9.6	9.7	10.0	10.1	9.8	9.8	10.0	9.7
4/5/2024	19	9.6	9.7	9.8	10.2	9.8	9.8	10.0	9.7
4/5/2024	20	9.5	9.6	9.6	10.1	9.8	9.7	10.0	9.7
4/5/2024	21	9.5	9.6	9.4	10.0	9.8	9.7	10.0	9.6
4/5/2024	22	9.5	9.5	9.3	9.9	9.7	9.6	9.9	7.8
4/5/2024	23	9.4	9.5	9.3	9.7	9.7	9.6	9.9	7.6
4/5/2024	24	9.4	9.5	9.2	9.5	9.6	9.5	9.9	7.7
4/6/2024	1	9.4	9.5	9.1	9.4	9.6	9.5	9.9	7.1
4/6/2024	2	9.4	9.5	9.1	9.3	9.6	9.5	9.8	7.0
4/6/2024	3	9.4	9.4	9.1	9.3	9.5	9.5	9.8	7.4
4/6/2024	4	9.4	9.4	9.0	9.2	9.5	9.4	9.8	7.5
4/6/2024	5	9.3	9.4	9.0	9.1	9.5	9.4	9.7	8.8
4/6/2024	6	9.3	9.4	8.9	9.1	9.4	9.3	9.7	9.4
4/6/2024	7	9.3	9.3	8.9	9.1	9.3	9.3	9.7	9.3
4/6/2024	8	9.3	9.2	9.0	9.1	9.2	9.2	9.6	9.2
4/6/2024	9	9.1	9.2	9.5	9.2	9.2	9.2	9.6	9.2
4/6/2024	10	9.0	9.3	10.2	9.3	9.3	9.3	9.7	9.2
4/6/2024	11	9.1	9.4	11.2	9.7	9.4	9.5	9.7	9.3
4/6/2024	12	9.1	9.5	11.7	9.9	9.5	9.5	9.7	9.5
4/6/2024	13	9.3	9.7	12.6	10.8	9.8	10.0	9.8	9.7
4/6/2024	14	9.4	9.9	13.0	11.5	10.0	10.2	9.9	9.9
4/6/2024	15	9.6	9.9	13.0	12.0	10.3	10.5	10.0	10.0
4/6/2024	16	9.7	10.0	12.6	12.6	10.4	10.6	10.1	10.1
4/6/2024	17	9.8	10.0	11.5	12.9	10.5	10.6	10.1	10.1
4/6/2024	18	9.8	10.1	10.7	12.8	10.6	10.7	10.2	10.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/6/2024	19	9.9	10.0	10.2	12.4	10.6	10.6	10.3	10.1
4/6/2024	20	9.9	10.0	9.8	11.8	10.5	10.4	10.4	10.0
4/6/2024	21	9.9	9.9	9.5	11.1	10.3	10.2	10.4	9.9
4/6/2024	22	9.8	9.8	9.3	10.5	10.1	10.0	10.4	6.6
4/6/2024	23	9.7	9.7	9.2	10.1	10.0	9.9	10.3	6.2
4/6/2024	24	9.6	9.7	9.1	9.7	9.9	9.8	10.3	5.7
4/7/2024	1	9.6	9.7	8.9	9.4	9.8	9.7	10.2	4.9
4/7/2024	2	9.6	9.6	8.8	9.2	9.7	9.6	10.2	4.5
4/7/2024	3	9.6	9.6	8.6	9.0	9.6	9.5	10.1	4.3
4/7/2024	4	9.5	9.6	8.5	8.9	9.6	9.4	10.1	3.5
4/7/2024	5	9.5	9.5	8.5	8.7	9.5	9.4	10.1	4.6
4/7/2024	6	9.5	9.5	8.4	8.6	9.5	9.4	10.1	9.3
4/7/2024	7	9.4	9.5	8.5	8.5	9.4	9.3	10.1	9.4
4/7/2024	8	9.4	9.5	9.0	8.8	9.4	9.4	10.1	8.0
4/7/2024	9	9.4	9.5	9.7	8.9	9.5	9.5	10.1	8.4
4/7/2024	10	9.3	9.7	10.6	9.2	9.6	9.7	10.1	9.1
4/7/2024	11	9.4	9.7	11.5	9.5	9.7	9.9	10.2	10.1
4/7/2024	12	9.5	9.9	12.1	10.2	9.9	10.1	10.3	10.2
4/7/2024	13	9.6	10.0	12.6	11.1	10.2	10.4	10.4	10.5
4/7/2024	14	9.7	10.1	12.8	11.8	10.5	10.7	10.6	10.5
4/7/2024	15	9.8	10.2	12.8	12.3	10.7	10.9	10.7	10.7
4/7/2024	16	9.9	10.2	12.4	12.7	10.9	11.1	10.8	10.6
4/7/2024	17	10.0	10.2	11.9	12.8	11.0	11.1	11.0	10.6
4/7/2024	18	10.1	10.3	11.2	12.6	11.1	11.1	11.0	10.6
4/7/2024	19	10.1	10.2	10.6	12.2	11.1	11.0	11.0	10.6
4/7/2024	20	10.1	10.2	10.0	11.7	11.0	11.0	11.0	10.4
4/7/2024	21	10.1	10.3	9.7	11.2	10.9	10.8	11.0	10.2
4/7/2024	22	10.1	10.2	9.5	10.7	10.8	10.7	11.0	10.4
4/7/2024	23	10.1	10.2	9.4	10.2	10.7	10.6	11.0	8.9
4/7/2024	24	10.1	10.1	9.3	9.9	10.6	10.5	11.0	8.7
4/8/2024	1	10.0	10.1	9.2	9.6	10.5	10.4	11.0	7.5
4/8/2024	2	10.0	10.1	9.2	9.4	10.4	10.3	11.0	6.3
4/8/2024	3	10.0	10.0	9.1	9.3	10.3	10.1	10.8	9.0
4/8/2024	4	9.9	10.0	9.0	9.2	10.2	10.1	10.7	9.9
4/8/2024	5	9.9	10.0	8.9	9.1	10.1	10.0	10.6	10.0
4/8/2024	6	9.9	9.9	8.9	9.0	9.9	9.7	10.4	10.1
4/8/2024	7	9.8	10.0	8.9	9.0	9.9	9.8	10.3	10.0
4/8/2024	8	9.8	10.0	9.4	9.1	9.8	9.8	10.3	9.9
4/8/2024	9	9.8	10.0	9.9	9.2	9.8	9.8	10.4	9.9
4/8/2024	10	9.8	10.1	10.6	9.3	9.9	9.9	10.4	10.0
4/8/2024	11	9.8	10.1	10.8	9.5	9.9	10.0	10.5	10.1
4/8/2024	12	9.9	10.2	11.6	10.3	10.2	10.3	10.5	10.2
4/8/2024	13	9.9	10.3	11.9	10.8	10.4	10.5	10.6	10.4
4/8/2024	14	10.0	10.4	12.2	11.3	10.5	10.7	10.7	10.4
4/8/2024	15	10.1	10.5	12.3	11.7	10.7	10.8	10.7	10.5
4/8/2024	16	10.2	10.5	11.9	12.1	10.7	10.8	10.7	10.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/8/2024	17	10.3	10.5	11.6	12.2	10.8	10.9	10.7	10.5
4/8/2024	18	10.3	10.5	11.1	12.2	10.9	10.9	10.7	10.6
4/8/2024	19	10.3	10.5	10.8	12.0	10.8	10.8	10.7	10.6
4/8/2024	20	10.3	10.5	10.5	11.7	10.8	10.8	10.8	10.5
4/8/2024	21	10.3	10.4	10.1	11.2	10.7	10.6	10.8	10.5
4/8/2024	22	10.3	10.4	9.9	10.9	10.6	10.5	10.8	8.8
4/8/2024	23	10.3	10.4	9.7	10.6	10.5	10.4	10.8	9.1
4/8/2024	24	10.2	10.3	9.6	10.2	10.5	10.4	10.8	9.1
4/9/2024	1	10.2	10.3	9.6	10.0	10.4	10.3	10.8	8.1
4/9/2024	2	10.2	10.3	9.6	9.8	10.3	10.2	10.8	7.4
4/9/2024	3	10.2	10.2	9.5	9.7	10.2	10.1	10.8	8.4
4/9/2024	4	10.1	10.2	9.4	9.6	10.2	10.1	10.7	9.8
4/9/2024	5	10.1	10.2	9.4	9.5	10.1	10.0	10.7	10.2
4/9/2024	6	10.1	10.2	9.3	9.5	10.1	10.1	10.7	10.3
4/9/2024	7	10.1	10.2	9.4	9.5	10.1	10.0	10.7	10.2
4/9/2024	8	10.0	10.1	9.9	9.7	10.0	10.0	10.6	10.1
4/9/2024	9	10.0	10.1	10.6	9.9	10.1	10.1	10.5	10.1
4/9/2024	10	9.9	10.2	11.3	10.0	10.1	10.2	10.4	10.1
4/9/2024	11	9.9	10.3	12.2	10.3	10.2	10.4	10.4	10.2
4/9/2024	12	10.0	10.4	13.0	11.0	10.4	10.6	10.6	10.4
4/9/2024	13	10.1	10.6	13.6	11.9	10.7	10.9	10.7	10.5
4/9/2024	14	10.2	10.7	13.7	12.6	10.9	11.2	10.8	10.7
4/9/2024	15	10.3	10.8	13.6	13.1	11.2	11.3	10.9	10.8
4/9/2024	16	10.5	10.8	13.0	13.4	11.3	11.5	11.1	11.0
4/9/2024	17	10.6	10.9	12.5	13.5	11.4	11.5	11.2	11.0
4/9/2024	18	10.7	10.9	11.8	13.3	11.5	11.5	11.3	11.0
4/9/2024	19	10.7	10.9	11.1	12.9	11.4	11.4	11.4	11.0
4/9/2024	20	10.7	10.8	10.5	12.4	11.3	11.2	11.3	10.9
4/9/2024	21	10.7	10.8	10.2	11.9	11.2	11.0	11.3	10.8
4/9/2024	22	10.6	10.7	10.0	11.3	11.0	10.9	11.2	10.6
4/9/2024	23	10.6	10.6	9.8	10.8	10.9	10.7	11.2	10.6
4/9/2024	24	10.5	10.6	9.7	10.3	10.8	10.6	11.2	10.6
4/10/2024	1	10.5	10.6	9.6	10.1	10.7	10.5	11.1	10.5
4/10/2024	2	10.5	10.5	9.5	9.9	10.6	10.5	11.1	10.5
4/10/2024	3	10.4	10.5	9.4	9.7	10.5	10.4	11.0	10.5
4/10/2024	4	10.4	10.5	9.3	9.5	10.4	10.3	11.0	10.4
4/10/2024	5	10.4	10.4	9.3	9.4	10.3	10.2	10.9	10.5
4/10/2024	6	10.3	10.4	9.2	9.3	10.3	10.2	10.8	10.5
4/10/2024	7	10.3	10.3	9.3	9.3	10.2	10.1	10.8	10.2
4/10/2024	8	10.2	10.2	9.7	9.4	10.1	10.0	10.7	10.1
4/10/2024	9	10.1	10.2	10.3	9.6	10.1	10.1	10.5	10.1
4/10/2024	10	10.0	10.3	11.2	9.8	10.1	10.2	10.5	10.2
4/10/2024	11	10.0	10.3	12.1	10.2	10.2	10.3	10.6	10.2
4/10/2024	12	10.1	10.5	12.9	10.8	10.4	10.6	10.7	10.4
4/10/2024	13	10.2	10.6	13.5	11.8	10.7	10.9	10.7	10.5
4/10/2024	14	10.3	10.7	13.8	12.7	10.9	11.2	10.8	10.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/10/2024	15	10.4	10.8	13.7	13.2	11.2	11.4	10.9	10.8
4/10/2024	16	10.5	10.9	13.4	13.7	11.3	11.6	11.0	11.0
4/10/2024	17	10.7	11.0	12.8	13.8	11.5	11.6	11.1	11.0
4/10/2024	18	10.8	11.0	12.2	13.7	11.5	11.6	11.1	11.0
4/10/2024	19	10.8	11.0	11.6	13.4	11.5	11.5	11.2	11.0
4/10/2024	20	10.8	11.0	11.1	13.0	11.4	11.4	11.3	11.0
4/10/2024	21	10.8	11.0	10.8	12.4	11.4	11.3	11.3	11.0
4/10/2024	22	10.8	10.9	10.7	11.9	11.3	11.2	11.3	10.9
4/10/2024	23	10.8	10.9	10.5	11.4	11.2	11.1	11.3	10.6
4/10/2024	24	10.7	10.8	10.4	11.1	11.1	11.0	11.3	10.2
4/11/2024	1	10.7	10.8	10.2	10.8	11.0	10.9	11.3	10.6
4/11/2024	2	10.7	10.8	10.1	10.6	10.9	10.8	11.2	10.6
4/11/2024	3	10.7	10.8	10.0	10.4	10.9	10.8	11.2	10.5
4/11/2024	4	10.6	10.8	10.0	10.2	10.8	10.7	11.2	10.6
4/11/2024	5	10.6	10.7	9.9	10.1	10.7	10.6	11.1	10.8
4/11/2024	6	10.6	10.7	9.9	10.0	10.7	10.6	11.1	10.8
4/11/2024	7	10.6	10.7	10.0	10.0	10.6	10.5	11.1	10.7
4/11/2024	8	10.5	10.6	10.3	10.0	10.6	10.5	11.0	10.6
4/11/2024	9	10.5	10.6	10.7	10.1	10.5	10.5	11.0	10.6
4/11/2024	10	10.4	10.6	11.0	10.2	10.5	10.4	10.9	10.5
4/11/2024	11	10.4	10.6	11.5	10.7	10.5	10.6	10.9	10.4
4/11/2024	12	10.3	10.6	12.2	11.1	10.6	10.7	10.8	10.5
4/11/2024	13	10.3	10.7	12.9	11.6	10.7	10.9	10.8	10.5
4/11/2024	14	10.3	10.7	13.2	12.0	10.8	10.9	10.8	10.6
4/11/2024	15	10.4	10.7	13.0	12.6	11.0	11.1	10.9	10.6
4/11/2024	16	10.4	10.7	12.5	12.9	11.1	11.1	10.9	10.7
4/11/2024	17	10.4	10.7	12.0	13.1	11.1	11.2	10.9	10.7
4/11/2024	18	10.5	10.7	11.5	13.0	11.1	11.2	11.0	10.6
4/11/2024	19	10.5	10.6	11.2	12.7	11.1	11.1	11.0	10.6
4/11/2024	20	10.5	10.6	10.9	12.3	11.0	11.0	10.9	10.6
4/11/2024	21	10.5	10.6	10.7	11.9	10.9	10.8	10.9	10.5
4/11/2024	22	10.4	10.5	10.5	11.5	10.8	10.8	10.9	10.4
4/11/2024	23	10.4	10.5	10.4	11.2	10.7	10.7	10.9	10.3
4/11/2024	24	10.3	10.4	10.3	11.0	10.7	10.6	10.9	10.0
4/12/2024	1	10.3	10.4	10.2	10.8	10.7	10.6	10.9	10.3
4/12/2024	2	10.3	10.4	10.1	10.6	10.6	10.6	10.9	9.6
4/12/2024	3	10.3	10.4	10.0	10.5	10.6	10.5	10.9	8.6
4/12/2024	4	10.3	10.3	9.9	10.3	10.6	10.5	10.9	9.5
4/12/2024	5	10.3	10.3	9.9	10.2	10.5	10.4	10.8	10.4
4/12/2024	6	10.2	10.3	9.9	10.1	10.4	10.3	10.8	10.4
4/12/2024	7	10.2	10.3	10.0	10.1	10.4	10.3	10.7	10.4
4/12/2024	8	10.2	10.4	10.3	10.2	10.3	10.3	10.7	10.3
4/12/2024	9	10.2	10.4	10.8	10.3	10.3	10.4	10.7	10.3
4/12/2024	10	10.2	10.4	11.7	10.6	10.4	10.5	10.7	10.3
4/12/2024	11	10.2	10.5	12.6	11.0	10.5	10.6	10.8	10.4
4/12/2024	12	10.2	10.7	13.3	11.5	10.7	10.8	10.9	10.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/12/2024	13	10.3	10.8	13.6	12.2	11.0	11.1	11.0	10.8
4/12/2024	14	10.5	11.0	14.0	13.1	11.2	11.5	11.1	11.0
4/12/2024	15	10.6	11.2	13.9	13.5	11.5	11.7	11.3	11.2
4/12/2024	16	10.8	11.2	13.7	13.9	11.6	11.9	11.4	11.2
4/12/2024	17	10.9	11.3	13.4	14.1	11.8	11.9	11.5	11.3
4/12/2024	18	11.0	11.2	12.8	14.1	11.8	11.9	11.6	11.3
4/12/2024	19	11.0	11.2	12.2	13.8	11.7	11.8	11.6	11.2
4/12/2024	20	11.0	11.2	11.6	13.5	11.7	11.7	11.6	11.3
4/12/2024	21	11.0	11.2	11.2	13.0	11.7	11.6	11.6	11.3
4/12/2024	22	11.0	11.1	10.9	12.5	11.6	11.5	11.6	11.1
4/12/2024	23	11.0	11.1	10.7	12.0	11.5	11.4	11.6	10.6
4/12/2024	24	11.0	11.1	10.6	11.6	11.4	11.3	11.6	10.9
4/13/2024	1	10.9	11.1	10.5	11.2	11.3	11.2	11.5	10.9
4/13/2024	2	10.9	11.1	10.4	11.0	11.2	11.1	11.5	10.1
4/13/2024	3	10.9	11.1	10.4	10.8	11.2	11.1	11.5	10.9
4/13/2024	4	10.9	11.0	10.3	10.6	11.1	11.0	11.5	10.9
4/13/2024	5	10.9	11.0	10.2	10.5	11.1	11.0	11.5	10.9
4/13/2024	6	10.9	11.0	10.1	10.4	11.0	10.9	11.5	11.1
4/13/2024	7	10.8	11.0	10.2	10.4	10.9	10.9	11.4	11.0
4/13/2024	8	10.8	11.0	10.7	10.6	10.9	10.9	11.4	11.0
4/13/2024	9	10.8	11.1	11.3	10.7	11.0	11.0	11.4	11.0
4/13/2024	10	10.8	11.1	12.2	10.9	11.0	11.2	11.5	11.1
4/13/2024	11	10.8	11.3	13.3	11.4	11.2	11.3	11.6	11.2
4/13/2024	12	10.9	11.4	14.2	12.1	11.4	11.6	11.7	11.3
4/13/2024	13	11.0	11.6	14.8	13.0	11.7	11.9	11.8	11.5
4/13/2024	14	11.2	11.8	15.1	13.9	12.0	12.3	11.9	11.7
4/13/2024	15	11.3	11.9	15.2	14.5	12.3	12.5	12.0	11.8
4/13/2024	16	11.5	11.9	15.0	15.1	12.4	12.7	12.1	11.9
4/13/2024	17	11.6	12.0	14.5	15.3	12.5	12.7	12.2	12.0
4/13/2024	18	11.6	12.0	13.7	15.3	12.6	12.7	12.2	12.0
4/13/2024	19	11.7	12.0	13.1	15.1	12.6	12.7	12.3	12.1
4/13/2024	20	11.7	12.0	12.5	14.6	12.6	12.6	12.3	12.1
4/13/2024	21	11.8	12.0	12.1	14.1	12.5	12.5	12.4	12.0
4/13/2024	22	11.8	12.0	11.8	13.5	12.4	12.4	12.4	11.2
4/13/2024	23	11.8	11.9	11.7	13.0	12.3	12.2	12.4	10.9
4/13/2024	24	11.7	11.9	11.6	12.5	12.2	12.1	12.3	10.3
4/14/2024	1	11.7	11.9	11.4	12.2	12.1	12.1	12.3	9.6
4/14/2024	2	11.7	11.9	11.3	11.9	12.1	12.0	12.3	9.1
4/14/2024	3	11.6	11.8	11.2	11.7	12.0	11.9	12.3	8.4
4/14/2024	4	11.6	11.8	11.1	11.6	11.9	11.8	12.3	8.9
4/14/2024	5	11.6	11.8	11.0	11.4	11.9	11.7	12.3	9.9
4/14/2024	6	11.6	11.8	10.9	11.2	11.8	11.7	12.2	11.4
4/14/2024	7	11.6	11.8	11.0	11.2	11.7	11.6	12.2	11.4
4/14/2024	8	11.6	11.9	11.4	11.4	11.7	11.7	12.2	11.6
4/14/2024	9	11.5	11.9	12.1	11.5	11.7	11.8	12.3	11.6
4/14/2024	10	11.6	12.0	13.1	11.7	11.8	11.9	12.3	11.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/14/2024	11	11.6	12.1	14.2	12.1	12.0	12.1	12.5	12.0
4/14/2024	12	11.6	12.2	15.1	12.9	12.2	12.4	12.6	12.6
4/14/2024	13	11.7	12.2	15.8	13.9	12.5	12.8	12.8	13.6
4/14/2024	14	11.8	12.3	16.2	14.8	12.8	13.1	12.9	15.3
4/14/2024	15	11.8	12.4	16.2	15.4	13.1	13.5	13.1	18.6
4/14/2024	16	11.9	12.4	15.7	16.1	13.4	13.6	13.2	18.0
4/14/2024	17	12.0	12.6	15.1	16.3	13.6	13.9	13.4	18.8
4/14/2024	18	12.1	12.6	14.1	16.1	13.6	13.8	13.5	16.0
4/14/2024	19	12.2	12.7	13.4	15.7	13.7	13.8	13.5	14.8
4/14/2024	20	12.3	12.8	12.8	15.1	13.6	13.7	13.5	14.1
4/14/2024	21	12.5	12.9	12.3	14.4	13.5	13.5	13.5	13.5
4/14/2024	22	12.7	13.1	12.1	13.7	13.4	13.4	13.5	13.0
4/14/2024	23	12.8	13.2	12.1	13.1	13.3	13.2	13.5	12.6
4/14/2024	24	12.9	13.2	12.0	12.7	13.2	13.1	13.5	12.6
4/15/2024	1	12.9	13.2	12.1	12.4	13.1	13.0	13.4	12.4
4/15/2024	2	12.9	13.2	12.0	12.2	12.9	12.8	13.4	12.1
4/15/2024	3	13.0	13.2	12.0	12.1	12.8	12.8	13.4	12.0
4/15/2024	4	13.0	13.2	12.0	12.0	12.8	12.7	13.3	12.2
4/15/2024	5	13.0	13.2	12.0	12.0	12.7	12.6	13.1	12.3
4/15/2024	6	13.0	13.2	12.0	12.0	12.8	12.8	12.9	13.1
4/15/2024	7	13.0	13.2	12.1	12.0	12.8	12.8	13.3	13.0
4/15/2024	8	12.9	13.0	12.5	12.2	12.8	12.7	13.4	12.8
4/15/2024	9	12.7	12.9	13.0	12.3	12.7	12.8	13.3	12.8
4/15/2024	10	12.6	12.9	13.8	12.5	12.8	12.9	13.3	12.9
4/15/2024	11	12.6	13.1	14.6	12.7	12.9	13.0	13.4	13.0
4/15/2024	12	12.7	13.2	15.0	13.3	13.1	13.2	13.4	13.1
4/15/2024	13	12.8	13.2	14.9	13.9	13.2	13.3	13.5	13.1
4/15/2024	14	12.8	13.3	14.9	14.5	13.4	13.4	13.5	13.2
4/15/2024	15	12.9	13.3	14.8	14.8	13.5	13.6	13.5	13.3
4/15/2024	16	13.0	13.4	14.6	14.8	13.6	13.7	13.6	13.4
4/15/2024	17	13.0	13.4	14.3	14.7	13.6	13.6	13.6	13.4
4/15/2024	18	13.1	13.3	13.8	14.4	13.6	13.5	13.7	13.3
4/15/2024	19	13.1	13.2	12.9	14.1	13.5	13.4	13.7	13.3
4/15/2024	20	13.0	13.1	12.2	13.7	13.4	13.2	13.6	13.1
4/15/2024	21	12.9	12.9	11.7	13.3	13.1	12.9	13.6	12.8
4/15/2024	22	12.8	12.7	11.5	12.7	12.9	12.7	13.3	11.8
4/15/2024	23	12.6	12.6	11.3	12.1	12.7	12.6	13.1	8.9
4/15/2024	24	12.5	12.6	11.3	11.7	12.6	12.4	13.0	9.1
4/16/2024	1	12.4	12.5	11.3	11.4	12.4	12.3	13.0	11.0
4/16/2024	2	12.4	12.5	11.2	11.2	12.3	12.2	12.9	11.9
4/16/2024	3	12.3	12.4	11.2	11.1	12.2	12.1	12.8	12.1
4/16/2024	4	12.3	12.4	11.0	11.0	12.1	11.9	12.7	12.0
4/16/2024	5	12.3	12.3	10.9	11.0	12.0	11.8	12.6	12.2
4/16/2024	6	12.2	12.3	10.9	10.9	12.1	12.0	12.6	12.3
4/16/2024	7	12.2	12.1	11.0	10.9	11.9	11.8	12.7	11.9
4/16/2024	8	12.0	12.0	11.4	11.1	11.7	11.6	12.4	11.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/16/2024	9	11.8	11.9	12.0	11.1	11.7	11.7	12.2	11.8
4/16/2024	10	11.7	12.0	12.8	11.3	11.8	11.9	12.2	12.0
4/16/2024	11	11.7	12.1	13.5	11.7	12.0	12.1	12.3	12.1
4/16/2024	12	11.8	12.3	14.1	12.2	12.2	12.3	12.4	12.3
4/16/2024	13	12.0	12.4	14.6	12.9	12.4	12.6	12.6	12.5
4/16/2024	14	12.1	12.6	14.6	13.5	12.7	12.8	12.7	12.6
4/16/2024	15	12.2	12.6	14.1	13.9	12.8	12.9	12.8	12.7
4/16/2024	16	12.3	12.7	13.8	14.2	13.0	13.1	12.9	12.8
4/16/2024	17	12.4	12.8	13.5	14.2	13.1	13.1	13.0	12.9
4/16/2024	18	12.5	12.8	12.9	13.9	13.1	13.0	13.1	12.9
4/16/2024	19	12.6	12.7	12.4	13.5	13.0	12.9	13.2	12.8
4/16/2024	20	12.6	12.7	12.0	13.2	12.9	12.8	13.2	12.8
4/16/2024	21	12.5	12.6	11.6	12.8	12.8	12.7	13.1	12.7
4/16/2024	22	12.5	12.6	11.4	12.4	12.7	12.6	13.1	12.4
4/16/2024	23	12.5	12.6	11.3	12.0	12.6	12.5	13.0	12.3
4/16/2024	24	12.4	12.5	11.2	11.6	12.5	12.3	13.0	12.0
4/17/2024	1	12.4	12.5	11.1	11.3	12.4	12.2	12.9	12.1
4/17/2024	2	12.4	12.4	11.0	11.1	12.2	12.1	12.8	12.0
4/17/2024	3	12.3	12.4	10.8	11.0	12.1	12.0	12.7	11.9
4/17/2024	4	12.3	12.3	10.7	10.8	12.0	11.8	12.6	11.8
4/17/2024	5	12.3	12.3	10.6	10.7	11.9	11.7	12.5	12.1
4/17/2024	6	12.2	12.2	10.6	10.6	12.0	12.0	12.6	12.4
4/17/2024	7	12.2	12.2	10.7	10.6	11.9	11.9	12.7	12.2
4/17/2024	8	12.1	12.2	11.2	10.7	11.9	11.8	12.7	12.1
4/17/2024	9	12.0	12.1	11.9	10.8	11.9	11.9	12.7	12.1
4/17/2024	10	11.9	12.1	12.8	11.1	11.9	12.0	12.6	12.1
4/17/2024	11	11.9	12.2	13.7	11.5	12.0	12.1	12.6	12.1
4/17/2024	12	11.9	12.3	14.7	12.3	12.1	12.3	12.6	12.2
4/17/2024	13	11.9	12.4	15.4	13.2	12.4	12.6	12.6	12.3
4/17/2024	14	12.0	12.4	15.8	14.1	12.6	12.8	12.6	12.4
4/17/2024	15	12.1	12.4	15.5	14.6	12.8	12.9	12.6	12.4
4/17/2024	16	12.1	12.4	15.2	15.2	12.9	13.0	12.6	12.4
4/17/2024	17	12.1	12.3	14.3	15.3	12.9	13.0	12.6	12.4
4/17/2024	18	12.1	12.3	13.5	15.2	12.8	12.9	12.6	12.3
4/17/2024	19	12.1	12.1	12.8	14.8	12.8	12.8	12.6	12.2
4/17/2024	20	12.0	12.1	12.2	14.3	12.6	12.6	12.6	12.1
4/17/2024	21	11.9	12.0	11.8	13.6	12.4	12.3	12.5	11.9
4/17/2024	22	11.8	11.8	11.5	13.0	12.2	12.1	12.5	10.2
4/17/2024	23	11.7	11.8	11.3	12.4	12.1	12.0	12.4	11.5
4/17/2024	24	11.6	11.7	11.2	12.0	12.0	11.9	12.4	11.4
4/18/2024	1	11.6	11.7	11.0	11.6	11.9	11.8	12.3	11.4
4/18/2024	2	11.6	11.6	10.8	11.3	11.8	11.7	12.3	11.4
4/18/2024	3	11.6	11.6	10.6	11.1	11.7	11.6	12.2	11.6
4/18/2024	4	11.5	11.5	10.4	10.9	11.6	11.5	12.2	11.6
4/18/2024	5	11.5	11.5	10.2	10.7	11.5	11.4	12.1	11.7
4/18/2024	6	11.5	11.4	10.1	10.4	11.4	11.3	12.0	11.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/18/2024	7	11.4	11.3	10.2	10.4	11.2	11.1	11.8	11.1
4/18/2024	8	11.2	11.1	10.6	10.5	11.0	10.9	11.7	10.9
4/18/2024	9	11.0	11.0	11.2	10.5	10.9	10.9	11.5	10.9
4/18/2024	10	10.8	11.0	12.1	10.7	11.0	11.0	11.3	10.9
4/18/2024	11	10.8	NA	13.1	11.2	11.0	11.2	11.3	11.0
4/18/2024	12	10.8	11.1	13.9	11.9	11.2	11.3	11.3	11.1
4/18/2024	13	10.9	11.2	14.4	12.7	11.4	11.6	11.3	11.2
4/18/2024	14	11.0	11.3	NA	13.5	11.6	11.8	11.4	11.3
4/18/2024	15	11.0	11.3	14.6	NA	NA	NA	11.4	NA
4/18/2024	16	11.1	11.3	14.4	13.9	11.7	12.1	11.5	11.4
4/18/2024	17	11.1	11.3	13.9	14.4	11.8	12.0	11.5	11.3
4/18/2024	18	11.1	11.3	13.1	14.6	11.8	11.9	11.5	11.2
4/18/2024	19	11.1	11.2	12.3	14.4	11.8	11.9	11.5	11.2
4/18/2024	20	11.0	11.2	11.7	13.9	11.7	11.8	11.5	11.2
4/18/2024	21	11.0	11.1	11.1	13.3	11.6	11.6	11.5	11.1
4/18/2024	22	11.0	11.0	10.7	12.6	11.4	11.4	11.4	11.1
4/18/2024	23	10.9	11.0	10.4	12.0	11.3	11.2	11.4	10.8
4/18/2024	24	10.9	10.9	10.2	11.5	11.2	11.1	11.4	10.9
4/19/2024	1	10.8	10.9	10.1	11.1	11.1	11.0	11.3	10.9
4/19/2024	2	10.8	10.8	10.0	10.7	11.0	10.9	11.3	10.9
4/19/2024	3	10.8	10.8	9.8	10.4	10.9	10.9	11.3	11.0
4/19/2024	4	10.7	10.8	9.7	10.2	10.8	10.8	11.2	10.9
4/19/2024	5	10.7	10.7	9.6	10.0	10.7	10.7	11.1	10.7
4/19/2024	6	10.7	10.7	9.5	9.9	10.7	10.6	11.1	10.8
4/19/2024	7	10.6	10.7	9.4	9.7	10.6	10.5	11.0	10.8
4/19/2024	8	10.5	10.6	9.5	9.8	10.4	10.4	10.9	10.6
4/19/2024	9	10.4	10.6	9.9	9.8	10.4	10.4	11.0	10.6
4/19/2024	10	10.4	10.6	10.6	10.1	10.4	10.5	11.0	10.5
4/19/2024	11	10.4	10.6	11.5	10.2	10.4	10.6	11.1	10.6
4/19/2024	12	10.4	10.7	12.6	10.6	10.6	10.8	11.1	10.7
4/19/2024	13	10.5	10.8	12.9	11.2	10.7	10.9	11.2	10.8
4/19/2024	14	10.6	10.9	13.3	12.0	10.9	11.2	11.2	10.9
4/19/2024	15	10.7	11.0	13.8	12.8	11.2	11.4	11.2	11.0
4/19/2024	16	10.8	11.1	14.0	13.2	11.3	11.6	11.3	11.1
4/19/2024	17	10.9	11.1	13.9	13.6	11.4	11.7	11.3	11.2
4/19/2024	18	10.9	11.1	13.3	13.8	11.5	11.7	11.3	11.2
4/19/2024	19	10.9	11.1	12.5	13.8	11.6	11.7	11.3	11.2
4/19/2024	20	10.9	11.0	11.8	13.7	11.5	11.6	11.3	11.1
4/19/2024	21	10.9	10.9	11.1	13.3	11.4	11.5	11.3	11.1
4/19/2024	22	10.8	10.9	10.6	12.7	11.3	11.3	11.3	11.0
4/19/2024	23	10.8	10.8	10.2	12.1	11.2	11.2	11.3	10.9
4/19/2024	24	10.7	10.8	10.0	11.5	11.1	11.0	11.2	10.9
4/20/2024	1	10.7	10.7	9.8	10.9	11.0	10.9	11.2	10.9
4/20/2024	2	10.7	10.7	9.7	10.5	10.9	10.8	11.2	10.9
4/20/2024	3	10.6	10.7	9.6	10.2	10.8	10.7	11.2	10.9
4/20/2024	4	10.6	10.6	9.5	10.0	10.7	10.7	11.1	10.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/20/2024	5	10.6	10.6	9.4	9.8	10.6	10.5	11.1	10.7
4/20/2024	6	10.6	10.6	9.3	9.6	10.5	10.5	11.1	10.8
4/20/2024	7	10.5	10.5	9.2	9.5	10.4	10.4	11.0	10.7
4/20/2024	8	10.5	10.5	9.4	9.5	10.4	10.3	10.9	10.6
4/20/2024	9	10.4	10.5	9.9	9.7	10.3	10.3	10.9	10.5
4/20/2024	10	10.4	10.5	10.6	9.8	10.3	10.4	11.0	10.5
4/20/2024	11	10.4	10.6	11.6	10.1	10.4	10.6	11.1	10.6
4/20/2024	12	10.5	10.7	12.7	10.5	10.5	10.8	11.2	10.7
4/20/2024	13	10.6	10.9	13.6	11.3	10.8	11.0	11.3	10.8
4/20/2024	14	10.7	11.0	14.2	12.3	11.1	11.3	11.4	11.0
4/20/2024	15	10.9	11.2	14.5	13.3	11.4	11.7	11.4	11.2
4/20/2024	16	11.0	11.3	14.5	13.9	11.6	12.0	11.5	11.3
4/20/2024	17	11.1	11.4	14.2	14.4	11.8	12.1	11.6	11.4
4/20/2024	18	11.2	11.4	13.5	14.7	11.9	12.1	11.6	11.5
4/20/2024	19	11.3	11.4	12.8	14.7	12.0	12.2	11.6	11.5
4/20/2024	20	11.3	11.5	12.1	14.3	12.0	12.1	11.7	11.6
4/20/2024	21	11.3	11.4	11.7	13.8	11.9	12.0	11.7	11.5
4/20/2024	22	11.3	11.4	11.3	13.2	11.8	11.8	11.7	11.4
4/20/2024	23	11.2	11.3	10.9	12.6	11.6	11.6	11.7	11.2
4/20/2024	24	11.2	11.2	10.6	12.0	11.5	11.4	11.6	11.2
4/21/2024	1	11.1	11.2	10.3	11.4	11.4	11.3	11.6	11.1
4/21/2024	2	11.1	11.2	10.0	11.0	11.3	11.2	11.6	11.2
4/21/2024	3	11.0	11.1	9.8	10.6	11.2	11.1	11.5	11.2
4/21/2024	4	11.0	11.1	9.6	10.3	11.1	11.0	11.5	11.1
4/21/2024	5	11.0	11.0	9.4	9.9	10.9	10.8	11.4	10.9
4/21/2024	6	10.9	11.0	9.4	9.7	10.8	10.7	11.4	10.8
4/21/2024	7	10.9	11.0	9.3	9.5	10.7	10.6	11.4	10.1
4/21/2024	8	10.8	10.9	9.5	9.4	10.5	10.5	11.4	8.5
4/21/2024	9	10.8	11.0	9.8	9.4	10.5	10.5	11.4	7.3
4/21/2024	10	10.8	11.0	10.4	9.6	10.5	10.5	11.4	8.3
4/21/2024	11	10.8	11.1	11.3	9.9	10.5	10.7	11.4	9.1
4/21/2024	12	10.9	11.2	12.4	10.4	10.7	10.9	11.4	10.1
4/21/2024	13	11.0	11.4	13.1	11.0	10.8	11.0	11.4	11.1
4/21/2024	14	11.2	11.5	13.9	12.0	11.1	11.4	11.5	11.1
4/21/2024	15	11.2	11.6	14.4	12.8	11.4	11.7	11.6	11.5
4/21/2024	16	11.3	11.6	14.4	13.3	11.6	11.9	11.6	11.6
4/21/2024	17	11.4	11.7	14.3	13.8	11.9	12.1	11.7	11.8
4/21/2024	18	11.5	11.7	13.8	14.2	12.0	12.2	11.8	11.9
4/21/2024	19	11.5	11.7	12.9	14.1	12.1	12.2	11.9	11.8
4/21/2024	20	11.5	11.6	12.1	13.9	12.1	12.2	12.0	11.8
4/21/2024	21	11.5	11.7	11.4	13.5	12.1	12.2	12.1	11.8
4/21/2024	22	11.5	11.6	10.9	13.0	12.1	12.1	12.1	11.9
4/21/2024	23	11.4	11.5	10.6	12.3	12.0	12.0	12.1	11.8
4/21/2024	24	11.4	11.5	10.4	11.7	11.9	11.9	12.1	11.8
4/22/2024	1	11.3	11.4	10.3	11.2	11.8	11.7	12.0	11.8
4/22/2024	2	11.3	11.4	10.2	10.8	11.7	11.6	12.0	11.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/22/2024	3	11.3	11.3	10.1	10.5	11.6	11.5	12.0	11.7
4/22/2024	4	11.2	11.3	10.0	10.3	11.4	11.4	12.0	11.6
4/22/2024	5	11.2	11.2	9.9	10.2	11.3	11.3	11.9	11.4
4/22/2024	6	11.1	11.2	9.9	10.0	11.2	11.2	11.8	11.4
4/22/2024	7	11.1	11.1	9.8	9.9	11.0	10.9	11.6	11.1
4/22/2024	8	10.9	11.1	10.0	10.0	10.9	10.9	11.5	11.1
4/22/2024	9	10.9	11.1	10.4	10.1	10.8	10.9	11.3	11.0
4/22/2024	10	10.8	11.1	11.2	10.3	10.8	10.9	11.4	11.0
4/22/2024	11	10.9	11.2	12.1	10.5	10.9	11.1	11.5	11.1
4/22/2024	12	10.9	11.2	13.1	11.0	11.0	11.2	11.6	11.2
4/22/2024	13	11.0	11.3	14.0	11.8	11.2	11.5	11.7	11.3
4/22/2024	14	11.1	11.5	14.6	12.8	11.5	11.8	11.8	11.4
4/22/2024	15	11.3	11.6	14.9	13.7	11.8	12.1	11.9	11.6
4/22/2024	16	11.4	11.7	14.8	14.2	12.0	12.3	12.0	11.7
4/22/2024	17	11.5	11.8	14.6	14.7	12.2	12.5	12.0	11.9
4/22/2024	18	11.6	11.9	14.0	15.0	12.3	12.6	12.1	12.0
4/22/2024	19	11.7	11.9	13.1	14.8	12.4	12.5	12.1	12.0
4/22/2024	20	11.6	11.8	12.4	14.4	12.3	12.4	12.1	11.9
4/22/2024	21	11.6	11.7	11.7	14.0	12.2	12.3	12.1	11.9
4/22/2024	22	11.6	11.7	11.2	13.4	12.1	12.2	12.1	11.9
4/22/2024	23	11.5	11.6	10.9	12.7	12.0	12.0	12.1	11.8
4/22/2024	24	11.5	11.6	10.7	12.1	11.9	11.8	12.1	11.7
4/23/2024	1	11.5	11.6	10.5	11.5	11.8	11.7	12.1	11.7
4/23/2024	2	11.5	11.6	10.4	11.1	11.7	11.6	12.0	11.7
4/23/2024	3	11.5	11.5	10.3	10.9	11.6	11.5	12.0	11.6
4/23/2024	4	11.4	11.5	10.2	10.6	11.5	11.4	11.9	11.6
4/23/2024	5	11.4	11.5	10.1	10.4	11.4	11.3	11.9	11.5
4/23/2024	6	11.4	11.4	10.1	10.3	11.3	11.2	11.9	11.5
4/23/2024	7	11.4	11.4	10.0	10.2	11.3	11.2	11.8	11.6
4/23/2024	8	11.3	11.4	10.2	10.2	11.2	11.2	11.8	11.5
4/23/2024	9	11.3	11.4	10.7	10.4	11.2	11.2	11.7	11.5
4/23/2024	10	11.3	11.5	11.2	10.4	11.2	11.3	11.8	11.5
4/23/2024	11	11.3	11.6	12.1	10.7	11.3	11.4	11.9	11.5
4/23/2024	12	11.3	11.6	13.1	11.2	11.4	11.6	12.0	11.6
4/23/2024	13	11.4	11.8	14.1	12.0	11.6	11.9	12.0	11.7
4/23/2024	14	11.5	11.9	14.6	12.8	11.8	12.1	12.1	11.8
4/23/2024	15	11.6	12.0	14.6	13.5	12.0	12.2	12.2	11.9
4/23/2024	16	11.7	12.1	14.6	14.2	12.3	12.5	12.3	12.0
4/23/2024	17	11.8	12.1	14.4	14.6	12.4	12.7	12.3	12.1
4/23/2024	18	11.9	12.1	13.9	14.8	12.5	12.7	12.3	12.1
4/23/2024	19	11.9	12.1	13.4	14.8	12.5	12.7	12.3	12.1
4/23/2024	20	11.9	12.1	12.8	14.5	12.5	12.6	12.3	12.1
4/23/2024	21	11.9	12.0	12.2	14.1	12.5	12.5	12.3	12.1
4/23/2024	22	11.8	12.0	11.7	13.6	12.3	12.4	12.3	12.0
4/23/2024	23	11.8	11.9	11.4	13.0	12.2	12.2	12.3	8.9
4/23/2024	24	11.7	11.9	11.2	12.5	12.1	12.1	12.2	8.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/24/2024	1	11.7	11.8	11.1	12.0	12.0	12.0	12.2	7.9
4/24/2024	2	11.7	11.8	11.0	11.7	11.9	11.9	12.2	7.6
4/24/2024	3	11.7	11.8	11.0	11.4	11.9	11.8	12.2	7.5
4/24/2024	4	11.6	11.8	10.9	11.2	11.8	11.7	12.2	7.2
4/24/2024	5	11.6	11.7	10.9	11.1	11.7	11.7	12.1	7.1
4/24/2024	6	11.6	11.7	10.8	11.0	11.6	11.6	12.1	8.1
4/24/2024	7	11.6	11.7	10.9	11.0	11.6	11.6	12.1	11.8
4/24/2024	8	11.6	11.7	11.1	11.0	11.6	11.6	12.1	11.8
4/24/2024	9	11.5	11.7	11.2	11.0	11.5	11.6	12.0	11.7
4/24/2024	10	11.5	11.7	11.6	11.2	11.5	11.6	12.0	11.7
4/24/2024	11	11.5	11.8	12.2	11.5	11.6	11.7	12.0	11.7
4/24/2024	12	11.5	11.9	12.8	11.7	11.7	11.8	12.0	11.7
4/24/2024	13	11.6	12.0	13.8	12.2	11.8	12.1	12.0	11.9
4/24/2024	14	11.7	12.0	14.3	12.7	12.0	12.2	12.1	12.0
4/24/2024	15	11.8	12.1	14.2	13.3	12.1	12.3	12.1	12.0
4/24/2024	16	11.8	12.1	14.1	13.8	12.3	12.5	12.2	12.1
4/24/2024	17	11.8	12.1	13.9	14.3	12.4	12.6	12.3	12.1
4/24/2024	18	11.9	12.1	13.4	14.3	12.4	12.5	12.3	12.1
4/24/2024	19	11.8	12.1	12.9	14.2	12.4	12.5	12.3	12.1
4/24/2024	20	11.8	12.0	12.4	13.9	12.4	12.4	12.2	12.1
4/24/2024	21	11.8	12.0	11.9	13.5	12.3	12.4	12.2	12.1
4/24/2024	22	11.7	11.9	11.5	13.1	12.2	12.2	12.2	11.9
4/24/2024	23	11.6	11.8	11.3	12.6	12.1	12.0	12.2	9.7
4/24/2024	24	11.6	11.7	11.2	12.2	12.0	11.9	12.2	8.9
4/25/2024	1	11.6	11.7	11.1	11.9	11.9	11.8	12.1	8.5
4/25/2024	2	11.5	11.6	11.0	11.6	11.8	11.8	12.1	8.4
4/25/2024	3	11.5	11.6	10.9	11.4	11.7	11.7	12.1	7.9
4/25/2024	4	11.5	11.6	10.8	11.2	11.7	11.6	12.1	7.7
4/25/2024	5	11.5	11.6	10.7	11.1	11.6	11.6	12.0	8.1
4/25/2024	6	11.4	11.5	10.7	11.0	11.5	11.5	11.9	10.8
4/25/2024	7	11.4	11.5	10.8	10.9	11.5	11.4	11.9	11.6
4/25/2024	8	11.3	11.5	10.9	10.9	11.3	11.3	11.8	11.4
4/25/2024	9	11.2	11.4	11.2	10.9	11.2	11.3	11.8	11.3
4/25/2024	10	11.1	11.3	11.6	11.1	11.2	11.3	11.7	11.3
4/25/2024	11	11.1	11.4	12.0	11.3	11.3	11.3	11.6	11.3
4/25/2024	12	11.2	11.4	12.4	11.6	11.4	11.5	11.6	11.4
4/25/2024	13	11.2	11.5	12.6	11.9	11.4	11.5	11.7	11.5
4/25/2024	14	11.3	11.5	12.7	12.3	11.6	11.7	11.7	11.5
4/25/2024	15	11.3	11.6	12.7	12.6	11.7	11.8	11.8	11.6
4/25/2024	16	11.4	11.6	12.6	12.8	11.7	11.9	11.8	11.6
4/25/2024	17	11.4	11.6	12.4	12.9	11.8	11.9	11.9	11.6
4/25/2024	18	11.4	11.6	12.2	12.9	11.8	11.9	11.9	11.7
4/25/2024	19	11.4	11.6	12.0	12.9	11.9	11.9	11.9	11.7
4/25/2024	20	11.5	11.6	11.8	12.7	11.8	11.9	11.9	11.7
4/25/2024	21	11.5	11.6	11.6	12.5	11.8	11.9	11.9	11.7
4/25/2024	22	11.5	11.6	11.4	12.3	11.8	11.8	11.9	11.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/25/2024	23	11.4	11.6	11.3	12.1	11.7	11.7	11.9	11.5
4/25/2024	24	11.4	11.6	11.2	11.9	11.7	11.7	11.9	11.6
4/26/2024	1	11.4	11.6	11.2	11.7	11.6	11.6	11.9	11.3
4/26/2024	2	11.4	11.5	11.1	11.6	11.6	11.6	11.9	11.5
4/26/2024	3	11.4	11.5	11.1	11.5	11.6	11.6	11.9	11.5
4/26/2024	4	11.4	11.5	11.0	11.4	11.6	11.6	11.9	11.5
4/26/2024	5	11.4	11.5	11.0	11.3	11.5	11.5	11.9	11.4
4/26/2024	6	11.4	11.5	11.0	11.2	11.5	11.5	11.9	11.5
4/26/2024	7	11.4	11.5	11.1	11.2	11.5	11.5	11.9	11.6
4/26/2024	8	11.3	11.5	11.2	11.3	11.5	11.5	11.9	11.6
4/26/2024	9	11.3	11.6	11.6	11.5	11.5	11.6	11.9	11.6
4/26/2024	10	11.4	11.7	12.3	11.9	11.6	11.8	11.9	11.6
4/26/2024	11	11.4	11.7	13.0	12.0	11.7	11.9	11.9	11.7
4/26/2024	12	11.5	11.8	13.6	12.3	11.8	11.9	12.0	11.8
4/26/2024	13	11.6	11.9	14.4	12.9	11.9	12.1	12.1	11.9
4/26/2024	14	11.6	11.9	14.2	13.4	12.0	12.2	12.1	11.9
4/26/2024	15	11.7	12.0	14.1	14.0	12.2	12.4	12.2	12.0
4/26/2024	16	11.7	12.1	14.1	14.4	12.4	12.7	12.2	12.0
4/26/2024	17	11.8	12.1	14.0	14.5	12.4	12.7	12.3	12.1
4/26/2024	18	11.9	12.1	14.0	14.5	12.5	12.7	12.4	12.2
4/26/2024	19	11.9	12.1	13.5	14.4	12.5	12.6	12.4	12.2
4/26/2024	20	11.9	12.1	12.9	14.1	12.5	12.6	12.4	12.2
4/26/2024	21	11.9	12.1	12.3	14.0	12.5	12.5	12.4	12.2
4/26/2024	22	11.9	12.1	11.9	13.7	12.4	12.5	12.4	12.1
4/26/2024	23	11.9	12.0	11.6	13.2	12.3	12.3	12.4	11.3
4/26/2024	24	11.8	12.0	11.5	12.7	12.2	12.2	12.3	11.1
4/27/2024	1	11.8	12.0	11.4	12.3	12.1	12.1	12.3	9.4
4/27/2024	2	11.8	11.9	11.3	12.0	12.1	12.1	12.3	9.1
4/27/2024	3	11.8	11.9	11.2	11.7	12.0	12.0	12.3	9.6
4/27/2024	4	11.8	11.9	11.0	11.5	12.0	11.9	12.3	8.2
4/27/2024	5	11.7	11.9	10.9	11.4	11.9	11.8	12.3	10.7
4/27/2024	6	11.7	11.8	10.8	11.2	11.8	11.8	12.3	11.6
4/27/2024	7	11.7	11.8	10.8	11.1	11.8	11.7	12.3	11.9
4/27/2024	8	11.7	11.9	11.1	11.2	11.7	11.7	12.3	11.9
4/27/2024	9	11.6	11.9	11.6	11.3	11.7	11.8	12.3	11.8
4/27/2024	10	11.6	12.0	12.3	11.4	11.7	11.9	12.3	11.9
4/27/2024	11	11.7	12.1	13.1	11.6	11.8	12.0	12.3	12.0
4/27/2024	12	11.8	12.0	13.2	11.9	11.9	12.0	12.3	12.0
4/27/2024	13	11.8	12.1	13.4	12.6	12.0	12.2	12.3	12.1
4/27/2024	14	11.8	12.2	13.5	13.2	12.2	12.4	12.4	12.1
4/27/2024	15	11.9	12.3	13.8	13.5	12.3	12.6	12.4	12.2
4/27/2024	16	12.0	12.3	14.2	13.7	12.5	12.7	12.4	12.3
4/27/2024	17	12.1	12.3	14.0	13.9	12.5	12.7	12.5	12.3
4/27/2024	18	12.1	12.3	13.6	14.0	12.6	12.7	12.5	12.4
4/27/2024	19	12.1	12.3	13.0	14.0	12.6	12.7	12.6	12.4
4/27/2024	20	12.1	12.3	12.5	13.8	12.6	12.7	12.6	12.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/27/2024	21	12.1	12.3	12.1	13.5	12.6	12.6	12.7	12.4
4/27/2024	22	12.1	12.2	11.7	13.1	12.5	12.4	12.6	12.2
4/27/2024	23	12.0	12.1	11.4	12.6	12.3	12.3	12.6	9.4
4/27/2024	24	11.9	12.1	11.3	12.2	12.2	12.2	12.6	10.6
4/28/2024	1	11.9	12.0	11.2	11.9	12.1	12.1	12.6	9.3
4/28/2024	2	11.9	12.0	11.2	11.6	12.0	12.0	12.5	9.0
4/28/2024	3	11.8	12.0	11.1	11.4	12.0	11.9	12.5	10.4
4/28/2024	4	11.8	11.9	11.0	11.2	11.9	11.8	12.5	11.6
4/28/2024	5	11.8	11.9	11.0	11.2	11.8	11.8	12.3	11.6
4/28/2024	6	11.8	11.9	11.0	11.1	11.7	11.7	12.3	11.8
4/28/2024	7	11.7	11.9	11.0	11.1	11.7	11.6	12.2	11.6
4/28/2024	8	11.7	11.9	11.1	11.1	11.6	11.6	12.2	11.6
4/28/2024	9	11.7	11.9	11.3	11.1	11.6	11.6	12.2	10.7
4/28/2024	10	11.7	11.9	11.5	11.2	11.5	11.6	12.2	11.5
4/28/2024	11	11.7	11.9	11.9	11.4	11.6	11.7	12.2	11.6
4/28/2024	12	11.7	12.0	12.3	11.7	11.6	11.8	12.1	11.7
4/28/2024	13	11.8	12.0	12.7	11.9	11.7	11.9	12.2	12.7
4/28/2024	14	11.8	12.1	13.0	12.3	11.9	12.0	12.2	13.4
4/28/2024	15	11.8	12.1	13.1	12.6	12.0	12.1	12.3	13.2
4/28/2024	16	11.9	12.1	13.4	13.0	12.1	12.3	12.4	14.4
4/28/2024	17	11.9	12.2	13.0	13.1	12.2	12.3	12.3	13.4
4/28/2024	18	12.0	12.2	12.8	13.3	12.3	12.4	12.3	13.3
4/28/2024	19	12.0	12.2	12.6	13.2	12.3	12.4	12.4	12.9
4/28/2024	20	12.0	12.1	12.1	13.0	12.3	12.3	12.4	11.5
4/28/2024	21	12.0	12.1	11.8	12.7	12.2	12.2	12.4	11.2
4/28/2024	22	12.0	12.1	11.4	12.4	12.2	12.2	12.4	10.6
4/28/2024	23	11.9	12.0	11.0	12.1	12.1	12.1	12.4	9.0
4/28/2024	24	11.9	12.0	10.8	11.7	12.0	12.0	12.4	9.1
4/29/2024	1	11.8	11.9	10.7	11.4	11.9	11.9	12.3	8.6
4/29/2024	2	11.8	11.9	10.6	11.1	11.8	11.7	12.2	8.5
4/29/2024	3	11.7	11.8	10.3	10.7	11.7	11.6	12.2	8.3
4/29/2024	4	11.7	11.7	10.1	10.5	11.5	11.4	12.1	7.2
4/29/2024	5	11.6	11.7	9.9	10.2	11.4	11.2	12.1	7.1
4/29/2024	6	11.6	11.6	9.9	10.1	11.2	11.2	12.1	11.3
4/29/2024	7	11.5	11.6	10.1	10.0	11.3	11.3	12.0	11.7
4/29/2024	8	11.4	11.4	10.3	9.9	11.1	11.1	11.8	11.2
4/29/2024	9	11.0	11.1	10.7	10.0	10.8	10.8	11.5	10.9
4/29/2024	10	10.9	11.0	11.2	10.3	10.8	10.8	11.3	11.0
4/29/2024	11	10.9	11.1	12.1	10.8	10.9	11.1	11.3	11.0
4/29/2024	12	10.9	11.2	13.1	11.3	11.1	11.2	11.4	11.1
4/29/2024	13	11.1	11.3	13.5	11.8	11.2	11.5	11.5	11.3
4/29/2024	14	11.2	11.4	13.4	12.5	11.4	11.6	11.6	11.5
4/29/2024	15	11.3	11.4	12.8	12.9	11.6	11.8	11.7	11.5
4/29/2024	16	11.3	11.6	12.8	13.3	11.8	12.1	11.9	11.7
4/29/2024	17	11.4	11.7	12.7	13.3	11.9	12.1	12.0	11.7
4/29/2024	18	11.5	11.7	12.5	13.1	11.9	12.0	12.0	11.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
4/29/2024	19	11.5	11.7	12.1	12.8	11.9	11.9	11.9	11.7
4/29/2024	20	11.5	11.6	11.5	12.4	11.8	11.8	11.9	11.8
4/29/2024	21	11.5	11.6	11.0	12.2	11.8	11.8	11.9	11.8
4/29/2024	22	11.5	11.5	10.6	11.9	11.7	11.7	11.9	11.6
4/29/2024	23	11.4	11.5	10.4	11.5	11.6	11.6	11.9	8.2
4/29/2024	24	11.4	11.4	10.3	11.1	11.5	11.4	11.9	9.3
4/30/2024	1	11.3	11.4	10.3	10.7	11.4	11.4	11.9	9.0
4/30/2024	2	11.3	11.4	10.2	10.5	11.3	11.2	11.8	11.2
4/30/2024	3	11.3	11.3	10.2	10.3	11.2	11.2	11.8	11.2
4/30/2024	4	11.3	11.3	10.1	10.2	11.1	11.1	11.8	11.1
4/30/2024	5	11.2	11.3	10.1	10.1	11.1	11.0	11.7	11.2
4/30/2024	6	11.2	11.3	10.1	10.1	11.0	10.9	11.7	11.2
4/30/2024	7	11.2	11.2	10.1	10.1	11.1	11.1	11.6	11.3
4/30/2024	8	11.1	11.2	10.4	10.2	11.0	11.0	11.5	11.2
4/30/2024	9	11.0	11.2	10.9	10.4	11.0	11.0	11.4	11.1
4/30/2024	10	11.0	11.2	11.6	10.7	11.0	11.1	11.5	11.2
4/30/2024	11	11.0	11.3	12.5	10.9	11.1	11.2	11.5	11.2
4/30/2024	12	11.1	11.4	13.7	11.6	11.3	11.6	11.7	11.4
4/30/2024	13	11.2	11.4	13.7	12.4	11.5	11.9	11.7	11.5
4/30/2024	14	11.3	11.5	13.6	13.1	11.7	12.0	11.8	11.6
4/30/2024	15	11.3	11.7	13.4	13.7	11.9	12.1	11.9	11.6
4/30/2024	16	11.4	11.7	13.2	13.8	12.0	12.2	11.9	11.7
4/30/2024	17	11.5	11.7	13.3	13.8	12.1	12.2	12.0	11.8
4/30/2024	18	11.6	11.7	12.8	13.6	12.1	12.2	12.0	11.9
4/30/2024	19	11.6	11.7	12.2	13.4	12.1	12.2	12.1	11.9
4/30/2024	20	11.6	11.7	11.7	13.1	12.1	12.1	12.2	11.9
4/30/2024	21	11.6	11.7	11.2	12.8	12.0	12.0	12.1	11.8
4/30/2024	22	11.6	11.7	11.0	12.3	11.9	11.9	12.1	11.8
4/30/2024	23	11.5	11.6	10.8	11.9	11.8	11.8	12.1	11.6
4/30/2024	24	11.5	11.6	10.6	11.4	11.7	11.6	12.0	10.7
5/1/2024	1	11.5	11.5	10.5	11.1	11.6	11.5	12.0	8.9
5/1/2024	2	11.5	11.5	10.3	10.9	11.5	11.4	11.9	11.3
5/1/2024	3	11.4	11.5	10.2	10.6	11.4	11.3	11.9	11.3
5/1/2024	4	11.4	11.4	10.1	10.4	11.3	11.2	11.9	11.2
5/1/2024	5	11.4	11.4	10.0	10.3	11.2	11.2	11.9	11.3
5/1/2024	6	11.3	11.4	9.9	10.1	11.1	11.1	11.9	11.3
5/1/2024	7	11.3	11.4	9.9	10.0	11.2	11.2	11.9	11.5
5/1/2024	8	11.3	11.4	10.3	10.1	11.1	11.1	11.9	11.4
5/1/2024	9	11.2	11.4	10.8	10.3	11.1	11.2	11.9	11.4
5/1/2024	10	11.2	11.4	11.6	10.5	11.2	11.3	11.9	11.4
5/1/2024	11	11.3	11.5	12.6	10.8	11.3	11.5	11.8	11.5
5/1/2024	12	11.4	11.7	13.6	11.5	11.4	11.7	11.9	11.6
5/1/2024	13	11.5	11.8	14.5	12.4	11.7	12.0	12.0	11.7
5/1/2024	14	11.6	12.0	15.0	13.4	12.0	12.3	12.1	12.0
5/1/2024	15	11.8	12.1	14.8	14.3	12.3	12.6	12.2	12.1
5/1/2024	16	11.9	12.2	15.1	14.8	12.5	12.8	12.3	12.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/1/2024	17	12.0	12.2	14.6	15.0	12.6	12.9	12.3	12.3
5/1/2024	18	12.1	12.3	14.1	15.0	12.6	12.9	12.4	12.3
5/1/2024	19	12.1	12.3	13.3	14.8	12.7	12.8	12.4	12.4
5/1/2024	20	12.1	12.2	12.5	14.4	12.7	12.8	12.5	12.3
5/1/2024	21	12.1	12.2	11.9	13.9	12.6	12.6	12.5	12.3
5/1/2024	22	12.1	12.2	11.5	13.3	12.5	12.5	12.6	12.3
5/1/2024	23	12.0	12.1	11.2	12.7	12.4	12.3	12.5	9.8
5/1/2024	24	12.0	12.1	11.0	12.1	12.2	12.2	12.5	10.0
5/2/2024	1	11.9	12.0	10.9	11.7	12.1	12.1	12.4	11.7
5/2/2024	2	11.9	12.0	10.8	11.3	12.0	11.9	12.4	8.5
5/2/2024	3	11.9	11.9	10.7	11.1	11.9	11.8	12.3	8.4
5/2/2024	4	11.8	11.9	10.5	10.8	11.8	11.7	12.3	11.6
5/2/2024	5	11.8	11.9	10.4	10.7	11.7	11.6	12.2	11.6
5/2/2024	6	11.8	11.8	10.3	10.5	11.6	11.5	12.2	11.8
5/2/2024	7	11.7	11.8	10.3	10.4	11.6	11.6	12.3	11.9
5/2/2024	8	11.7	11.8	10.6	10.5	11.5	11.5	12.3	11.8
5/2/2024	9	11.6	11.8	11.2	10.6	11.5	11.5	12.2	11.7
5/2/2024	10	11.6	11.8	12.0	10.8	11.5	11.6	12.2	11.8
5/2/2024	11	11.6	11.9	13.0	11.1	11.6	11.8	12.1	11.8
5/2/2024	12	11.7	12.0	14.1	11.9	11.8	12.0	12.2	11.9
5/2/2024	13	11.8	12.2	15.0	12.8	12.0	12.3	12.3	12.1
5/2/2024	14	11.9	12.3	15.7	13.9	12.3	12.7	12.4	12.2
5/2/2024	15	12.1	12.5	16.1	14.9	12.7	13.1	12.5	12.5
5/2/2024	16	12.2	12.6	15.6	15.3	12.9	13.2	12.7	12.6
5/2/2024	17	12.4	12.7	15.2	15.8	13.1	13.4	12.8	12.7
5/2/2024	18	12.5	12.8	14.4	16.0	13.2	13.5	12.9	12.8
5/2/2024	19	12.5	12.8	13.8	15.7	13.3	13.4	13.0	12.8
5/2/2024	20	12.6	12.8	13.2	15.2	13.3	13.3	13.1	12.9
5/2/2024	21	12.6	12.7	12.6	14.5	13.2	13.2	13.1	12.8
5/2/2024	22	12.6	12.7	12.2	14.0	13.1	13.1	13.1	12.8
5/2/2024	23	12.6	12.7	12.0	13.4	12.9	12.9	13.1	11.4
5/2/2024	24	12.5	12.7	11.9	12.9	12.8	12.8	13.1	11.5
5/3/2024	1	12.5	12.7	11.9	12.5	12.7	12.7	13.1	11.5
5/3/2024	2	12.5	12.6	11.8	12.2	12.6	12.6	13.0	10.3
5/3/2024	3	12.5	12.6	11.6	12.0	12.6	12.6	13.0	10.4
5/3/2024	4	12.5	12.6	11.4	11.8	12.5	12.4	12.9	10.3
5/3/2024	5	12.4	12.5	11.3	11.7	12.4	12.4	12.9	11.0
5/3/2024	6	12.4	12.5	11.2	11.6	12.3	12.3	12.9	12.3
5/3/2024	7	12.4	12.5	11.2	11.4	12.3	12.3	12.8	12.6
5/3/2024	8	12.3	12.5	11.4	11.5	12.3	12.3	12.8	12.5
5/3/2024	9	12.3	12.5	12.0	11.6	12.2	12.3	12.8	12.5
5/3/2024	10	12.3	12.6	12.8	11.8	12.3	12.5	12.9	12.5
5/3/2024	11	12.4	12.7	13.8	12.1	12.4	12.6	13.0	12.6
5/3/2024	12	12.5	12.8	14.7	12.6	12.6	12.8	13.1	12.8
5/3/2024	13	12.6	13.0	15.5	13.5	12.8	13.1	13.2	12.9
5/3/2024	14	12.7	13.1	15.8	14.3	13.1	13.3	13.2	13.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/3/2024	15	12.8	13.2	16.1	15.2	13.4	13.7	13.3	13.2
5/3/2024	16	12.9	13.3	15.8	15.7	13.5	13.8	13.4	13.2
5/3/2024	17	12.9	13.2	15.3	16.0	13.6	13.8	13.4	13.2
5/3/2024	18	13.0	13.2	14.8	16.0	13.6	13.8	13.4	13.3
5/3/2024	19	13.0	13.2	14.2	15.8	13.6	13.8	13.4	13.2
5/3/2024	20	12.9	13.1	13.7	15.4	13.5	13.7	13.4	13.2
5/3/2024	21	12.9	13.0	13.2	14.9	13.4	13.5	13.3	13.1
5/3/2024	22	12.8	12.9	12.9	14.4	13.3	13.3	13.2	13.0
5/3/2024	23	12.7	12.8	12.7	13.9	13.2	13.2	13.2	12.7
5/3/2024	24	12.6	12.8	12.6	13.5	13.1	13.0	13.2	12.6
5/4/2024	1	12.6	12.8	12.5	13.1	13.0	13.0	13.2	12.4
5/4/2024	2	12.6	12.8	12.4	12.9	12.9	12.9	13.2	12.6
5/4/2024	3	12.6	12.8	12.4	12.8	12.9	12.9	13.2	12.7
5/4/2024	4	12.6	12.8	12.3	12.7	12.8	12.8	13.1	12.7
5/4/2024	5	12.6	12.8	12.3	12.6	12.8	12.8	13.1	12.6
5/4/2024	6	12.6	12.8	12.2	12.5	12.8	12.8	13.1	12.6
5/4/2024	7	12.6	12.7	12.2	12.4	12.7	12.7	13.0	12.8
5/4/2024	8	12.5	12.6	12.3	12.4	12.6	12.6	13.0	12.6
5/4/2024	9	12.3	12.5	12.4	12.5	12.4	12.5	12.9	12.4
5/4/2024	10	12.2	12.3	12.5	12.5	12.3	12.3	12.8	12.3
5/4/2024	11	12.1	12.2	12.6	12.5	12.3	12.3	12.7	12.2
5/4/2024	12	12.0	12.2	12.6	12.7	12.3	12.3	12.6	12.2
5/4/2024	13	12.0	12.2	12.6	12.8	12.3	12.4	12.6	12.2
5/4/2024	14	12.0	12.2	12.7	12.9	12.3	12.4	12.5	12.2
5/4/2024	15	12.0	12.2	12.8	13.0	12.3	12.4	12.5	12.2
5/4/2024	16	12.0	12.2	12.8	13.0	12.3	12.4	12.4	12.2
5/4/2024	17	12.0	12.2	12.8	13.1	12.3	12.4	12.4	12.2
5/4/2024	18	12.0	12.1	12.7	13.1	12.3	12.4	12.4	12.2
5/4/2024	19	12.0	12.1	12.5	13.1	12.3	12.3	12.4	12.1
5/4/2024	20	12.0	12.1	12.3	13.0	12.3	12.3	12.3	12.1
5/4/2024	21	12.0	12.1	12.1	12.9	12.2	12.3	12.3	12.1
5/4/2024	22	11.9	12.1	11.9	12.8	12.1	12.2	12.3	12.0
5/4/2024	23	11.9	12.0	11.8	12.6	12.1	12.1	12.3	10.8
5/4/2024	24	11.8	11.9	11.7	12.4	12.1	12.1	12.3	10.1
5/5/2024	1	11.8	11.9	11.6	12.2	12.0	12.0	12.2	10.2
5/5/2024	2	11.8	11.9	11.6	12.1	12.0	12.0	12.2	10.0
5/5/2024	3	11.8	11.9	11.5	12.0	12.0	12.0	12.2	10.1
5/5/2024	4	11.7	11.9	11.4	11.9	11.9	11.9	12.2	9.2
5/5/2024	5	11.7	11.8	11.3	11.8	11.9	11.9	12.2	8.4
5/5/2024	6	11.7	11.8	11.2	11.7	11.9	11.9	12.2	8.2
5/5/2024	7	11.7	11.8	11.2	11.6	11.8	11.8	12.2	9.1
5/5/2024	8	11.7	11.8	11.4	11.6	11.8	11.8	12.2	10.2
5/5/2024	9	11.7	11.9	11.6	11.6	11.8	11.8	12.3	11.1
5/5/2024	10	11.7	11.9	12.1	11.7	11.8	11.9	12.3	12.3
5/5/2024	11	11.7	12.0	12.7	12.0	11.9	12.1	12.3	14.1
5/5/2024	12	11.7	12.0	13.1	12.2	12.0	12.1	12.4	15.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/5/2024	13	11.8	12.1	13.6	12.7	12.1	12.3	12.4	15.9
5/5/2024	14	11.9	12.2	13.9	13.2	12.3	12.5	12.5	16.0
5/5/2024	15	11.9	12.1	13.9	13.5	12.4	12.6	12.5	15.5
5/5/2024	16	11.9	12.1	13.7	13.8	12.5	12.7	12.6	14.9
5/5/2024	17	11.9	12.2	13.4	14.0	12.6	12.8	12.6	15.7
5/5/2024	18	11.9	12.1	13.2	13.9	12.7	12.8	12.6	15.3
5/5/2024	19	11.9	12.1	12.8	13.7	12.7	12.8	12.7	14.2
5/5/2024	20	11.9	12.1	12.4	13.5	12.7	12.8	12.7	13.5
5/5/2024	21	11.9	12.1	12.0	13.2	12.7	12.7	12.7	11.9
5/5/2024	22	12.0	12.1	11.7	12.8	12.6	12.6	12.8	11.5
5/5/2024	23	12.0	12.1	11.5	12.5	12.6	12.5	12.8	12.2
5/5/2024	24	12.0	12.1	11.3	12.1	12.5	12.4	12.8	10.3
5/6/2024	1	12.0	12.1	11.2	11.8	12.4	12.3	12.8	10.7
5/6/2024	2	12.0	12.1	11.1	11.5	12.3	12.2	12.7	12.1
5/6/2024	3	12.0	12.1	11.1	11.4	12.2	12.1	12.7	12.0
5/6/2024	4	12.0	12.1	11.0	11.2	12.1	12.0	12.6	11.9
5/6/2024	5	11.9	12.0	11.0	11.2	11.9	11.9	12.5	12.0
5/6/2024	6	11.9	12.0	10.9	11.1	11.9	11.9	12.4	12.0
5/6/2024	7	11.9	12.0	10.9	11.0	11.8	11.8	12.4	12.1
5/6/2024	8	11.8	12.0	11.2	11.1	11.8	11.8	12.3	12.0
5/6/2024	9	11.8	12.0	11.8	11.3	11.8	11.9	12.3	11.9
5/6/2024	10	11.8	12.1	12.5	11.5	11.8	12.0	12.3	12.0
5/6/2024	11	11.8	12.1	13.4	11.8	11.9	12.1	12.4	12.1
5/6/2024	12	11.9	12.2	14.5	12.4	12.1	12.3	12.5	12.1
5/6/2024	13	12.0	12.4	15.0	13.4	12.3	12.6	12.6	12.2
5/6/2024	14	12.1	12.5	15.6	14.3	12.6	12.8	12.7	12.4
5/6/2024	15	12.3	12.6	15.8	15.1	12.8	13.1	12.8	12.6
5/6/2024	16	12.4	12.7	15.7	15.4	13.0	13.3	12.9	12.7
5/6/2024	17	12.5	12.8	15.3	15.7	13.2	13.4	12.9	12.8
5/6/2024	18	12.6	12.8	14.6	15.7	13.3	13.4	12.9	12.9
5/6/2024	19	12.6	12.8	13.7	15.3	13.2	13.3	12.9	12.8
5/6/2024	20	12.6	12.8	12.8	14.8	13.2	13.2	13.0	12.8
5/6/2024	21	12.5	12.6	12.2	14.3	13.0	13.0	13.0	12.8
5/6/2024	22	12.4	12.5	11.7	13.6	12.8	12.8	13.0	12.6
5/6/2024	23	12.3	12.4	11.5	12.9	12.7	12.6	12.9	12.1
5/6/2024	24	12.3	12.4	11.4	12.4	12.5	12.5	12.9	12.1
5/7/2024	1	12.3	12.3	11.3	12.0	12.4	12.4	12.8	12.2
5/7/2024	2	12.2	12.3	11.2	11.7	12.3	12.3	12.7	12.3
5/7/2024	3	12.2	12.3	11.1	11.4	12.2	12.2	12.7	12.2
5/7/2024	4	12.2	12.2	11.0	11.3	12.1	12.1	12.6	12.2
5/7/2024	5	12.1	12.2	10.9	11.1	12.0	12.0	12.6	12.1
5/7/2024	6	12.1	12.2	10.8	11.0	11.9	11.9	12.5	12.2
5/7/2024	7	12.1	12.2	10.8	10.9	12.0	12.0	12.5	12.3
5/7/2024	8	12.0	12.2	11.2	11.1	11.9	12.0	12.6	12.2
5/7/2024	9	12.0	12.2	11.7	11.2	11.9	12.0	12.6	12.1
5/7/2024	10	11.9	12.2	12.4	11.4	11.9	12.0	12.6	12.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/7/2024	11	12.0	12.3	13.3	11.7	12.0	12.2	12.6	12.2
5/7/2024	12	12.0	12.4	14.2	12.3	12.2	12.3	12.6	12.2
5/7/2024	13	12.1	12.4	14.8	13.0	12.4	12.6	12.6	12.4
5/7/2024	14	12.2	12.6	15.6	14.0	12.6	12.9	12.7	12.5
5/7/2024	15	12.3	12.7	15.9	14.8	12.8	13.2	12.8	12.7
5/7/2024	16	12.5	12.8	15.9	15.3	13.1	13.4	13.0	12.8
5/7/2024	17	12.6	12.9	15.4	15.7	13.3	13.6	13.1	13.0
5/7/2024	18	12.7	13.0	14.9	15.9	13.4	13.6	13.2	13.0
5/7/2024	19	12.7	12.9	14.1	15.7	13.4	13.5	13.1	13.0
5/7/2024	20	12.7	12.8	13.2	15.2	13.4	13.4	13.1	12.9
5/7/2024	21	12.6	12.8	12.5	14.7	13.2	13.2	13.1	12.8
5/7/2024	22	12.6	12.7	12.0	14.2	13.0	13.0	13.0	12.7
5/7/2024	23	12.5	12.6	11.7	13.4	12.9	12.8	13.0	12.3
5/7/2024	24	12.4	12.5	11.5	12.8	12.7	12.7	13.0	11.6
5/8/2024	1	12.4	12.5	11.4	12.3	12.6	12.6	12.9	12.3
5/8/2024	2	12.3	12.4	11.4	11.9	12.5	12.5	12.9	12.5
5/8/2024	3	12.3	12.4	11.3	11.6	12.4	12.4	12.8	12.5
5/8/2024	4	12.3	12.4	11.2	11.4	12.3	12.3	12.8	12.3
5/8/2024	5	12.3	12.4	11.1	11.3	12.2	12.2	12.7	12.3
5/8/2024	6	12.2	12.3	11.0	11.2	12.1	12.1	12.6	12.4
5/8/2024	7	12.2	12.3	11.0	11.1	12.1	12.1	12.6	12.3
5/8/2024	8	12.1	12.2	11.3	11.2	11.9	12.0	12.5	12.1
5/8/2024	9	11.9	12.1	11.8	11.3	11.8	11.9	12.4	12.0
5/8/2024	10	11.9	12.1	12.6	11.5	11.9	12.0	12.3	12.0
5/8/2024	11	11.9	12.2	13.7	11.9	12.0	12.2	12.4	12.1
5/8/2024	12	12.0	12.3	14.7	12.6	12.2	12.4	12.4	12.2
5/8/2024	13	12.1	12.5	15.5	13.5	12.4	12.7	12.5	12.4
5/8/2024	14	12.2	12.6	16.0	14.5	12.7	13.0	12.6	12.5
5/8/2024	15	12.3	12.8	16.3	15.4	13.0	13.3	12.7	12.7
5/8/2024	16	12.5	12.8	16.4	16.0	13.2	13.5	12.8	12.7
5/8/2024	17	12.5	12.8	16.2	16.4	13.3	13.6	12.9	12.8
5/8/2024	18	12.6	12.9	15.7	16.6	13.4	13.7	13.0	12.9
5/8/2024	19	12.7	13.0	14.9	16.5	13.5	13.7	13.1	12.9
5/8/2024	20	12.7	12.9	14.1	16.2	13.4	13.6	13.1	13.0
5/8/2024	21	12.7	12.9	13.4	15.7	13.4	13.5	13.2	13.0
5/8/2024	22	12.7	12.8	12.8	15.2	13.3	13.4	13.2	12.9
5/8/2024	23	12.6	12.8	12.5	14.5	13.2	13.2	13.2	12.8
5/8/2024	24	12.6	12.8	12.2	13.9	13.1	13.1	13.2	12.6
5/9/2024	1	12.6	12.7	12.1	13.3	13.0	13.0	13.2	12.7
5/9/2024	2	12.6	12.7	11.9	12.8	12.9	12.9	13.2	12.8
5/9/2024	3	12.6	12.7	11.8	12.5	12.8	12.8	13.2	12.8
5/9/2024	4	12.5	12.6	11.6	12.3	12.8	12.8	13.2	12.8
5/9/2024	5	12.5	12.6	11.5	12.1	12.7	12.7	13.2	12.7
5/9/2024	6	12.5	12.6	11.4	11.9	12.6	12.6	13.1	12.7
5/9/2024	7	12.5	12.6	11.4	11.8	12.5	12.5	13.1	12.7
5/9/2024	8	12.4	12.6	11.8	11.9	12.4	12.4	13.1	12.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/9/2024	9	12.4	12.7	12.4	12.1	12.4	12.5	13.1	12.6
5/9/2024	10	12.4	12.7	13.2	12.2	12.5	12.6	13.1	12.6
5/9/2024	11	12.5	12.8	14.2	12.6	12.6	12.8	13.0	12.7
5/9/2024	12	12.5	12.9	15.4	13.3	12.8	13.1	13.0	12.8
5/9/2024	13	12.7	13.1	16.3	14.2	13.1	13.4	13.1	13.0
5/9/2024	14	12.8	13.3	16.9	15.2	13.4	13.7	13.1	13.2
5/9/2024	15	13.0	13.4	17.2	16.2	13.7	14.0	13.2	13.3
5/9/2024	16	13.0	13.4	17.3	16.8	13.8	14.2	13.2	13.3
5/9/2024	17	13.0	13.4	17.0	17.2	13.9	14.2	13.3	13.3
5/9/2024	18	13.0	13.3	16.4	17.5	13.9	14.2	13.4	13.3
5/9/2024	19	13.0	13.3	15.7	17.4	13.8	14.1	13.4	13.2
5/9/2024	20	13.0	13.1	14.8	17.1	13.7	13.9	13.4	13.1
5/9/2024	21	12.9	13.0	14.1	16.6	13.6	13.8	13.3	13.0
5/9/2024	22	12.8	12.9	13.5	16.1	13.5	13.6	13.3	12.9
5/9/2024	23	12.7	12.8	13.0	15.3	13.4	13.4	13.2	12.8
5/9/2024	24	12.7	12.8	12.7	14.6	13.2	13.3	13.2	12.8
5/10/2024	1	12.6	12.8	12.5	14.0	13.2	13.2	13.2	11.3
5/10/2024	2	12.6	12.8	12.3	13.5	13.2	13.2	13.2	12.8
5/10/2024	3	12.6	12.7	12.1	13.1	13.1	13.1	13.2	12.8
5/10/2024	4	12.6	12.7	12.0	12.8	13.0	13.0	13.2	12.7
5/10/2024	5	12.6	12.7	11.8	12.5	12.9	12.9	13.2	12.7
5/10/2024	6	12.5	12.7	11.7	12.3	12.8	12.8	13.2	11.2
5/10/2024	7	12.5	12.7	11.7	12.2	12.7	12.7	13.2	12.6
5/10/2024	8	12.5	12.7	12.1	12.3	12.6	12.6	13.2	12.6
5/10/2024	9	12.5	12.8	12.8	12.4	12.6	12.7	13.2	12.5
5/10/2024	10	12.5	12.8	13.6	12.6	12.6	12.8	13.2	12.6
5/10/2024	11	12.5	12.8	14.6	12.9	12.7	12.9	13.2	12.8
5/10/2024	12	12.6	13.0	15.7	13.7	12.9	13.2	13.2	12.8
5/10/2024	13	12.8	13.2	16.7	14.7	13.2	13.5	13.2	13.0
5/10/2024	14	12.9	13.4	17.3	15.8	13.5	13.9	13.3	13.3
5/10/2024	15	13.1	13.6	17.7	16.8	13.9	14.2	13.5	13.5
5/10/2024	16	13.3	13.8	17.7	17.4	14.2	14.6	13.6	13.7
5/10/2024	17	13.5	13.9	17.5	17.9	14.3	14.7	13.8	13.8
5/10/2024	18	13.7	14.1	17.0	18.2	14.5	14.9	13.9	13.9
5/10/2024	19	13.7	14.1	16.2	18.1	14.5	14.8	14.1	13.9
5/10/2024	20	13.7	14.0	15.4	17.7	14.4	14.7	14.0	13.9
5/10/2024	21	13.7	14.0	14.7	17.3	14.3	14.5	14.0	13.8
5/10/2024	22	13.7	13.9	14.2	16.7	14.2	14.4	14.0	13.7
5/10/2024	23	13.6	13.8	13.9	16.0	14.2	14.2	13.9	13.6
5/10/2024	24	13.5	13.6	13.6	15.4	14.0	14.1	13.9	13.7
5/11/2024	1	13.4	13.6	13.4	14.8	14.0	14.0	14.0	13.8
5/11/2024	2	13.4	13.6	13.3	14.4	14.0	14.0	14.1	13.8
5/11/2024	3	13.4	13.5	13.1	14.0	13.9	13.9	14.2	13.9
5/11/2024	4	13.4	13.5	12.9	13.8	13.8	13.8	14.1	13.8
5/11/2024	5	13.3	13.5	12.8	13.6	13.8	13.8	14.0	13.8
5/11/2024	6	13.3	13.4	12.7	13.4	13.7	13.7	13.9	13.8

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/11/2024	7	13.3	13.5	12.7	13.2	13.5	13.5	13.8	13.4
5/11/2024	8	13.2	13.5	13.0	13.3	13.4	13.4	13.8	13.5
5/11/2024	9	13.3	13.6	13.6	13.3	13.4	13.5	13.8	13.4
5/11/2024	10	13.3	13.6	14.3	13.5	13.4	13.6	13.8	13.4
5/11/2024	11	13.3	13.7	15.3	13.9	13.5	13.7	13.9	13.5
5/11/2024	12	13.4	13.9	16.5	14.7	13.7	14.0	14.0	13.6
5/11/2024	13	13.6	14.1	17.4	15.5	14.1	14.4	14.0	13.9
5/11/2024	14	13.8	14.4	18.2	16.6	14.4	14.7	14.1	14.1
5/11/2024	15	13.9	14.4	18.5	17.5	14.6	15.0	14.2	14.2
5/11/2024	16	14.0	14.5	18.5	18.1	14.8	15.2	14.3	14.3
5/11/2024	17	14.2	14.6	18.2	18.6	15.0	15.4	14.4	14.5
5/11/2024	18	14.2	14.6	17.7	18.9	15.1	15.5	14.5	14.5
5/11/2024	19	14.2	14.6	16.9	18.7	15.2	15.4	14.7	14.6
5/11/2024	20	14.3	14.6	16.1	18.3	15.2	15.4	14.8	14.7
5/11/2024	21	14.5	14.7	15.3	17.9	15.2	15.4	14.9	14.7
5/11/2024	22	14.5	14.8	14.7	17.3	15.2	15.3	14.9	14.7
5/11/2024	23	14.5	14.7	14.4	16.6	15.1	15.2	14.9	14.5
5/11/2024	24	14.4	14.7	14.1	16.0	15.0	15.0	14.9	14.4
5/12/2024	1	14.5	14.7	14.1	15.4	14.9	14.9	14.9	14.3
5/12/2024	2	14.5	14.7	14.0	14.9	14.8	14.8	14.9	13.9
5/12/2024	3	14.5	14.7	13.8	14.6	14.7	14.7	15.0	14.1
5/12/2024	4	14.5	14.7	13.7	14.3	14.6	14.6	15.0	13.8
5/12/2024	5	14.5	14.7	13.7	14.1	14.6	14.6	15.0	13.0
5/12/2024	6	14.5	14.7	13.6	14.0	14.5	14.5	14.9	12.9
5/12/2024	7	14.4	14.7	13.6	13.9	14.4	14.4	15.0	12.9
5/12/2024	8	14.5	14.8	14.0	14.0	14.4	14.4	15.0	12.4
5/12/2024	9	14.5	14.9	14.6	14.2	14.4	14.5	15.0	14.2
5/12/2024	10	14.6	15.0	15.4	14.4	14.5	14.6	15.1	14.2
5/12/2024	11	14.7	15.2	16.4	14.8	14.6	14.8	15.1	14.6
5/12/2024	12	14.8	15.3	17.5	15.5	14.9	15.1	15.2	15.5
5/12/2024	13	14.9	15.4	18.4	16.4	15.2	15.5	15.4	16.1
5/12/2024	14	15.0	15.6	19.1	17.5	15.5	15.9	15.6	16.7
5/12/2024	15	15.1	15.7	19.5	18.4	15.9	16.3	15.8	16.4
5/12/2024	16	15.1	15.7	19.5	19.0	16.2	16.6	16.1	16.4
5/12/2024	17	15.1	15.6	19.1	19.4	16.6	16.9	16.3	16.3
5/12/2024	18	15.1	15.6	18.6	19.7	16.7	17.1	16.5	16.4
5/12/2024	19	15.1	15.6	17.8	19.5	16.8	17.1	16.7	16.5
5/12/2024	20	15.2	15.6	16.8	19.1	16.8	17.0	16.7	16.5
5/12/2024	21	15.3	15.7	16.0	18.6	16.8	17.0	16.7	16.5
5/12/2024	22	15.3	15.8	15.4	18.0	16.8	16.8	16.7	16.5
5/12/2024	23	15.4	15.8	15.0	17.3	16.7	16.7	16.7	16.4
5/12/2024	24	15.5	15.9	14.8	16.5	16.5	16.5	16.7	16.2
5/13/2024	1	15.6	16.1	14.7	15.9	16.4	16.4	16.6	16.1
5/13/2024	2	15.7	16.2	14.7	15.4	16.2	16.2	16.6	16.2
5/13/2024	3	15.8	16.3	14.8	15.2	16.1	16.1	16.5	16.3
5/13/2024	4	15.9	16.4	14.8	15.0	15.9	16.0	16.4	16.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/13/2024	5	16.0	16.5	14.9	14.9	15.8	15.8	16.3	16.1
5/13/2024	6	16.1	16.5	14.9	14.8	15.7	15.7	16.0	16.0
5/13/2024	7	16.5	16.8	15.0	14.8	16.0	15.9	16.3	16.7
5/13/2024	8	16.5	16.9	15.4	15.0	16.4	16.5	16.9	16.8
5/13/2024	9	16.4	16.8	16.0	15.3	16.4	16.6	17.0	16.7
5/13/2024	10	16.2	16.7	16.8	15.5	16.4	16.6	17.0	16.6
5/13/2024	11	16.2	16.7	17.9	15.9	16.5	16.7	17.1	16.6
5/13/2024	12	16.3	16.9	18.9	16.6	16.7	16.9	17.1	16.7
5/13/2024	13	16.5	17.0	19.6	17.6	16.9	17.2	17.2	16.8
5/13/2024	14	16.7	17.2	20.0	18.5	17.2	17.5	15.3	17.0
5/13/2024	15	16.7	17.3	20.1	19.3	17.5	17.8	11.6	17.1
5/13/2024	16	16.8	17.3	19.6	19.8	17.7	17.9	17.4	17.2
5/13/2024	17	16.9	17.3	18.9	20.0	17.7	17.9	17.4	17.2
5/13/2024	18	16.9	17.3	18.0	19.9	17.7	17.9	17.5	17.2
5/13/2024	19	17.0	17.3	17.3	19.5	17.7	17.8	17.5	17.2
5/13/2024	20	17.0	17.4	16.7	18.9	17.6	17.7	17.5	17.2
5/13/2024	21	17.0	17.3	16.3	18.2	17.5	17.6	17.5	17.2
5/13/2024	22	16.9	17.2	16.0	17.5	17.4	17.4	17.4	17.0
5/13/2024	23	16.9	17.2	15.7	16.9	17.2	17.2	17.4	13.8
5/13/2024	24	16.9	17.2	15.6	16.4	17.0	17.0	17.3	16.2
5/14/2024	1	16.8	17.1	15.5	16.1	16.9	16.9	17.3	16.9
5/14/2024	2	16.8	17.1	15.4	15.8	16.7	16.7	17.2	16.8
5/14/2024	3	16.7	17.0	15.4	15.6	16.6	16.6	17.2	16.8
5/14/2024	4	16.7	17.0	15.3	15.4	16.4	16.4	17.1	16.7
5/14/2024	5	16.7	16.9	15.2	15.3	16.3	16.3	17.1	16.6
5/14/2024	6	16.7	16.9	15.1	15.2	16.2	16.2	17.1	16.4
5/14/2024	7	16.6	16.9	15.2	15.1	16.5	16.6	17.1	16.9
5/14/2024	8	16.6	16.9	15.5	15.2	16.5	16.6	17.3	16.8
5/14/2024	9	16.6	17.0	16.2	15.5	16.5	16.7	17.2	16.7
5/14/2024	10	16.5	16.9	17.0	15.7	16.6	16.7	17.2	16.6
5/14/2024	11	16.5	16.9	17.9	16.0	16.7	16.8	17.1	16.6
5/14/2024	12	16.5	17.0	18.9	16.7	16.8	17.0	17.1	16.7
5/14/2024	13	16.5	17.1	19.8	17.7	17.1	17.3	17.2	17.0
5/14/2024	14	16.6	17.2	20.3	18.7	17.3	17.6	17.3	17.1
5/14/2024	15	16.7	17.3	20.5	19.5	17.5	17.8	17.5	17.3
5/14/2024	16	16.8	17.3	20.4	20.0	17.7	18.1	17.6	17.4
5/14/2024	17	16.9	17.4	20.2	20.4	18.0	18.3	17.7	17.5
5/14/2024	18	17.0	17.5	19.6	20.6	18.1	18.3	17.9	17.6
5/14/2024	19	17.1	17.5	18.9	20.3	18.1	18.3	17.9	17.6
5/14/2024	20	17.1	17.5	18.0	19.9	18.1	18.2	18.0	17.7
5/14/2024	21	17.3	17.7	17.3	19.4	18.1	18.2	18.0	17.8
5/14/2024	22	17.4	17.8	16.8	18.9	18.1	18.1	18.1	17.8
5/14/2024	23	17.5	17.8	16.4	18.2	17.9	17.9	18.0	17.7
5/14/2024	24	17.5	17.8	16.2	17.6	17.8	17.8	18.0	17.7
5/15/2024	1	17.5	17.8	16.1	17.0	17.6	17.6	17.9	17.7
5/15/2024	2	17.4	17.7	16.0	16.7	17.5	17.5	17.9	17.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/15/2024	3	17.4	17.7	15.9	16.3	17.3	17.3	17.8	17.5
5/15/2024	4	17.3	17.6	15.8	16.1	17.2	17.2	17.8	17.5
5/15/2024	5	17.3	17.6	15.7	15.9	17.1	17.1	17.7	17.4
5/15/2024	6	17.2	17.5	15.6	15.8	16.9	16.9	17.8	17.2
5/15/2024	7	17.2	17.5	15.7	15.7	17.2	17.2	17.8	17.5
5/15/2024	8	17.2	17.5	15.9	15.7	17.1	17.2	17.7	17.5
5/15/2024	9	17.2	17.5	16.4	15.8	17.1	17.2	17.7	17.4
5/15/2024	10	17.0	17.4	17.2	16.2	17.1	17.2	17.7	17.3
5/15/2024	11	16.9	17.3	18.1	16.5	17.1	17.3	17.6	17.2
5/15/2024	12	16.9	17.3	19.0	17.1	17.2	17.4	17.6	17.2
5/15/2024	13	16.9	17.4	19.9	17.9	17.4	17.6	17.5	17.3
5/15/2024	14	16.9	17.4	20.3	18.7	17.5	17.8	17.5	17.2
5/15/2024	15	16.9	17.5	20.7	19.6	17.7	18.0	17.6	17.3
5/15/2024	16	17.0	17.5	20.6	20.2	17.8	18.2	17.7	17.4
5/15/2024	17	17.1	17.6	20.4	20.6	18.0	18.4	17.8	17.6
5/15/2024	18	17.2	17.7	19.9	20.8	18.2	18.5	17.8	17.7
5/15/2024	19	17.2	17.7	19.1	20.7	18.3	18.5	17.9	17.8
5/15/2024	20	17.3	17.7	18.3	20.2	18.3	18.5	18.0	17.8
5/15/2024	21	17.4	17.8	17.6	19.8	18.3	18.4	18.1	17.8
5/15/2024	22	17.5	17.8	17.1	19.2	18.2	18.2	18.1	17.8
5/15/2024	23	17.5	17.8	16.8	18.5	18.0	18.1	18.1	17.6
5/15/2024	24	17.6	17.9	16.7	17.9	17.9	17.9	18.0	17.7
5/16/2024	1	17.6	17.9	16.6	17.4	17.7	17.7	18.0	17.7
5/16/2024	2	17.5	17.8	16.6	17.1	17.7	17.7	17.9	17.8
5/16/2024	3	17.5	17.8	16.5	16.9	17.5	17.6	17.8	17.7
5/16/2024	4	17.5	17.8	16.5	16.7	17.4	17.4	17.8	17.6
5/16/2024	5	17.5	17.8	16.4	16.6	17.3	17.3	17.7	17.4
5/16/2024	6	17.5	17.7	16.3	16.5	17.2	17.2	17.7	17.3
5/16/2024	7	17.4	17.7	16.3	16.5	17.4	17.5	17.9	17.7
5/16/2024	8	17.4	17.7	16.3	16.5	17.4	17.4	17.9	17.6
5/16/2024	9	17.4	17.7	16.9	16.6	17.4	17.5	17.8	17.6
5/16/2024	10	17.3	17.6	17.5	16.6	17.2	17.3	17.7	17.5
5/16/2024	11	17.2	17.5	18.5	17.1	17.3	17.4	17.6	17.4
5/16/2024	12	17.2	17.5	19.2	17.9	17.6	17.8	17.5	17.5
5/16/2024	13	17.2	17.5	19.4	19.1	18.6	18.8	17.7	17.5
5/16/2024	14	17.2	17.6	19.5	19.9	19.5	19.8	17.8	17.5
5/16/2024	15	17.3	17.7	19.5	20.0	19.8	20.1	17.7	17.7
5/16/2024	16	17.4	17.6	18.7	19.8	19.7	19.9	17.7	17.6
5/16/2024	17	17.4	17.7	17.7	19.4	19.4	19.5	17.7	17.6
5/16/2024	18	17.4	17.6	17.0	18.7	18.8	18.9	17.7	17.6
5/16/2024	19	17.3	17.6	16.7	17.9	18.1	18.1	17.7	17.6
5/16/2024	20	17.3	17.5	16.4	17.3	17.4	17.4	17.7	17.5
5/16/2024	21	17.2	17.4	16.1	16.8	16.9	16.9	17.7	17.5
5/16/2024	22	17.1	17.3	15.7	16.4	16.5	16.4	17.6	17.3
5/16/2024	23	16.9	17.1	15.3	16.0	16.2	16.0	17.5	17.1
5/16/2024	24	16.9	17.0	15.1	15.7	15.8	15.7	17.5	17.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/17/2024	1	16.8	17.0	14.9	15.3	15.5	15.3	17.4	17.0
5/17/2024	2	16.8	16.9	14.8	15.0	15.2	15.0	17.3	16.9
5/17/2024	3	16.7	16.9	14.8	14.7	14.9	14.7	17.3	16.8
5/17/2024	4	16.7	16.8	14.8	14.6	14.7	14.5	17.2	16.8
5/17/2024	5	16.6	16.7	14.8	14.5	14.5	14.3	17.2	16.7
5/17/2024	6	16.6	16.7	14.7	14.4	14.4	14.2	17.2	16.6
5/17/2024	7	16.5	16.7	14.6	14.3	14.3	14.1	17.3	16.8
5/17/2024	8	16.5	16.7	14.8	14.6	14.4	14.3	17.2	16.7
5/17/2024	9	16.4	16.7	15.3	14.9	14.5	14.6	17.1	16.6
5/17/2024	10	16.2	16.5	16.1	14.9	14.6	14.9	17.0	16.5
5/17/2024	11	16.0	16.3	17.0	15.2	14.9	15.2	16.8	16.2
5/17/2024	12	16.0	16.3	17.8	16.0	15.5	15.8	16.7	16.2
5/17/2024	13	16.0	16.4	18.5	16.8	16.2	16.7	16.6	16.3
5/17/2024	14	16.0	16.3	18.9	17.6	17.1	17.5	16.5	16.2
5/17/2024	15	15.9	16.3	19.0	18.3	17.7	18.1	16.4	16.2
5/17/2024	16	15.9	16.3	19.0	18.6	18.3	18.6	16.4	16.2
5/17/2024	17	16.0	16.3	18.7	18.8	18.7	19.0	16.5	16.3
5/17/2024	18	16.1	16.3	17.7	18.9	18.7	18.7	16.5	16.3
5/17/2024	19	16.2	16.4	16.9	18.6	18.5	18.5	16.6	16.3
5/17/2024	20	16.2	16.3	16.1	18.0	18.1	18.1	16.6	16.4
5/17/2024	21	16.2	16.3	15.4	17.5	17.6	17.6	16.6	16.4
5/17/2024	22	16.2	16.3	15.0	16.8	17.0	17.0	16.7	16.5
5/17/2024	23	16.2	16.3	14.7	16.2	16.4	16.3	16.7	16.3
5/17/2024	24	16.2	16.3	14.6	15.6	15.8	15.7	16.7	16.3
5/18/2024	1	16.2	16.3	14.5	15.1	15.3	15.2	16.7	16.3
5/18/2024	2	16.2	16.2	14.4	14.7	14.9	14.7	16.7	16.2
5/18/2024	3	16.1	16.2	14.3	14.5	14.6	14.4	16.7	16.1
5/18/2024	4	16.1	16.1	14.3	14.2	14.4	14.2	16.6	16.1
5/18/2024	5	16.1	16.1	14.2	14.1	14.2	14.1	16.6	16.1
5/18/2024	6	16.0	16.1	14.2	14.1	14.1	14.0	16.6	16.1
5/18/2024	7	16.0	16.2	14.4	14.1	14.1	14.1	16.6	16.3
5/18/2024	8	16.0	16.2	14.8	14.3	14.2	14.2	16.6	16.3
5/18/2024	9	16.0	16.2	15.2	14.5	14.2	14.3	16.5	16.2
5/18/2024	10	15.9	16.2	15.9	14.9	14.5	14.7	16.5	16.1
5/18/2024	11	15.8	16.1	16.9	15.5	14.9	15.3	16.4	16.1
5/18/2024	12	15.8	16.1	17.5	15.7	15.4	15.7	16.4	16.1
5/18/2024	13	15.8	16.0	17.6	16.2	15.8	15.9	16.3	16.1
5/18/2024	14	15.8	16.0	17.3	16.8	16.4	16.5	16.3	16.0
5/18/2024	15	15.8	16.0	16.8	17.2	16.8	17.0	16.2	16.0
5/18/2024	16	15.8	16.1	16.4	17.3	17.0	17.2	16.2	16.1
5/18/2024	17	15.8	16.0	16.1	17.1	17.0	17.2	16.2	16.0
5/18/2024	18	15.8	16.0	16.0	16.9	16.8	17.0	16.2	16.0
5/18/2024	19	15.8	16.0	15.6	16.5	16.5	16.5	16.2	16.0
5/18/2024	20	15.8	15.9	15.4	16.2	16.2	16.2	16.2	16.0
5/18/2024	21	15.8	15.9	15.1	15.9	16.0	15.9	16.2	15.9
5/18/2024	22	15.7	15.8	14.9	15.6	15.7	15.6	16.2	15.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/18/2024	23	15.7	15.8	14.7	15.3	15.4	15.3	16.2	15.8
5/18/2024	24	15.7	15.7	14.5	15.0	15.1	15.0	16.1	15.7
5/19/2024	1	15.6	15.7	14.3	14.7	14.8	14.7	16.1	15.7
5/19/2024	2	15.6	15.6	14.1	14.4	14.6	14.4	16.0	15.6
5/19/2024	3	15.5	15.5	14.0	14.2	14.3	14.2	16.0	15.6
5/19/2024	4	15.5	15.5	13.8	14.0	14.1	14.0	15.9	15.6
5/19/2024	5	15.5	15.5	13.7	13.8	13.9	13.8	15.9	15.5
5/19/2024	6	15.4	15.5	13.6	13.7	13.8	13.6	15.8	15.5
5/19/2024	7	15.4	15.5	13.6	13.6	13.6	13.4	15.8	15.4
5/19/2024	8	15.4	15.5	14.0	13.9	13.6	13.5	15.9	15.0
5/19/2024	9	15.4	15.6	14.7	14.0	13.7	13.8	16.0	15.4
5/19/2024	10	15.4	15.7	15.5	14.3	13.9	14.2	16.2	15.7
5/19/2024	11	15.4	15.7	16.6	14.6	14.2	14.5	16.2	15.7
5/19/2024	12	15.5	15.7	17.1	15.1	14.7	14.9	16.3	16.3
5/19/2024	13	15.5	15.8	17.4	16.0	15.4	15.7	16.3	16.3
5/19/2024	14	15.6	15.9	17.7	16.9	16.2	16.6	16.4	16.1
5/19/2024	15	15.6	16.0	18.0	17.4	16.9	17.5	16.4	16.6
5/19/2024	16	15.7	16.1	18.1	17.7	17.2	17.5	16.4	16.5
5/19/2024	17	15.8	16.1	18.1	17.8	17.6	17.9	16.3	16.4
5/19/2024	18	15.8	16.1	17.8	17.9	17.7	18.0	16.3	16.5
5/19/2024	19	15.9	16.2	17.4	17.9	17.8	17.9	16.3	16.3
5/19/2024	20	16.0	16.2	16.7	17.7	17.6	17.7	16.3	16.4
5/19/2024	21	15.9	16.1	16.2	17.6	17.5	17.5	16.3	16.5
5/19/2024	22	15.9	16.1	15.7	17.2	17.3	17.3	16.3	16.4
5/19/2024	23	15.9	16.1	15.2	16.7	16.8	16.8	16.2	16.2
5/19/2024	24	15.9	16.1	14.8	16.2	16.3	16.3	16.2	16.0
5/20/2024	1	16.0	16.1	14.6	15.6	15.8	15.7	16.1	15.9
5/20/2024	2	16.0	16.1	14.4	15.2	15.3	15.2	16.1	15.8
5/20/2024	3	16.0	16.1	14.3	14.7	14.9	14.8	16.1	15.7
5/20/2024	4	15.9	16.0	14.2	14.4	14.6	14.4	16.0	15.7
5/20/2024	5	15.9	16.0	14.2	14.2	14.3	14.1	16.0	15.6
5/20/2024	6	15.9	15.9	14.1	14.0	14.1	13.9	15.9	15.5
5/20/2024	7	15.8	16.0	14.1	13.9	14.0	13.8	16.0	16.0
5/20/2024	8	15.8	16.0	14.5	14.2	14.0	14.0	16.1	16.0
5/20/2024	9	15.7	16.0	15.2	14.5	14.1	14.2	16.2	15.9
5/20/2024	10	15.7	16.0	15.9	14.6	14.3	14.6	16.3	15.9
5/20/2024	11	15.7	16.0	16.9	15.1	14.6	15.0	16.3	16.0
5/20/2024	12	15.8	16.1	17.9	15.8	15.3	15.7	16.4	16.1
5/20/2024	13	15.8	16.2	18.8	16.8	16.2	16.7	16.4	16.2
5/20/2024	14	15.9	16.3	19.5	17.8	17.1	17.6	16.5	16.3
5/20/2024	15	16.0	16.4	19.7	18.7	17.9	18.2	16.6	16.4
5/20/2024	16	16.0	16.4	19.7	19.1	18.7	19.1	16.6	16.5
5/20/2024	17	16.1	16.4	19.3	19.5	19.2	19.5	16.7	16.6
5/20/2024	18	16.2	16.5	18.6	19.5	19.3	19.5	16.7	16.7
5/20/2024	19	16.3	16.5	17.7	19.2	19.2	19.2	16.7	16.7
5/20/2024	20	16.5	16.6	16.7	18.8	18.8	18.8	16.7	16.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/20/2024	21	16.5	16.6	15.9	18.3	18.4	18.3	16.7	16.7
5/20/2024	22	16.4	16.6	15.3	17.7	17.8	17.8	16.7	16.7
5/20/2024	23	16.4	16.5	15.1	16.9	17.1	17.1	16.8	16.5
5/20/2024	24	16.4	16.5	15.0	16.1	16.3	16.3	16.8	16.5
5/21/2024	1	16.4	16.5	14.9	15.6	15.7	15.7	16.8	16.5
5/21/2024	2	16.3	16.4	14.8	15.1	15.2	15.2	16.8	16.4
5/21/2024	3	16.3	16.4	14.7	14.9	15.0	14.8	16.7	16.3
5/21/2024	4	16.3	16.4	14.7	14.7	14.8	14.7	16.7	16.3
5/21/2024	5	16.2	16.3	14.6	14.6	14.7	14.5	16.7	16.3
5/21/2024	6	16.2	16.3	14.6	14.6	14.6	14.5	16.7	16.3
5/21/2024	7	16.2	16.3	14.8	14.6	14.6	14.5	16.6	16.4
5/21/2024	8	16.1	16.3	15.2	14.8	14.6	14.7	16.6	16.3
5/21/2024	9	16.1	16.3	15.4	14.7	14.6	14.7	16.6	16.3
5/21/2024	10	16.1	16.2	15.7	14.9	14.7	14.8	16.5	16.2
5/21/2024	11	16.0	16.2	16.0	15.3	15.0	15.2	16.4	16.2
5/21/2024	12	15.9	16.1	16.4	15.6	15.3	15.5	16.4	16.1
5/21/2024	13	15.9	16.1	16.3	15.7	15.5	15.6	16.4	16.1
5/21/2024	14	15.9	16.1	16.2	16.0	15.8	15.8	16.3	16.1
5/21/2024	15	15.8	16.1	16.3	16.2	16.0	16.2	16.3	16.1
5/21/2024	16	15.8	16.1	16.4	16.4	16.2	16.3	16.3	16.1
5/21/2024	17	15.9	16.0	16.3	16.4	16.2	16.3	16.3	16.1
5/21/2024	18	15.9	16.0	16.2	16.4	16.2	16.3	16.2	16.1
5/21/2024	19	15.9	16.0	15.9	16.4	16.2	16.3	16.2	16.0
5/21/2024	20	15.8	16.0	15.5	16.2	16.2	16.2	16.2	16.0
5/21/2024	21	15.8	15.9	15.1	16.0	16.0	16.0	16.1	15.9
5/21/2024	22	15.8	15.9	14.8	15.7	15.7	15.7	16.1	15.9
5/21/2024	23	15.7	15.8	14.6	15.4	15.4	15.4	16.1	15.7
5/21/2024	24	15.7	15.8	14.5	15.0	15.1	15.0	16.0	15.8
5/22/2024	1	15.6	15.7	14.5	14.8	14.9	14.8	16.0	15.7
5/22/2024	2	15.6	15.7	14.4	14.6	14.6	14.5	16.0	15.7
5/22/2024	3	15.6	15.6	14.3	14.4	14.5	14.4	15.9	15.6
5/22/2024	4	15.5	15.6	14.2	14.3	14.4	14.2	15.9	15.6
5/22/2024	5	15.5	15.6	14.1	14.2	14.2	14.1	15.9	15.5
5/22/2024	6	15.5	15.6	14.0	14.2	14.2	14.1	15.8	15.6
5/22/2024	7	15.4	15.5	14.1	14.1	14.1	14.0	15.8	15.5
5/22/2024	8	15.4	15.5	14.1	14.0	14.0	13.9	15.7	15.3
5/22/2024	9	15.3	15.4	14.2	14.0	14.0	14.0	15.7	15.4
5/22/2024	10	15.2	15.3	14.3	14.0	14.0	13.9	15.7	15.1
5/22/2024	11	15.1	15.2	14.5	14.1	14.0	14.0	15.6	15.1
5/22/2024	12	15.0	15.2	14.9	14.4	14.2	14.3	15.6	15.2
5/22/2024	13	15.0	15.2	15.3	14.5	14.4	14.5	15.6	15.2
5/22/2024	14	15.0	15.2	15.6	14.8	14.5	14.7	15.5	15.2
5/22/2024	15	15.0	15.2	16.1	15.2	14.9	15.1	15.5	15.2
5/22/2024	16	15.0	15.2	16.0	15.5	15.2	15.4	15.4	15.2
5/22/2024	17	15.0	15.3	16.2	15.8	15.6	15.9	15.4	15.3
5/22/2024	18	15.0	15.2	16.0	16.1	15.8	16.0	15.4	15.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/22/2024	19	15.0	15.2	15.9	16.1	16.0	16.1	15.4	15.2
5/22/2024	20	15.0	15.1	15.6	16.1	16.0	16.0	15.4	15.2
5/22/2024	21	15.0	15.1	15.2	16.0	15.9	16.0	15.4	15.2
5/22/2024	22	15.0	15.1	14.8	15.8	15.8	15.8	15.3	15.2
5/22/2024	23	15.0	15.1	14.6	15.6	15.6	15.7	15.3	15.1
5/22/2024	24	15.0	15.1	14.4	15.3	15.3	15.4	15.3	15.1
5/23/2024	1	15.0	15.1	14.4	15.0	15.1	15.0	15.3	15.0
5/23/2024	2	15.0	15.1	14.2	14.7	14.8	14.7	15.3	15.0
5/23/2024	3	15.0	15.1	14.1	14.5	14.6	14.5	15.3	15.0
5/23/2024	4	15.0	15.0	14.0	14.3	14.4	14.3	15.4	14.9
5/23/2024	5	14.9	15.0	13.8	14.1	14.2	14.1	15.4	14.9
5/23/2024	6	14.9	15.0	13.7	14.0	14.1	14.0	15.4	14.9
5/23/2024	7	14.9	15.0	13.8	14.0	14.0	13.9	15.4	15.1
5/23/2024	8	14.9	15.1	14.1	14.0	13.9	13.9	15.4	15.1
5/23/2024	9	14.9	15.1	14.6	14.2	13.9	14.0	15.4	15.1
5/23/2024	10	14.9	15.2	15.5	14.5	14.1	14.3	15.5	15.2
5/23/2024	11	15.0	15.3	16.6	15.1	14.5	15.0	15.6	15.3
5/23/2024	12	15.1	15.5	17.6	15.6	15.1	15.6	15.8	15.4
5/23/2024	13	15.3	15.7	18.5	16.6	16.1	16.5	15.6	15.6
5/23/2024	14	15.4	15.7	19.2	17.6	17.0	17.5	15.7	15.7
5/23/2024	15	15.5	15.8	19.0	18.5	17.8	18.3	15.8	15.8
5/23/2024	16	15.6	16.0	18.2	18.9	18.4	18.8	15.9	15.9
5/23/2024	17	15.8	16.0	17.7	19.2	18.9	19.3	15.9	16.1
5/23/2024	18	15.8	16.1	17.6	19.1	18.9	19.3	16.0	16.1
5/23/2024	19	15.9	16.1	17.1	18.5	18.6	18.7	16.1	16.1
5/23/2024	20	15.9	16.1	16.4	17.9	18.0	18.1	16.2	16.2
5/23/2024	21	15.9	16.1	15.8	17.5	17.6	17.6	16.3	16.2
5/23/2024	22	15.9	16.0	15.4	17.1	17.2	17.2	16.3	16.1
5/23/2024	23	15.8	16.0	15.0	16.6	16.7	16.7	16.2	14.2
5/23/2024	24	15.8	15.9	14.8	16.0	16.2	16.2	16.2	15.6
5/24/2024	1	15.8	15.9	14.7	15.5	15.7	15.7	16.2	15.5
5/24/2024	2	15.8	15.9	14.6	15.1	15.3	15.2	16.2	15.6
5/24/2024	3	15.7	15.8	14.5	14.8	15.0	14.9	16.1	15.6
5/24/2024	4	15.7	15.8	14.4	14.6	14.7	14.6	16.1	15.7
5/24/2024	5	15.7	15.8	14.3	14.5	14.6	14.4	16.1	15.7
5/24/2024	6	15.7	15.7	14.3	14.4	14.5	14.3	16.1	15.7
5/24/2024	7	15.6	15.8	14.3	14.4	14.4	14.3	16.1	15.9
5/24/2024	8	15.6	15.8	14.7	14.6	14.4	14.4	16.1	15.8
5/24/2024	9	15.5	15.8	15.2	14.6	14.4	14.5	16.1	15.8
5/24/2024	10	15.5	15.8	15.9	14.9	14.6	14.8	16.1	15.8
5/24/2024	11	15.6	15.8	16.6	15.3	14.9	15.2	16.0	15.8
5/24/2024	12	15.6	15.9	17.3	15.9	15.4	15.9	16.0	15.9
5/24/2024	13	15.7	16.0	17.3	16.3	15.9	16.1	16.1	15.9
5/24/2024	14	15.7	16.0	17.6	17.1	16.6	16.9	16.1	16.0
5/24/2024	15	15.8	16.0	17.2	17.3	17.0	17.2	16.3	16.0
5/24/2024	16	15.8	16.1	17.1	17.6	17.3	17.5	16.3	16.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/24/2024	17	15.9	16.2	17.3	17.6	17.5	17.9	16.3	16.2
5/24/2024	18	15.9	16.1	16.9	17.4	17.3	17.5	16.3	16.2
5/24/2024	19	15.9	16.1	16.6	17.2	17.2	17.3	16.3	16.2
5/24/2024	20	15.9	16.1	16.1	17.1	17.0	17.0	16.3	16.2
5/24/2024	21	15.9	16.0	15.7	16.8	16.8	16.8	16.3	16.2
5/24/2024	22	15.9	16.0	15.3	16.5	16.5	16.4	16.3	16.1
5/24/2024	23	15.8	16.0	15.0	16.0	16.2	16.1	16.3	15.9
5/24/2024	24	15.8	15.9	14.8	15.7	15.8	15.7	16.3	15.9
5/25/2024	1	15.8	15.9	14.7	15.3	15.4	15.3	16.3	15.8
5/25/2024	2	15.8	15.9	14.6	15.0	15.1	15.0	16.3	15.8
5/25/2024	3	15.7	15.8	14.5	14.7	14.8	14.7	16.3	15.8
5/25/2024	4	15.7	15.8	14.4	14.6	14.6	14.5	16.3	15.8
5/25/2024	5	15.7	15.7	14.3	14.4	14.5	14.3	16.2	15.8
5/25/2024	6	15.7	15.7	14.2	14.3	14.4	14.2	16.2	15.7
5/25/2024	7	15.6	15.8	14.2	14.2	14.3	14.1	16.2	15.9
5/25/2024	8	15.6	15.8	14.6	14.5	14.2	14.2	16.2	15.8
5/25/2024	9	15.6	15.8	15.2	14.6	14.3	14.5	16.2	15.7
5/25/2024	10	15.5	15.8	15.9	14.7	14.4	14.7	16.1	15.7
5/25/2024	11	15.5	15.8	16.6	15.0	14.7	15.0	16.1	15.7
5/25/2024	12	15.5	15.9	17.5	15.8	15.3	15.6	16.1	15.8
5/25/2024	13	15.6	15.9	18.1	16.5	16.0	16.3	16.1	15.8
5/25/2024	14	15.7	15.9	17.9	17.0	16.5	16.7	16.0	15.9
5/25/2024	15	15.7	15.9	17.5	17.4	17.0	17.1	16.0	15.9
5/25/2024	16	15.7	15.9	16.9	17.6	17.3	17.3	16.1	16.0
5/25/2024	17	15.7	15.9	16.5	17.5	17.3	17.5	16.1	16.0
5/25/2024	18	15.7	16.0	16.5	17.2	17.2	17.4	16.1	16.0
5/25/2024	19	15.8	15.9	16.1	16.7	16.8	16.8	16.1	16.0
5/25/2024	20	15.8	15.9	15.6	16.2	16.3	16.2	16.1	16.0
5/25/2024	21	15.7	15.8	14.9	16.0	16.0	15.8	16.1	16.0
5/25/2024	22	15.7	15.7	14.5	15.6	15.7	15.5	16.1	15.8
5/25/2024	23	15.6	15.7	14.2	15.2	15.3	15.2	16.1	15.6
5/25/2024	24	15.5	15.6	14.1	14.7	14.9	14.7	16.0	15.5
5/26/2024	1	15.5	15.6	14.0	14.4	14.5	14.4	16.0	14.5
5/26/2024	2	15.5	15.5	14.0	14.1	14.2	14.1	15.9	14.8
5/26/2024	3	15.4	15.5	13.9	14.0	14.1	13.9	15.8	15.3
5/26/2024	4	15.4	15.4	13.8	13.8	13.9	13.8	15.8	15.4
5/26/2024	5	15.4	15.4	13.8	13.7	13.8	13.6	15.7	15.3
5/26/2024	6	15.3	15.4	13.8	13.7	13.7	13.6	15.7	15.4
5/26/2024	7	15.3	15.4	14.0	13.7	13.7	13.6	15.7	15.3
5/26/2024	8	15.3	15.4	14.1	13.7	13.7	13.6	15.7	15.0
5/26/2024	9	15.3	15.4	14.3	13.8	13.7	13.7	15.8	15.1
5/26/2024	10	15.3	15.4	14.5	14.0	13.8	13.8	15.8	13.8
5/26/2024	11	15.3	15.5	15.0	14.3	14.1	14.2	15.9	14.5
5/26/2024	12	15.3	15.6	15.5	14.6	14.3	14.5	15.9	15.0
5/26/2024	13	15.3	15.6	16.4	15.1	14.7	15.1	15.9	15.9
5/26/2024	14	15.3	15.6	16.9	15.6	15.2	15.5	15.9	16.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/26/2024	15	15.4	15.6	17.2	16.1	15.7	16.0	15.9	16.2
5/26/2024	16	15.4	15.6	17.1	16.6	16.2	16.4	15.9	16.0
5/26/2024	17	15.4	15.6	16.8	16.9	16.6	16.8	15.9	15.8
5/26/2024	18	15.4	15.5	16.3	17.0	16.7	16.9	15.9	15.7
5/26/2024	19	15.4	15.5	15.8	16.9	16.8	16.9	15.9	15.7
5/26/2024	20	15.4	15.5	15.4	16.7	16.7	16.7	15.9	15.6
5/26/2024	21	15.4	15.5	15.0	16.4	16.4	16.4	15.8	15.6
5/26/2024	22	15.4	15.5	14.7	15.9	16.0	16.1	15.8	15.5
5/26/2024	23	15.4	15.5	14.6	15.5	15.7	15.7	15.8	15.5
5/26/2024	24	15.4	15.5	14.5	15.2	15.3	15.3	15.8	15.4
5/27/2024	1	15.4	15.5	14.4	14.9	15.0	14.9	15.7	15.4
5/27/2024	2	15.4	15.5	14.4	14.6	14.7	14.7	15.7	15.4
5/27/2024	3	15.4	15.5	14.3	14.5	14.6	14.5	15.7	15.4
5/27/2024	4	15.4	15.4	14.3	14.4	14.4	14.3	15.7	15.3
5/27/2024	5	15.3	15.4	14.2	14.3	14.3	14.2	15.6	15.3
5/27/2024	6	15.3	15.4	14.2	14.2	14.2	14.2	15.6	15.3
5/27/2024	7	15.3	15.4	14.3	14.2	14.2	14.1	15.6	15.5
5/27/2024	8	15.2	15.4	14.6	14.5	14.2	14.3	15.5	15.3
5/27/2024	9	15.1	15.3	15.2	14.8	14.4	14.6	15.5	15.2
5/27/2024	10	15.1	15.4	16.0	15.1	14.6	14.9	15.5	15.2
5/27/2024	11	15.1	15.4	17.0	15.4	14.9	15.4	15.5	15.3
5/27/2024	12	15.2	15.5	18.0	16.1	15.6	16.1	15.5	15.4
5/27/2024	13	15.3	15.7	18.9	17.1	16.5	17.0	15.6	15.5
5/27/2024	14	15.4	15.8	19.6	18.1	17.4	18.0	15.7	15.7
5/27/2024	15	15.5	15.8	19.8	19.0	18.3	18.8	15.8	15.8
5/27/2024	16	15.6	16.0	19.4	19.5	19.0	19.5	15.9	15.9
5/27/2024	17	15.7	16.0	18.7	19.9	19.5	19.8	16.0	16.0
5/27/2024	18	15.8	16.1	18.0	20.0	19.7	20.0	16.1	16.1
5/27/2024	19	15.9	16.1	17.4	19.6	19.5	19.8	16.2	16.1
5/27/2024	20	15.9	16.1	16.8	19.1	19.1	19.3	16.3	16.1
5/27/2024	21	15.9	16.1	16.3	18.4	18.5	18.7	16.2	16.0
5/27/2024	22	15.9	16.0	15.9	17.8	17.9	18.0	16.2	16.0
5/27/2024	23	15.8	15.9	15.6	17.2	17.4	17.5	16.2	15.8
5/27/2024	24	15.7	15.9	15.4	16.7	16.9	16.9	16.1	15.8
5/28/2024	1	15.7	15.9	15.2	16.2	16.4	16.4	16.1	15.9
5/28/2024	2	15.7	15.8	15.2	15.9	16.1	16.0	16.1	15.8
5/28/2024	3	15.7	15.8	15.1	15.7	15.8	15.7	16.1	15.8
5/28/2024	4	15.7	15.8	15.0	15.5	15.6	15.5	16.0	15.8
5/28/2024	5	15.7	15.8	14.9	15.3	15.4	15.3	16.0	15.7
5/28/2024	6	15.7	15.8	14.9	15.2	15.2	15.2	15.9	15.7
5/28/2024	7	15.6	15.8	15.0	15.2	15.2	15.2	15.9	15.8
5/28/2024	8	15.5	15.7	15.2	15.2	15.2	15.2	15.8	15.7
5/28/2024	9	15.4	15.6	15.5	15.2	15.2	15.2	15.8	15.5
5/28/2024	10	15.3	15.5	15.8	15.5	15.3	15.4	15.7	15.4
5/28/2024	11	15.2	15.5	16.3	15.8	15.5	15.7	15.6	15.4
5/28/2024	12	15.3	15.6	16.9	16.3	15.9	16.3	15.6	15.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/28/2024	13	15.3	15.6	17.1	16.5	16.2	16.5	15.6	15.4
5/28/2024	14	15.4	15.6	16.9	16.7	16.5	16.6	15.6	15.4
5/28/2024	15	15.4	15.6	16.7	17.1	16.8	16.9	15.6	15.5
5/28/2024	16	15.4	15.6	16.4	17.1	17.0	17.1	15.6	15.5
5/28/2024	17	15.4	15.7	16.6	17.1	17.0	17.3	15.6	15.7
5/28/2024	18	15.4	15.6	16.5	16.8	16.8	17.1	15.6	15.7
5/28/2024	19	15.4	15.6	16.3	16.6	16.6	16.6	15.6	15.6
5/28/2024	20	15.4	15.5	15.6	16.3	16.3	16.2	15.6	15.5
5/28/2024	21	15.3	15.4	15.0	16.1	16.1	15.9	15.6	15.5
5/28/2024	22	15.3	15.4	14.4	15.7	15.8	15.7	15.6	15.5
5/28/2024	23	15.3	15.3	14.1	15.3	15.5	15.4	15.6	14.9
5/28/2024	24	15.2	15.3	14.0	14.9	15.1	15.0	15.5	12.5
5/29/2024	1	15.2	15.2	13.9	14.5	14.6	14.5	15.5	14.8
5/29/2024	2	15.2	15.2	13.8	14.1	14.2	14.1	15.5	14.8
5/29/2024	3	15.1	15.2	13.7	13.9	14.0	13.8	15.4	14.9
5/29/2024	4	15.1	15.2	13.6	13.7	13.8	13.6	15.4	14.8
5/29/2024	5	15.1	15.1	13.5	13.5	13.6	13.4	15.5	14.8
5/29/2024	6	15.0	15.1	13.4	13.4	13.5	13.3	15.5	15.0
5/29/2024	7	15.0	15.1	13.5	13.4	13.4	13.3	15.5	15.2
5/29/2024	8	14.9	15.1	14.0	13.6	13.4	13.4	15.5	15.0
5/29/2024	9	14.8	15.0	14.7	13.8	13.6	13.7	15.4	14.8
5/29/2024	10	14.7	14.9	15.2	13.9	13.7	13.8	15.3	14.8
5/29/2024	11	14.7	14.9	16.0	14.4	14.0	14.2	15.3	14.8
5/29/2024	12	14.7	15.0	17.1	15.1	14.6	15.0	15.2	14.9
5/29/2024	13	14.8	15.1	17.7	15.9	15.4	15.8	15.2	15.1
5/29/2024	14	14.9	15.1	17.9	16.8	16.2	16.7	15.3	15.2
5/29/2024	15	15.0	15.2	17.5	17.2	16.8	17.0	15.3	15.2
5/29/2024	16	15.0	15.3	17.1	17.6	17.3	17.5	15.4	15.3
5/29/2024	17	15.1	15.3	17.1	17.7	17.5	17.7	15.4	15.4
5/29/2024	18	15.2	15.4	17.0	17.4	17.3	17.5	15.4	15.4
5/29/2024	19	15.2	15.4	16.5	17.0	17.0	17.0	15.5	15.5
5/29/2024	20	15.2	15.3	15.7	16.7	16.7	16.6	15.5	15.5
5/29/2024	21	15.2	15.3	14.9	16.5	16.5	16.4	15.6	15.4
5/29/2024	22	15.2	15.2	14.3	16.1	16.2	16.1	15.6	15.4
5/29/2024	23	15.1	15.2	14.0	15.6	15.7	15.7	15.6	12.1
5/29/2024	24	15.1	15.2	13.8	15.0	15.2	15.1	15.5	11.0
5/30/2024	1	15.1	15.2	13.7	14.5	14.6	14.6	15.5	13.3
5/30/2024	2	15.1	15.1	13.7	14.1	14.2	14.1	15.4	14.8
5/30/2024	3	15.0	15.1	13.6	13.8	13.9	13.8	15.4	14.8
5/30/2024	4	15.0	15.0	13.5	13.6	13.7	13.5	15.4	14.9
5/30/2024	5	15.0	15.0	13.4	13.5	13.5	13.4	15.3	15.0
5/30/2024	6	14.9	15.0	13.3	13.4	13.4	13.3	15.3	15.0
5/30/2024	7	14.9	15.0	13.4	13.3	13.4	13.3	15.3	15.1
5/30/2024	8	14.9	15.0	13.8	13.6	13.4	13.4	15.3	15.1
5/30/2024	9	14.8	15.1	14.4	13.7	13.4	13.6	15.3	15.0
5/30/2024	10	14.8	15.1	15.2	14.1	13.6	13.9	15.4	15.0

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
5/30/2024	11	14.9	15.1	16.3	14.5	14.0	14.4	15.4	15.1
5/30/2024	12	14.9	15.2	17.3	15.2	14.7	15.1	15.5	15.2
5/30/2024	13	15.0	15.3	18.2	16.2	15.6	16.1	15.6	15.3
5/30/2024	14	15.1	15.5	18.7	17.2	16.5	17.1	15.6	15.4
5/30/2024	15	15.3	15.6	18.8	18.1	17.4	17.9	15.7	15.6
5/30/2024	16	15.4	15.8	18.5	18.6	18.1	18.6	15.8	15.7
5/30/2024	17	15.6	15.9	18.4	18.8	18.5	18.8	15.8	15.8
5/30/2024	18	15.6	15.9	18.0	18.8	18.6	18.8	15.8	15.8
5/30/2024	19	15.7	15.9	17.4	18.5	18.4	18.6	15.8	15.8
5/30/2024	20	15.7	15.8	16.5	18.2	18.2	18.2	15.9	15.8
5/30/2024	21	15.7	15.8	15.7	17.7	17.8	17.8	15.9	15.8
5/30/2024	22	15.6	15.7	15.1	17.2	17.4	17.3	15.9	15.8
5/30/2024	23	15.6	15.7	14.6	16.6	16.8	16.8	15.9	15.2
5/30/2024	24	15.5	15.7	14.3	15.9	16.1	16.1	15.9	12.7
5/31/2024	1	15.5	15.6	14.1	15.3	15.5	15.4	15.9	11.2
5/31/2024	2	15.5	15.6	14.0	14.8	15.0	14.9	15.9	13.7
5/31/2024	3	15.4	15.5	13.9	14.4	14.6	14.5	15.9	12.8
5/31/2024	4	15.4	15.5	13.9	14.1	14.2	14.1	15.9	14.1
5/31/2024	5	15.4	15.5	13.8	13.9	14.0	13.9	15.8	15.0
5/31/2024	6	15.4	15.4	13.8	13.8	13.9	13.7	15.8	15.2
5/31/2024	7	15.3	15.4	13.9	13.7	13.8	13.7	15.8	15.6
5/31/2024	8	15.3	15.5	14.3	14.1	13.8	13.8	15.8	15.5
5/31/2024	9	15.2	15.5	14.9	14.3	14.0	14.1	15.8	15.4
5/31/2024	10	15.2	15.4	15.7	14.6	14.2	14.5	15.8	15.3
5/31/2024	11	15.2	15.4	16.8	15.1	14.6	15.0	15.8	15.3
5/31/2024	12	15.2	15.6	17.9	15.8	15.3	15.7	15.7	15.5
5/31/2024	13	15.4	15.7	18.7	16.8	16.2	16.7	15.7	15.6
5/31/2024	14	15.5	15.9	19.3	17.8	17.2	17.7	15.8	15.8
5/31/2024	15	15.7	16.1	19.5	18.7	18.1	18.6	16.0	16.0
5/31/2024	16	15.9	16.3	19.6	19.2	18.8	19.3	16.1	16.2
5/31/2024	17	16.1	16.4	19.3	19.5	19.3	19.7	16.2	16.3
5/31/2024	18	16.2	16.5	18.9	19.7	19.5	19.8	16.4	16.4
5/31/2024	19	16.2	16.4	18.2	19.6	19.4	19.7	16.5	16.4
5/31/2024	20	16.2	16.4	17.4	19.2	19.2	19.3	16.5	16.3
5/31/2024	21	16.2	16.4	16.7	18.8	18.8	18.9	16.5	16.4
5/31/2024	22	16.2	16.4	16.2	18.3	18.4	18.4	16.5	16.4
5/31/2024	23	16.2	16.3	15.7	17.7	17.8	17.9	16.5	16.2
5/31/2024	24	16.2	16.3	15.6	17.0	17.2	17.3	16.5	16.3
6/1/2024	1	16.2	16.3	15.4	16.5	16.7	16.7	16.4	16.2
6/1/2024	2	16.1	16.3	15.3	16.0	16.2	16.2	16.4	16.2
6/1/2024	3	16.1	16.2	15.2	15.7	15.9	15.8	16.4	16.2
6/1/2024	4	16.1	16.2	15.2	15.6	15.7	15.6	16.4	16.2
6/1/2024	5	16.1	16.2	15.2	15.4	15.5	15.4	16.4	16.2
6/1/2024	6	16.1	16.2	15.2	15.3	15.4	15.3	16.3	16.2
6/1/2024	7	16.0	16.2	15.3	15.3	15.3	15.3	16.3	16.2
6/1/2024	8	16.0	16.1	15.5	15.4	15.3	15.3	16.3	16.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/1/2024	9	15.9	16.1	15.8	15.5	15.4	15.4	16.3	16.0
6/1/2024	10	15.8	16.0	16.4	15.9	15.6	15.8	16.3	16.0
6/1/2024	11	15.8	16.1	17.2	16.2	15.9	16.3	16.3	16.0
6/1/2024	12	15.8	16.1	17.9	16.8	16.4	16.8	16.4	16.0
6/1/2024	13	15.8	16.2	18.4	17.3	16.9	17.3	16.4	16.1
6/1/2024	14	15.9	16.3	18.8	17.9	17.4	17.8	16.4	16.2
6/1/2024	15	16.0	16.4	18.8	18.4	18.0	18.4	16.5	16.2
6/1/2024	16	16.1	16.4	18.7	18.8	18.5	18.8	16.5	16.3
6/1/2024	17	16.2	16.6	18.7	18.9	18.7	19.1	16.5	16.5
6/1/2024	18	16.3	16.6	18.3	18.9	18.8	19.0	16.6	16.5
6/1/2024	19	16.4	16.6	17.7	18.7	18.6	18.7	16.6	16.6
6/1/2024	20	16.4	16.6	17.1	18.4	18.4	18.4	16.6	16.7
6/1/2024	21	16.4	16.6	16.4	18.1	18.2	18.2	16.5	16.6
6/1/2024	22	16.4	16.5	16.0	17.7	17.7	17.7	16.5	16.5
6/1/2024	23	16.3	16.4	15.7	17.2	17.3	17.3	16.5	16.2
6/1/2024	24	16.2	16.4	15.5	16.7	16.8	16.7	16.5	16.0
6/2/2024	1	16.2	16.4	15.3	16.2	16.4	16.3	16.5	15.5
6/2/2024	2	16.2	16.3	15.2	15.9	16.0	16.0	16.6	15.3
6/2/2024	3	16.2	16.3	15.1	15.6	15.7	15.7	16.6	16.0
6/2/2024	4	16.2	16.2	15.0	15.4	15.5	15.4	16.6	16.0
6/2/2024	5	16.1	16.2	14.9	15.2	15.3	15.2	16.6	14.6
6/2/2024	6	16.1	16.2	14.9	15.1	15.2	15.1	16.6	15.6
6/2/2024	7	16.1	16.3	15.1	15.1	15.1	15.1	16.6	16.1
6/2/2024	8	16.1	16.3	15.3	15.1	15.1	15.1	16.6	16.2
6/2/2024	9	16.1	16.3	15.8	15.4	15.1	15.2	16.6	16.1
6/2/2024	10	16.1	16.4	16.6	15.7	15.4	15.7	16.6	16.4
6/2/2024	11	16.1	16.4	17.3	16.0	15.7	16.0	16.6	16.8
6/2/2024	12	16.1	16.4	17.7	16.3	16.0	16.2	16.6	17.0
6/2/2024	13	16.2	16.4	17.7	16.8	16.5	16.6	16.6	16.7
6/2/2024	14	16.2	16.4	17.4	17.3	17.0	17.1	16.6	16.6
6/2/2024	15	16.2	16.4	17.0	17.6	17.3	17.4	16.6	16.5
6/2/2024	16	16.2	16.4	16.8	17.7	17.5	17.6	16.7	16.5
6/2/2024	17	16.2	16.4	16.8	17.6	17.5	17.7	16.7	16.6
6/2/2024	18	16.2	16.4	16.7	17.4	17.3	17.4	16.7	16.5
6/2/2024	19	16.2	16.3	16.6	17.2	17.1	17.2	16.6	16.4
6/2/2024	20	16.1	16.3	16.4	17.0	17.0	17.0	16.6	16.4
6/2/2024	21	16.1	16.3	16.1	16.8	16.8	16.8	16.6	16.3
6/2/2024	22	16.1	16.3	15.9	16.7	16.7	16.7	16.6	16.3
6/2/2024	23	16.1	16.3	15.7	16.5	16.5	16.5	16.6	16.3
6/2/2024	24	16.1	16.2	15.3	16.2	16.3	16.2	16.6	16.2
6/3/2024	1	16.1	16.2	15.0	15.9	16.0	15.9	16.6	16.2
6/3/2024	2	16.1	16.2	14.9	15.6	15.7	15.7	16.6	16.2
6/3/2024	3	16.2	16.3	14.9	15.4	15.5	15.4	16.5	16.2
6/3/2024	4	16.1	16.3	15.0	15.1	15.2	15.2	16.5	16.2
6/3/2024	5	16.1	16.3	15.1	15.0	15.0	15.0	16.5	16.2
6/3/2024	6	16.1	16.2	15.1	14.9	14.9	14.9	16.5	16.2

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/3/2024	7	16.1	16.2	15.2	15.0	14.9	14.9	16.5	16.3
6/3/2024	8	16.1	16.2	15.4	15.2	15.0	15.0	16.4	16.2
6/3/2024	9	16.0	16.2	15.9	15.4	15.2	15.3	16.4	16.1
6/3/2024	10	15.9	16.2	16.5	15.7	15.3	15.6	16.3	16.1
6/3/2024	11	15.9	16.2	17.1	15.9	15.6	15.9	16.2	16.1
6/3/2024	12	15.9	16.2	17.9	16.5	16.1	16.5	16.1	16.2
6/3/2024	13	15.9	16.3	18.6	17.2	16.7	17.2	16.1	16.2
6/3/2024	14	15.9	16.3	19.2	17.9	17.4	17.8	16.1	16.3
6/3/2024	15	16.0	16.3	19.5	18.5	18.0	18.4	16.2	16.3
6/3/2024	16	16.0	16.3	19.4	18.9	18.6	18.9	16.2	16.3
6/3/2024	17	16.1	16.3	18.8	19.1	18.9	19.1	16.3	16.3
6/3/2024	18	16.1	16.3	18.1	19.2	19.0	19.1	16.3	16.4
6/3/2024	19	16.1	16.3	17.4	18.8	18.8	18.8	16.4	16.3
6/3/2024	20	16.1	16.2	16.5	18.2	18.3	18.3	16.5	16.3
6/3/2024	21	16.1	16.2	15.7	17.7	17.8	17.7	16.4	16.3
6/3/2024	22	16.0	16.1	15.0	17.0	17.2	17.1	16.4	16.2
6/3/2024	23	16.0	16.0	14.5	16.3	16.5	16.5	16.3	15.7
6/3/2024	24	15.9	15.9	14.3	15.6	15.8	15.8	16.3	15.5
6/4/2024	1	15.8	15.9	14.2	15.1	15.2	15.2	16.3	15.8
6/4/2024	2	15.8	15.9	14.2	14.6	14.7	14.6	16.2	15.7
6/4/2024	3	15.8	15.8	14.3	14.3	14.5	14.3	16.2	15.7
6/4/2024	4	15.7	15.8	14.3	14.2	14.2	14.1	16.1	15.8
6/4/2024	5	15.7	15.8	14.3	14.1	14.2	14.1	16.1	15.8
6/4/2024	6	15.7	15.8	14.3	14.1	14.1	14.0	16.1	15.8
6/4/2024	7	15.7	15.8	14.4	14.2	14.1	14.1	16.0	15.8
6/4/2024	8	15.6	15.7	14.7	14.2	14.2	14.2	16.0	15.7
6/4/2024	9	15.4	15.6	15.0	14.4	14.3	14.4	16.0	15.5
6/4/2024	10	15.3	15.5	15.6	14.8	14.5	14.7	15.9	15.4
6/4/2024	11	15.2	15.5	16.4	15.2	14.8	15.1	15.8	15.4
6/4/2024	12	15.3	15.6	17.6	15.7	15.4	15.8	15.8	15.5
6/4/2024	13	15.4	15.8	18.6	16.5	16.0	16.4	15.8	15.7
6/4/2024	14	15.5	15.9	19.4	17.5	16.9	17.4	15.8	15.9
6/4/2024	15	15.7	16.1	19.6	18.5	17.8	18.3	15.9	16.0
6/4/2024	16	15.9	16.2	19.3	19.1	18.6	19.1	16.0	16.2
6/4/2024	17	16.0	16.3	18.9	19.5	19.2	19.6	16.1	16.2
6/4/2024	18	16.0	16.3	18.3	19.6	19.4	19.7	16.2	16.3
6/4/2024	19	16.1	16.3	17.6	19.3	19.2	19.4	16.3	16.3
6/4/2024	20	16.1	16.3	16.8	18.7	18.7	18.7	16.4	16.4
6/4/2024	21	16.2	16.3	15.9	18.1	18.2	18.2	16.5	16.4
6/4/2024	22	16.2	16.2	15.2	17.4	17.6	17.6	16.4	16.3
6/4/2024	23	16.1	16.1	14.8	16.7	16.9	16.9	16.4	16.2
6/4/2024	24	16.0	16.1	14.5	16.0	16.2	16.2	16.3	16.1
6/5/2024	1	15.9	16.0	14.4	15.3	15.5	15.4	16.2	16.0
6/5/2024	2	15.8	15.9	14.4	14.9	15.1	15.0	16.2	15.9
6/5/2024	3	15.7	15.8	14.4	14.6	14.7	14.6	16.1	15.8
6/5/2024	4	15.6	15.7	14.3	14.4	14.5	14.3	16.0	15.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/5/2024	5	15.5	15.6	14.3	14.2	14.4	14.2	16.0	15.7
6/5/2024	6	15.5	15.5	14.2	14.2	14.3	14.1	15.9	15.6
6/5/2024	7	15.4	15.5	14.2	14.2	14.2	14.1	15.9	15.6
6/5/2024	8	15.4	15.6	14.6	14.4	14.3	14.3	15.9	15.6
6/5/2024	9	15.4	15.6	15.2	14.7	14.4	14.6	15.9	15.6
6/5/2024	10	15.4	15.7	15.9	14.9	14.6	14.9	15.9	15.6
6/5/2024	11	15.4	15.7	16.9	15.3	14.9	15.3	15.9	15.7
6/5/2024	12	15.5	15.8	18.0	16.2	15.7	16.1	15.9	15.8
6/5/2024	13	15.6	16.0	18.9	17.0	16.5	17.0	15.9	15.9
6/5/2024	14	15.7	16.1	19.5	18.0	17.4	17.9	16.1	16.0
6/5/2024	15	15.9	16.3	19.8	18.8	18.3	18.7	16.2	16.2
6/5/2024	16	16.0	16.4	19.8	19.4	19.0	19.4	16.3	16.3
6/5/2024	17	16.2	16.5	19.6	19.8	19.5	19.9	16.3	16.5
6/5/2024	18	16.3	16.6	19.0	20.0	19.7	20.0	16.4	16.5
6/5/2024	19	16.3	16.5	18.3	19.7	19.6	19.8	16.5	16.5
6/5/2024	20	16.3	16.5	17.4	19.3	19.3	19.3	16.5	16.5
6/5/2024	21	16.4	16.5	16.7	18.8	18.9	18.9	16.6	16.6
6/5/2024	22	16.4	16.5	16.1	18.2	18.4	18.4	16.6	16.5
6/5/2024	23	16.3	16.4	15.6	17.6	17.7	17.8	16.6	16.5
6/5/2024	24	16.3	16.4	15.2	16.9	17.1	17.2	16.5	16.4
6/6/2024	1	16.2	16.3	15.1	16.3	16.5	16.5	16.5	16.4
6/6/2024	2	16.2	16.2	15.0	15.8	16.0	16.0	16.4	16.3
6/6/2024	3	16.0	16.1	14.9	15.4	15.6	15.5	16.3	16.2
6/6/2024	4	16.0	16.0	14.8	15.1	15.2	15.2	16.3	16.1
6/6/2024	5	15.9	15.9	14.7	14.9	15.0	14.9	16.2	16.0
6/6/2024	6	15.8	15.8	14.6	14.8	14.8	14.7	16.2	15.9
6/6/2024	7	15.7	15.8	14.7	14.7	14.8	14.7	16.2	15.8
6/6/2024	8	15.6	15.8	15.1	15.1	14.8	14.8	16.2	15.8
6/6/2024	9	15.6	15.8	15.7	15.2	14.9	15.1	16.2	15.8
6/6/2024	10	15.6	15.9	16.4	15.4	15.1	15.4	16.3	15.8
6/6/2024	11	15.7	16.0	17.2	15.7	15.4	15.7	16.3	15.9
6/6/2024	12	15.8	16.1	18.0	16.4	16.0	16.3	16.3	16.0
6/6/2024	13	15.9	16.3	18.8	17.3	16.8	17.3	16.3	16.2
6/6/2024	14	16.1	16.5	19.5	18.3	17.7	18.2	16.4	16.3
6/6/2024	15	16.2	16.6	19.9	19.0	18.5	19.0	16.5	16.5
6/6/2024	16	16.4	16.8	20.1	19.6	19.2	19.7	16.6	16.7
6/6/2024	17	16.6	16.9	20.0	19.9	19.7	20.1	16.7	16.8
6/6/2024	18	16.7	17.0	19.5	20.2	20.0	20.3	16.8	16.9
6/6/2024	19	16.7	17.0	18.8	20.1	20.0	20.2	16.9	16.9
6/6/2024	20	16.7	17.0	18.1	19.8	19.7	19.8	17.0	16.9
6/6/2024	21	16.7	16.9	17.4	19.4	19.4	19.5	17.1	17.0
6/6/2024	22	16.8	17.0	16.8	18.9	19.0	19.1	17.2	17.0
6/6/2024	23	16.8	16.9	16.4	18.4	18.5	18.6	17.1	17.0
6/6/2024	24	16.7	16.8	16.1	17.8	17.9	18.0	17.1	16.9
6/7/2024	1	16.6	16.8	15.9	17.2	17.4	17.4	17.0	16.8
6/7/2024	2	16.6	16.7	15.8	16.7	16.9	16.9	17.0	16.7

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/7/2024	3	16.5	16.6	15.7	16.4	16.5	16.5	16.9	16.7
6/7/2024	4	16.4	16.5	15.5	16.1	16.2	16.1	16.9	16.6
6/7/2024	5	16.4	16.5	15.4	15.8	16.0	15.9	16.8	16.6
6/7/2024	6	16.3	16.4	15.2	15.7	15.7	15.7	16.8	16.5
6/7/2024	7	16.3	16.4	15.3	15.6	15.6	15.6	16.9	16.5
6/7/2024	8	16.3	16.5	15.7	15.7	15.6	15.7	16.9	16.5
6/7/2024	9	16.3	16.6	16.3	15.9	15.7	15.9	17.0	16.6
6/7/2024	10	16.4	16.7	17.1	16.2	15.8	16.2	17.1	16.7
6/7/2024	11	16.5	16.9	18.1	16.6	16.2	16.6	17.1	16.7
6/7/2024	12	16.6	17.0	19.0	17.3	16.8	17.2	17.2	16.9
6/7/2024	13	16.7	17.2	19.9	18.2	17.7	18.2	17.2	17.1
6/7/2024	14	16.8	17.3	20.5	19.2	18.5	19.1	17.3	17.2
6/7/2024	15	17.0	17.4	20.8	19.9	19.4	19.9	17.3	17.4
6/7/2024	16	17.1	17.5	20.9	20.6	20.1	20.6	17.3	17.4
6/7/2024	17	17.1	17.5	20.7	20.8	20.6	21.1	17.3	17.4
6/7/2024	18	17.1	17.5	20.2	21.1	20.9	21.2	17.4	17.4
6/7/2024	19	17.1	17.4	19.5	20.9	20.8	21.0	17.4	17.4
6/7/2024	20	17.1	17.3	18.7	20.6	20.5	20.7	17.4	17.3
6/7/2024	21	17.1	17.2	17.9	20.1	20.2	20.3	17.4	17.3
6/7/2024	22	17.0	17.2	17.3	19.5	19.7	19.8	17.4	17.2
6/7/2024	23	16.9	17.1	16.8	18.9	19.1	19.2	17.4	17.2
6/7/2024	24	16.9	17.0	16.5	18.3	18.4	18.5	17.3	17.1
6/8/2024	1	16.8	17.0	16.2	17.6	17.8	17.9	17.3	17.1
6/8/2024	2	16.8	16.9	16.0	17.1	17.3	17.3	17.3	17.0
6/8/2024	3	16.7	16.8	15.8	16.7	16.8	16.8	17.2	17.0
6/8/2024	4	16.7	16.8	15.7	16.4	16.5	16.4	17.2	16.9
6/8/2024	5	16.7	16.7	15.5	16.1	16.2	16.1	17.2	16.9
6/8/2024	6	16.6	16.7	15.4	15.8	16.0	15.9	17.1	16.8
6/8/2024	7	16.6	16.7	15.5	15.7	15.8	15.7	17.1	16.8
6/8/2024	8	16.6	16.8	15.9	15.9	15.7	15.8	17.1	16.7
6/8/2024	9	16.5	16.8	16.6	16.2	15.8	16.0	17.1	16.7
6/8/2024	10	16.5	16.8	17.4	16.3	16.0	16.3	17.1	16.7
6/8/2024	11	16.5	16.9	18.5	16.8	16.5	16.8	17.1	16.8
6/8/2024	12	16.6	17.0	19.4	17.5	17.1	17.4	17.1	16.8
6/8/2024	13	16.7	17.2	20.2	18.5	18.0	18.5	17.0	16.9
6/8/2024	14	16.6	17.0	20.7	19.4	18.8	19.3	17.1	17.0
6/8/2024	15	16.6	17.0	20.9	20.2	19.6	20.1	17.2	17.1
6/8/2024	16	16.6	17.0	20.9	20.9	20.4	20.9	17.3	17.2
6/8/2024	17	16.8	17.1	20.5	21.1	20.8	21.1	17.4	17.4
6/8/2024	18	16.9	17.2	19.8	21.3	21.0	21.3	17.5	17.5
6/8/2024	19	17.0	17.3	19.1	21.2	21.1	21.3	17.6	17.5
6/8/2024	20	17.1	17.3	18.4	20.8	20.8	21.0	17.7	17.6
6/8/2024	21	17.1	17.3	17.8	20.2	20.3	20.5	17.8	17.7
6/8/2024	22	17.1	17.3	17.4	19.6	19.7	19.9	17.8	17.6
6/8/2024	23	17.1	17.2	17.0	18.9	19.1	19.2	17.7	17.6
6/8/2024	24	17.1	17.3	16.8	18.3	18.5	18.6	17.7	17.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/9/2024	1	17.1	17.3	16.7	17.8	18.0	18.1	17.6	17.5
6/9/2024	2	17.1	17.2	16.5	17.5	17.6	17.6	17.6	17.3
6/9/2024	3	17.0	17.2	16.4	17.2	17.3	17.3	17.5	17.3
6/9/2024	4	17.0	17.1	16.3	16.9	17.1	17.0	17.4	17.2
6/9/2024	5	16.9	17.1	16.2	16.7	16.8	16.8	17.4	17.2
6/9/2024	6	16.9	17.1	16.2	16.6	16.7	16.6	17.3	17.1
6/9/2024	7	16.8	17.0	16.3	16.5	16.6	16.6	17.3	17.0
6/9/2024	8	16.8	17.0	16.6	16.6	16.6	16.6	17.2	16.9
6/9/2024	9	16.7	16.9	16.9	16.7	16.6	16.7	17.2	16.9
6/9/2024	10	16.6	16.8	17.2	16.7	16.7	16.8	17.1	16.9
6/9/2024	11	16.6	16.8	17.4	17.0	16.8	16.9	17.1	16.8
6/9/2024	12	16.5	16.7	17.7	17.3	17.1	17.2	17.0	16.8
6/9/2024	13	16.4	16.7	17.9	17.7	17.4	17.6	17.0	16.8
6/9/2024	14	16.4	16.6	18.2	18.0	17.7	18.0	17.0	16.7
6/9/2024	15	16.3	16.6	18.5	18.4	18.1	18.5	17.0	16.7
6/9/2024	16	16.2	16.5	19.0	18.8	18.5	18.9	17.0	16.7
6/9/2024	17	16.0	16.3	19.0	18.9	18.8	19.2	17.0	16.7
6/9/2024	18	16.0	16.2	19.0	19.2	19.0	19.3	17.1	16.8
6/9/2024	19	16.0	16.2	18.4	19.3	19.1	19.2	17.1	16.8
6/9/2024	20	15.8	16.0	17.8	19.2	19.1	19.2	17.1	17.0
6/9/2024	21	15.7	15.9	17.2	19.0	19.0	19.1	17.0	16.8
6/9/2024	22	15.8	15.9	16.6	18.7	18.7	18.8	16.9	16.7
6/9/2024	23	16.0	16.1	16.2	18.2	18.3	18.4	16.8	16.6
6/9/2024	24	16.2	16.4	15.8	17.7	17.8	17.9	16.7	16.7
6/10/2024	1	16.4	16.5	15.6	17.2	17.3	17.4	16.7	16.6
6/10/2024	2	16.2	16.3	15.4	16.7	16.9	16.9	16.6	16.4
6/10/2024	3	16.0	16.1	15.4	16.3	16.5	16.5	16.5	16.3
6/10/2024	4	16.0	16.1	15.4	16.0	16.2	16.1	16.4	16.2
6/10/2024	5	15.8	15.8	15.3	15.8	15.9	15.8	16.4	16.1
6/10/2024	6	15.8	15.9	15.3	15.7	15.7	15.7	16.4	16.0
6/10/2024	7	15.7	15.9	15.3	15.6	15.6	15.6	16.4	16.0
6/10/2024	8	15.7	15.9	15.7	15.9	15.7	15.7	16.4	15.9
6/10/2024	9	15.7	16.0	16.2	16.1	15.8	16.0	16.4	15.9
6/10/2024	10	15.7	15.9	17.0	16.3	16.0	16.3	16.4	16.1
6/10/2024	11	15.7	16.0	17.9	16.7	16.3	16.7	16.4	16.4
6/10/2024	12	15.8	16.2	18.8	17.6	17.2	17.5	16.7	16.7
6/10/2024	13	16.1	16.5	19.4	18.6	18.2	18.6	17.0	17.1
6/10/2024	14	16.2	16.7	19.8	19.5	19.1	19.5	17.2	17.3
6/10/2024	15	16.5	16.9	20.0	20.2	19.8	20.2	17.5	17.5
6/10/2024	16	16.7	17.1	19.9	20.6	20.2	20.6	17.7	17.7
6/10/2024	17	17.0	17.4	19.7	20.5	20.4	20.7	18.0	17.9
6/10/2024	18	17.3	17.6	19.2	20.4	20.3	20.6	18.2	18.2
6/10/2024	19	17.5	17.8	18.7	20.0	20.0	20.1	18.4	18.3
6/10/2024	20	17.5	17.8	18.0	19.6	19.6	19.7	18.5	18.3
6/10/2024	21	17.8	18.0	17.5	19.1	19.2	19.2	18.5	18.4
6/10/2024	22	17.7	18.0	17.2	18.6	18.7	18.7	18.6	18.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/10/2024	23	17.9	18.2	17.1	18.0	18.1	18.2	18.6	18.4
6/10/2024	24	18.1	18.4	17.1	17.6	17.7	17.7	18.6	18.5
6/11/2024	1	18.2	18.5	17.1	17.3	17.4	17.4	18.7	18.5
6/11/2024	2	18.3	18.5	17.2	17.2	17.3	17.2	18.7	18.6
6/11/2024	3	18.3	18.5	17.2	17.2	17.2	17.2	18.7	18.6
6/11/2024	4	18.3	18.5	17.2	17.1	17.1	17.1	18.7	18.6
6/11/2024	5	18.3	18.5	17.2	17.1	17.1	17.1	18.8	18.6
6/11/2024	6	18.3	18.5	17.2	17.1	17.1	17.1	18.8	18.6
6/11/2024	7	18.3	18.5	17.3	17.1	17.1	17.1	18.8	18.6
6/11/2024	8	18.3	18.5	17.6	17.4	17.2	17.2	18.8	18.6
6/11/2024	9	18.3	18.6	18.1	17.6	17.3	17.5	18.8	18.6
6/11/2024	10	18.3	18.7	18.9	17.8	17.6	17.8	18.8	18.7
6/11/2024	11	18.4	18.8	19.2	18.2	18.0	18.2	18.9	18.7
6/11/2024	12	18.5	19.0	20.3	19.2	18.7	19.0	18.9	18.9
6/11/2024	13	18.6	19.1	21.1	19.8	19.4	19.9	19.0	19.0
6/11/2024	14	18.7	19.2	21.6	20.4	20.0	20.5	19.1	19.1
6/11/2024	15	18.8	19.2	21.7	21.0	20.6	21.0	19.1	19.2
6/11/2024	16	18.8	19.2	21.6	21.4	21.0	21.3	19.2	19.2
6/11/2024	17	18.9	19.2	21.1	21.4	21.3	21.4	19.3	19.2
6/11/2024	18	18.9	19.2	20.5	21.3	21.2	21.4	19.4	19.2
6/11/2024	19	18.9	19.2	19.7	20.9	20.9	20.9	19.4	19.2
6/11/2024	20	18.8	19.0	18.8	20.4	20.5	20.4	19.3	19.1
6/11/2024	21	18.7	18.9	17.9	19.8	19.9	19.8	19.2	18.9
6/11/2024	22	18.6	18.8	17.2	19.1	19.2	19.1	19.1	18.9
6/11/2024	23	18.6	18.7	16.7	18.3	18.5	18.4	19.0	18.7
6/11/2024	24	18.5	18.6	16.4	17.7	17.8	17.7	18.9	18.6
6/12/2024	1	18.4	18.5	16.2	17.0	17.2	17.1	18.8	18.6
6/12/2024	2	18.3	18.4	16.2	16.6	16.7	16.6	18.7	18.4
6/12/2024	3	18.2	18.3	16.2	16.2	16.4	16.2	18.6	18.3
6/12/2024	4	18.0	18.1	16.2	16.1	16.2	16.0	18.6	18.2
6/12/2024	5	17.9	18.0	16.2	16.0	16.1	15.9	18.5	18.1
6/12/2024	6	17.9	18.0	16.1	16.0	16.0	15.9	18.5	18.0
6/12/2024	7	17.8	18.0	16.2	16.0	16.0	15.9	18.4	18.0
6/12/2024	8	17.8	18.0	16.6	16.2	16.0	16.0	18.4	18.0
6/12/2024	9	17.8	18.1	17.1	16.4	16.1	16.2	18.3	18.1
6/12/2024	10	17.8	18.1	17.8	16.7	16.3	16.6	18.3	18.1
6/12/2024	11	17.9	18.2	18.7	17.1	16.7	17.1	18.3	18.2
6/12/2024	12	18.0	18.3	19.8	17.8	17.3	17.7	18.4	18.3
6/12/2024	13	18.1	18.5	20.7	18.7	18.2	18.6	18.5	18.5
6/12/2024	14	18.2	18.7	21.3	19.6	19.1	19.5	18.7	18.6
6/12/2024	15	18.4	18.8	21.6	20.5	19.9	20.3	18.7	18.7
6/12/2024	16	18.5	18.9	21.7	21.2	20.6	21.0	18.8	18.9
6/12/2024	17	18.6	19.1	21.4	21.2	21.1	21.4	18.9	19.0
6/12/2024	18	18.7	19.1	20.8	21.5	21.3	21.5	19.0	19.1
6/12/2024	19	18.8	19.1	20.1	21.3	21.2	21.3	19.0	19.1
6/12/2024	20	18.8	19.0	19.3	20.9	20.9	20.9	19.1	19.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/12/2024	21	18.8	19.0	18.6	20.4	20.5	20.5	19.2	19.1
6/12/2024	22	18.8	19.0	17.8	19.8	19.9	19.9	19.2	19.1
6/12/2024	23	18.8	18.9	17.4	19.2	19.3	19.3	19.2	19.0
6/12/2024	24	18.7	18.9	17.1	18.5	18.6	18.7	19.2	18.9
6/13/2024	1	18.7	18.8	16.8	17.8	18.0	18.0	19.1	17.5
6/13/2024	2	18.6	18.8	16.7	17.3	17.5	17.4	19.1	18.2
6/13/2024	3	18.6	18.7	16.6	17.0	17.1	17.0	19.0	18.3
6/13/2024	4	18.6	18.7	16.6	16.7	16.8	16.7	19.0	18.2
6/13/2024	5	18.5	18.6	16.5	16.5	16.6	16.4	19.0	15.0
6/13/2024	6	18.5	18.6	16.5	16.4	16.4	16.3	18.9	17.0
6/13/2024	7	18.5	18.6	16.7	16.3	16.3	16.2	18.9	18.7
6/13/2024	8	18.4	18.6	17.0	16.6	16.4	16.4	18.9	18.6
6/13/2024	9	18.3	18.5	17.6	16.8	16.5	16.7	18.9	18.5
6/13/2024	10	18.2	18.6	18.5	17.1	16.7	17.0	18.9	18.5
6/13/2024	11	18.2	18.6	19.5	17.6	17.2	17.5	18.9	18.5
6/13/2024	12	18.2	18.6	20.4	18.3	17.9	18.2	18.9	18.6
6/13/2024	13	18.3	18.7	21.1	19.3	18.8	19.2	18.9	18.7
6/13/2024	14	18.5	18.9	21.5	20.2	19.6	20.0	18.9	18.8
6/13/2024	15	18.6	19.0	21.2	20.7	20.2	20.4	18.9	18.9
6/13/2024	16	18.7	19.0	20.6	21.1	20.7	20.8	18.9	19.0
6/13/2024	17	18.7	19.0	20.0	21.2	21.0	21.1	19.0	19.0
6/13/2024	18	18.7	19.0	19.5	21.0	20.9	21.1	19.0	19.0
6/13/2024	19	18.7	18.9	19.1	20.7	20.6	20.8	19.0	19.0
6/13/2024	20	18.7	18.9	18.8	20.2	20.3	20.4	19.0	18.9
6/13/2024	21	18.6	18.8	18.6	19.7	19.8	19.9	19.0	18.9
6/13/2024	22	18.6	18.7	18.3	19.3	19.4	19.4	19.0	18.8
6/13/2024	23	18.5	18.7	18.1	18.9	19.0	19.0	18.9	18.2
6/13/2024	24	18.4	18.6	17.9	18.7	18.7	18.7	18.9	18.4
6/14/2024	1	18.4	18.6	17.8	18.4	18.5	18.5	18.8	18.4
6/14/2024	2	18.4	18.6	17.6	18.2	18.2	18.2	18.8	18.5
6/14/2024	3	18.4	18.5	17.3	17.9	18.0	17.9	18.7	18.5
6/14/2024	4	18.4	18.5	17.1	17.7	17.7	17.6	18.7	18.2
6/14/2024	5	18.3	18.5	16.9	17.4	17.4	17.3	18.6	18.2
6/14/2024	6	18.3	18.5	16.8	17.2	17.2	17.2	18.6	18.4
6/14/2024	7	18.3	18.4	16.9	17.0	17.0	17.0	18.6	18.5
6/14/2024	8	18.2	18.4	17.1	16.9	16.9	16.9	18.5	18.4
6/14/2024	9	18.2	18.4	17.2	16.9	16.8	16.8	18.5	18.4
6/14/2024	10	18.2	18.4	17.6	17.0	16.9	17.0	18.5	18.3
6/14/2024	11	18.1	18.3	18.1	17.2	17.1	17.2	18.5	18.2
6/14/2024	12	18.1	18.3	18.4	17.5	17.3	17.4	18.5	18.3
6/14/2024	13	18.0	18.3	18.6	17.7	17.5	17.6	18.5	18.2
6/14/2024	14	18.0	18.3	18.8	18.1	17.8	18.0	18.4	18.2
6/14/2024	15	18.0	18.3	18.9	18.4	18.2	18.3	18.4	18.2
6/14/2024	16	18.0	18.3	19.0	18.7	18.4	18.6	18.4	18.3
6/14/2024	17	18.0	18.2	18.7	18.8	18.6	18.6	18.4	18.2
6/14/2024	18	18.1	18.2	18.4	18.7	18.6	18.6	18.4	18.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/14/2024	19	18.1	18.2	18.0	18.6	18.6	18.6	18.4	18.2
6/14/2024	20	18.0	18.2	17.5	18.4	18.4	18.4	18.4	18.2
6/14/2024	21	18.0	18.1	17.0	18.1	18.1	18.0	18.4	18.2
6/14/2024	22	18.0	18.1	16.7	17.7	17.7	17.6	18.3	18.0
6/14/2024	23	17.9	18.0	16.6	17.3	17.4	17.3	18.3	17.7
6/14/2024	24	17.9	18.0	16.4	17.0	17.0	16.9	18.2	17.8
6/15/2024	1	17.8	17.9	16.4	16.6	16.7	16.6	18.2	17.8
6/15/2024	2	17.8	17.9	16.3	16.4	16.5	16.4	18.1	17.7
6/15/2024	3	17.8	17.9	16.2	16.3	16.3	16.2	18.1	17.8
6/15/2024	4	17.7	17.8	16.2	16.2	16.2	16.2	18.0	17.7
6/15/2024	5	17.7	17.8	16.2	16.2	16.2	16.1	18.0	17.7
6/15/2024	6	17.7	17.8	16.2	16.1	16.1	16.0	18.0	17.7
6/15/2024	7	17.7	17.7	16.1	16.0	16.0	15.9	18.0	17.8
6/15/2024	8	17.7	17.7	16.1	16.0	15.9	15.8	18.0	17.8
6/15/2024	9	17.6	17.8	16.7	16.2	16.0	16.1	18.0	17.7
6/15/2024	10	17.6	17.9	17.5	16.3	16.2	16.4	18.0	17.8
6/15/2024	11	17.6	17.8	18.2	16.5	16.3	16.5	18.0	17.8
6/15/2024	12	17.6	17.8	18.8	17.0	16.7	16.8	18.0	17.8
6/15/2024	13	17.6	17.9	19.2	17.7	17.3	17.5	18.0	17.8
6/15/2024	14	17.6	17.9	19.9	18.5	18.1	18.4	18.0	17.9
6/15/2024	15	17.6	17.9	20.1	19.1	18.7	19.0	18.0	17.9
6/15/2024	16	17.6	17.9	20.1	19.5	19.1	19.3	18.0	17.9
6/15/2024	17	17.7	17.9	19.8	19.6	19.4	19.6	18.0	17.9
6/15/2024	18	17.7	17.9	19.2	19.7	19.6	19.6	18.0	17.9
6/15/2024	19	17.7	17.8	18.3	19.3	19.3	19.3	18.0	17.8
6/15/2024	20	17.7	17.8	17.3	18.8	18.9	18.8	18.0	17.8
6/15/2024	21	17.7	17.7	16.4	18.3	18.4	18.3	18.0	17.8
6/15/2024	22	17.6	17.7	15.9	17.6	17.7	17.7	17.9	17.7
6/15/2024	23	17.6	17.6	15.6	16.9	17.1	17.0	17.9	17.4
6/15/2024	24	17.5	17.6	15.5	16.3	16.5	16.4	17.8	17.4
6/16/2024	1	17.5	17.5	15.5	15.8	15.9	15.9	17.8	17.4
6/16/2024	2	17.5	17.5	15.5	15.5	15.6	15.5	17.7	17.3
6/16/2024	3	17.4	17.4	15.5	15.3	15.4	15.2	17.7	17.3
6/16/2024	4	17.4	17.4	15.4	15.2	15.2	15.1	17.7	17.2
6/16/2024	5	17.4	17.3	15.3	15.1	15.2	15.0	17.7	17.1
6/16/2024	6	17.3	17.3	15.3	15.1	15.1	14.9	17.7	17.1
6/16/2024	7	17.3	17.4	15.3	15.0	15.0	14.9	17.7	17.2
6/16/2024	8	17.3	17.4	15.7	15.3	15.1	15.1	17.7	17.0
6/16/2024	9	17.3	17.5	16.3	15.4	15.2	15.3	17.7	17.1
6/16/2024	10	17.3	17.5	17.0	15.8	15.4	15.7	17.8	17.3
6/16/2024	11	17.3	17.6	18.0	16.2	15.8	16.1	17.8	17.5
6/16/2024	12	17.4	17.7	19.1	17.0	16.5	16.9	17.8	17.8
6/16/2024	13	17.4	17.7	20.0	18.0	17.4	17.8	17.8	18.0
6/16/2024	14	17.4	17.6	20.4	18.7	18.3	18.6	17.9	18.1
6/16/2024	15	17.4	17.6	20.5	19.4	19.0	19.1	17.9	18.0
6/16/2024	16	17.5	17.6	19.4	19.9	19.4	19.4	17.9	17.9

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/16/2024	17	17.4	17.7	19.0	20.1	19.9	20.2	17.9	18.0
6/16/2024	18	17.4	17.6	18.4	19.8	19.7	19.9	17.9	17.7
6/16/2024	19	17.4	17.6	18.1	19.3	19.4	19.5	17.9	17.6
6/16/2024	20	17.4	17.5	17.5	18.7	18.8	18.8	17.9	17.5
6/16/2024	21	17.4	17.5	16.9	18.2	18.3	18.2	17.8	17.5
6/16/2024	22	17.5	17.6	16.5	17.7	17.9	17.8	17.8	17.5
6/16/2024	23	17.5	17.6	16.2	17.4	17.5	17.5	17.8	17.5
6/16/2024	24	17.5	17.6	16.2	16.9	17.1	17.0	17.7	17.4
6/17/2024	1	17.5	17.6	16.1	16.6	16.7	16.7	17.7	17.4
6/17/2024	2	17.5	17.5	16.0	16.2	16.4	16.3	17.7	17.3
6/17/2024	3	17.4	17.5	15.9	16.1	16.1	16.0	17.7	17.3
6/17/2024	4	17.4	17.5	15.9	15.9	16.0	15.8	17.7	17.2
6/17/2024	5	17.4	17.5	15.8	15.8	15.8	15.7	17.7	17.2
6/17/2024	6	17.4	17.5	15.9	15.7	15.7	15.6	17.8	17.2
6/17/2024	7	17.4	17.4	15.9	15.7	15.6	15.6	17.8	17.5
6/17/2024	8	17.3	17.5	16.4	15.9	15.7	15.8	17.7	17.5
6/17/2024	9	17.2	17.4	16.6	15.8	15.7	15.8	17.7	17.4
6/17/2024	10	17.2	17.3	17.2	16.3	16.0	16.2	17.7	17.4
6/17/2024	11	17.1	17.3	17.4	16.6	16.3	16.5	17.6	17.3
6/17/2024	12	17.1	17.3	17.8	17.1	16.7	17.0	17.6	17.4
6/17/2024	13	17.1	17.3	18.3	17.7	17.4	17.8	17.6	17.4
6/17/2024	14	17.2	17.4	18.7	18.0	17.7	18.0	17.6	17.4
6/17/2024	15	17.2	17.6	19.4	18.4	18.1	18.4	17.6	17.5
6/17/2024	16	17.2	17.5	19.5	18.8	18.5	18.7	17.6	17.5
6/17/2024	17	17.3	17.5	18.9	18.9	18.7	18.8	17.7	17.6
6/17/2024	18	17.3	17.5	18.8	19.3	19.1	19.3	17.7	17.6
6/17/2024	19	17.3	17.5	18.2	19.1	19.1	19.1	17.6	17.6
6/17/2024	20	17.3	17.5	17.7	18.8	18.8	18.8	17.6	17.6
6/17/2024	21	17.4	17.5	17.2	18.6	18.6	18.5	17.6	17.5
6/17/2024	22	17.4	17.4	16.7	18.1	18.2	18.2	17.6	17.5
6/17/2024	23	17.3	17.4	16.4	17.7	17.8	17.7	17.6	17.3
6/17/2024	24	17.3	17.3	16.1	17.2	17.3	17.3	17.6	17.3
6/18/2024	1	17.2	17.3	15.9	16.7	16.9	16.9	17.6	17.0
6/18/2024	2	17.2	17.3	15.8	16.4	16.5	16.4	17.6	17.1
6/18/2024	3	17.2	17.3	15.7	16.1	16.2	16.1	17.6	17.2
6/18/2024	4	17.2	17.2	15.5	15.8	15.9	15.8	17.6	17.0
6/18/2024	5	17.2	17.2	15.5	15.6	15.7	15.6	17.6	17.0
6/18/2024	6	17.1	17.2	15.5	15.5	15.5	15.4	17.6	17.0
6/18/2024	7	17.1	17.2	15.5	15.4	15.4	15.4	17.6	17.1
6/18/2024	8	17.1	17.2	15.8	15.5	15.4	15.4	17.6	17.1
6/18/2024	9	17.1	17.3	16.4	15.7	15.5	15.6	17.6	17.2
6/18/2024	10	17.1	17.4	17.2	16.0	15.8	16.1	17.6	17.3
6/18/2024	11	17.0	17.3	18.3	16.5	16.2	16.5	17.6	17.3
6/18/2024	12	17.0	17.3	19.3	17.3	16.8	17.2	17.6	17.3
6/18/2024	13	17.0	17.3	20.1	18.2	17.7	18.1	17.6	17.4
6/18/2024	14	17.1	17.4	20.7	19.2	18.7	19.1	17.6	17.4

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/18/2024	15	17.1	17.4	20.6	19.8	19.4	19.7	17.6	17.5
6/18/2024	16	17.2	17.5	20.2	20.5	20.0	20.3	17.6	17.7
6/18/2024	17	17.2	17.5	20.2	20.6	20.4	20.8	17.7	17.8
6/18/2024	18	17.2	17.5	19.9	20.6	20.5	20.8	17.7	17.8
6/18/2024	19	17.3	17.4	19.1	20.2	20.2	20.3	17.7	17.7
6/18/2024	20	17.4	17.5	18.3	19.9	19.9	19.9	17.8	17.8
6/18/2024	21	17.4	17.5	17.6	19.6	19.7	19.7	17.8	17.7
6/18/2024	22	17.4	17.5	17.0	19.1	19.2	19.2	17.9	17.5
6/18/2024	23	17.4	17.5	16.6	18.4	18.6	18.6	17.9	15.6
6/18/2024	24	17.4	17.5	16.5	17.8	18.0	18.1	17.9	14.7
6/19/2024	1	17.4	17.5	16.4	17.3	17.5	17.5	17.9	14.8
6/19/2024	2	17.4	17.5	16.3	16.9	17.1	17.0	17.9	14.6
6/19/2024	3	17.4	17.4	16.2	16.6	16.7	16.7	17.9	14.7
6/19/2024	4	17.4	17.4	16.1	16.4	16.5	16.4	17.9	15.9
6/19/2024	5	17.4	17.4	16.0	16.2	16.3	16.2	18.0	16.9
6/19/2024	6	17.4	17.4	15.9	16.1	16.2	16.1	18.0	17.1
6/19/2024	7	17.3	17.5	16.0	16.0	16.1	16.0	17.9	17.3
6/19/2024	8	17.3	17.5	16.3	16.3	16.1	16.1	17.8	17.2
6/19/2024	9	17.1	17.2	16.8	16.4	16.1	16.3	17.7	17.3
6/19/2024	10	16.8	17.0	17.6	16.7	16.3	16.6	17.6	17.2
6/19/2024	11	16.7	16.9	18.6	17.0	16.7	17.0	17.6	17.1
6/19/2024	12	16.5	16.8	19.7	17.8	17.3	17.7	17.5	17.1
6/19/2024	13	16.5	16.9	20.5	18.7	18.2	18.7	17.4	17.2
6/19/2024	14	16.6	16.9	21.1	19.7	19.2	19.7	17.3	17.3
6/19/2024	15	16.6	16.8	21.3	20.6	20.1	20.6	17.4	17.5
6/19/2024	16	16.5	16.8	21.1	21.3	20.8	21.3	17.4	17.4
6/19/2024	17	16.6	16.9	20.7	21.5	21.3	21.7	17.4	17.3
6/19/2024	18	16.6	16.7	19.7	21.6	21.4	21.8	17.5	17.4
6/19/2024	19	16.6	16.8	18.9	21.3	21.2	21.6	17.5	17.4
6/19/2024	20	16.7	16.9	18.2	20.7	20.8	21.0	17.6	17.4
6/19/2024	21	16.7	16.9	17.5	20.0	20.1	20.3	17.6	17.5
6/19/2024	22	16.8	16.9	16.9	19.3	19.4	19.6	17.6	17.4
6/19/2024	23	16.8	16.9	16.5	18.6	18.8	18.9	17.6	17.3
6/19/2024	24	16.8	16.9	16.2	17.9	18.1	18.2	17.5	17.2
6/20/2024	1	16.8	16.9	16.1	17.3	17.6	17.6	17.5	17.2
6/20/2024	2	16.8	16.9	15.9	16.9	17.1	17.1	17.4	17.1
6/20/2024	3	16.8	16.8	15.7	16.6	16.7	16.7	17.4	17.2
6/20/2024	4	16.8	16.8	15.7	16.3	16.4	16.4	17.4	17.2
6/20/2024	5	16.8	16.8	15.7	16.1	16.2	16.2	17.3	17.1
6/20/2024	6	16.7	16.8	15.7	15.9	16.0	16.0	17.3	17.1
6/20/2024	7	16.8	16.9	15.7	15.9	15.9	15.9	17.3	17.0
6/20/2024	8	16.8	17.0	16.1	16.1	15.9	16.0	17.3	17.0
6/20/2024	9	16.9	17.1	16.7	16.4	16.0	16.2	17.4	17.2
6/20/2024	10	16.9	17.2	17.5	16.6	16.2	16.6	17.4	17.2
6/20/2024	11	16.9	17.2	18.6	17.0	16.7	17.0	17.4	17.2
6/20/2024	12	16.9	17.2	19.7	17.8	17.4	17.8	17.4	17.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/20/2024	13	16.8	17.1	20.5	18.7	18.2	18.7	17.4	17.4
6/20/2024	14	16.7	17.1	21.2	19.8	19.2	19.7	17.5	17.4
6/20/2024	15	16.8	17.1	21.4	20.7	20.1	20.6	17.5	17.5
6/20/2024	16	16.8	17.1	21.4	21.4	20.8	21.3	17.6	17.5
6/20/2024	17	16.7	17.0	21.0	21.5	21.3	21.7	17.6	17.5
6/20/2024	18	16.7	17.0	20.5	21.7	21.5	21.9	17.7	17.6
6/20/2024	19	16.7	16.9	19.7	21.5	21.4	21.6	17.7	17.6
6/20/2024	20	16.7	16.9	18.7	21.0	21.0	21.2	17.8	17.7
6/20/2024	21	16.7	16.9	17.9	20.6	20.6	20.7	17.8	17.7
6/20/2024	22	16.7	16.9	17.2	19.9	20.0	20.2	17.9	17.6
6/20/2024	23	16.7	16.8	16.7	19.2	19.4	19.5	17.9	17.6
6/20/2024	24	16.7	16.8	16.4	18.4	18.7	18.8	17.8	17.6
6/21/2024	1	16.7	16.7	16.2	17.8	18.0	18.1	17.8	17.6
6/21/2024	2	16.7	16.7	16.0	17.2	17.4	17.4	17.8	17.5
6/21/2024	3	16.6	16.7	15.9	16.8	17.0	17.0	17.8	17.6
6/21/2024	4	16.6	16.7	15.7	16.5	16.7	16.6	17.8	17.6
6/21/2024	5	16.6	16.6	15.6	16.2	16.4	16.3	17.8	17.6
6/21/2024	6	16.6	16.6	15.5	16.0	16.2	16.1	17.7	17.5
6/21/2024	7	16.6	16.8	15.6	15.9	16.0	16.0	17.5	17.2
6/21/2024	8	16.6	16.8	16.0	16.2	16.0	16.0	17.5	17.2
6/21/2024	9	16.7	16.9	16.6	16.2	16.1	16.2	17.5	17.2
6/21/2024	10	16.7	17.0	17.6	16.6	16.3	16.6	17.5	17.1
6/21/2024	11	16.7	17.0	18.6	17.1	16.7	17.1	17.5	17.2
6/21/2024	12	16.8	17.1	19.7	17.8	17.4	17.8	17.5	17.3
6/21/2024	13	16.8	17.2	20.5	18.8	18.4	18.8	17.6	17.5
6/21/2024	14	16.9	17.2	21.2	19.9	19.4	19.8	17.8	17.7
6/21/2024	15	16.9	17.2	21.5	20.8	20.3	20.7	17.9	17.8
6/21/2024	16	17.0	17.4	21.5	21.5	21.0	21.4	18.1	18.0
6/21/2024	17	17.1	17.3	21.2	21.7	21.5	21.9	18.3	18.2
6/21/2024	18	17.2	17.6	20.6	21.9	21.7	22.0	18.4	18.5
6/21/2024	19	17.3	17.7	19.8	21.7	21.6	21.9	18.6	18.5
6/21/2024	20	17.4	17.7	19.0	21.3	21.3	21.5	18.7	18.5
6/21/2024	21	17.5	17.6	18.2	20.8	20.9	21.0	18.7	18.5
6/21/2024	22	17.5	17.6	17.7	20.2	20.3	20.5	18.7	18.6
6/21/2024	23	17.4	17.5	17.4	19.5	19.6	19.8	18.6	17.2
6/21/2024	24	17.4	17.5	17.1	18.7	19.0	19.1	18.6	16.3
6/22/2024	1	17.3	17.4	17.0	18.2	18.4	18.4	18.6	15.5
6/22/2024	2	17.2	17.3	16.8	17.8	17.9	17.9	18.5	15.1
6/22/2024	3	17.1	17.2	16.7	17.5	17.6	17.6	18.5	15.1
6/22/2024	4	17.1	17.2	16.7	17.2	17.4	17.3	18.5	15.3
6/22/2024	5	17.0	17.1	16.7	17.1	17.2	17.2	18.4	16.4
6/22/2024	6	16.9	17.1	16.7	17.0	17.1	17.1	18.3	18.1
6/22/2024	7	17.0	17.3	16.8	17.0	17.1	17.1	18.1	18.2
6/22/2024	8	17.1	17.4	17.0	17.1	17.1	17.1	18.2	18.4
6/22/2024	9	17.2	17.5	17.5	17.4	17.2	17.3	18.3	18.4
6/22/2024	10	17.4	17.7	17.9	17.5	17.3	17.5	18.4	18.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/22/2024	11	17.7	18.1	18.4	17.7	17.6	17.8	18.5	18.4
6/22/2024	12	17.9	18.1	18.9	18.3	18.0	18.3	18.6	18.7
6/22/2024	13	17.8	18.0	19.3	18.6	18.4	18.7	18.7	18.7
6/22/2024	14	17.7	18.1	19.8	19.1	18.8	19.1	18.8	18.8
6/22/2024	15	17.8	18.2	20.0	19.6	19.3	19.6	18.8	18.8
6/22/2024	16	17.6	18.1	20.0	19.9	19.6	19.9	18.9	18.7
6/22/2024	17	17.5	17.9	20.0	20.1	19.9	20.2	19.0	18.8
6/22/2024	18	17.6	18.1	20.0	20.3	20.2	20.5	19.0	18.8
6/22/2024	19	17.7	18.1	19.7	20.2	20.2	20.4	19.1	18.9
6/22/2024	20	18.2	18.6	19.0	20.1	20.0	20.1	19.1	19.2
6/22/2024	21	18.2	18.6	18.4	19.9	19.9	19.9	19.2	19.2
6/22/2024	22	18.7	19.1	18.0	19.7	19.7	19.7	19.3	19.3
6/22/2024	23	18.8	19.0	17.7	19.2	19.3	19.4	19.3	18.8
6/22/2024	24	18.8	19.1	17.6	18.7	18.8	18.9	19.4	18.7
6/23/2024	1	18.9	19.1	17.6	18.3	18.4	18.4	19.3	18.9
6/23/2024	2	18.8	19.0	17.6	18.0	18.0	18.0	19.3	18.6
6/23/2024	3	18.7	19.0	17.5	17.7	17.7	17.7	19.2	18.7
6/23/2024	4	18.8	18.9	17.5	17.6	17.6	17.5	19.1	18.4
6/23/2024	5	18.7	18.9	17.4	17.5	17.5	17.4	19.1	18.3
6/23/2024	6	18.7	19.0	17.3	17.3	17.3	17.2	19.0	18.5
6/23/2024	7	18.8	19.0	17.4	17.3	17.2	17.2	19.0	18.6
6/23/2024	8	18.8	19.1	17.6	17.4	17.3	17.3	18.9	18.6
6/23/2024	9	18.8	19.1	17.7	17.3	17.2	17.2	19.0	18.6
6/23/2024	10	18.8	19.1	18.1	17.3	17.2	17.3	19.0	18.7
6/23/2024	11	18.9	19.2	18.9	17.7	17.5	17.7	19.0	18.7
6/23/2024	12	18.9	19.3	19.9	18.2	17.9	18.3	19.1	18.7
6/23/2024	13	18.9	19.3	20.8	18.7	18.4	18.8	19.1	19.0
6/23/2024	14	19.0	19.4	21.4	19.5	19.1	19.4	19.2	19.2
6/23/2024	15	19.0	19.4	21.7	20.2	19.8	20.1	19.2	19.3
6/23/2024	16	19.0	19.4	21.6	20.8	20.5	20.7	19.3	19.5
6/23/2024	17	19.1	19.4	21.4	21.1	20.9	21.0	19.3	19.1
6/23/2024	18	19.1	19.4	20.9	21.1	21.0	21.1	19.3	19.2
6/23/2024	19	19.1	19.4	20.1	20.9	20.8	20.8	19.2	18.7
6/23/2024	20	19.2	19.4	19.3	20.5	20.5	20.3	19.2	18.3
6/23/2024	21	19.2	19.3	18.5	20.0	20.1	20.0	19.1	18.3
6/23/2024	22	19.2	19.3	17.9	19.6	19.7	19.7	19.0	18.5
6/23/2024	23	19.2	19.3	17.5	19.1	19.2	19.2	19.0	18.4
6/23/2024	24	19.2	19.3	17.3	18.5	18.7	18.7	18.9	18.4
6/24/2024	1	19.2	19.4	17.3	18.0	18.1	18.1	18.8	17.6
6/24/2024	2	19.3	19.4	17.3	17.5	17.7	17.6	18.8	16.5
6/24/2024	3	19.3	19.4	17.2	17.2	17.3	17.3	18.8	15.2
6/24/2024	4	19.2	19.4	17.2	17.1	17.2	17.1	18.9	14.4
6/24/2024	5	19.2	19.3	17.2	17.0	17.0	16.9	18.9	16.8
6/24/2024	6	19.2	19.3	17.2	16.8	16.9	16.8	18.9	18.2
6/24/2024	7	19.2	19.3	17.3	16.8	16.9	16.8	19.6	19.4
6/24/2024	8	19.1	19.3	17.7	17.2	17.0	17.0	19.7	19.3

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/24/2024	9	19.0	19.3	18.3	17.4	17.1	17.3	19.7	19.3
6/24/2024	10	19.0	19.3	19.1	17.7	17.3	17.7	19.7	19.2
6/24/2024	11	19.0	19.3	20.1	18.2	17.8	18.1	19.6	19.3
6/24/2024	12	19.0	19.4	21.1	19.0	18.5	18.9	19.6	19.3
6/24/2024	13	19.0	19.4	21.9	19.9	19.5	19.8	19.6	19.4
6/24/2024	14	19.1	19.5	22.5	20.9	20.4	20.8	19.6	19.5
6/24/2024	15	19.3	19.7	22.8	21.8	21.3	21.7	19.6	19.6
6/24/2024	16	19.1	19.5	22.7	22.5	22.0	22.3	19.5	19.6
6/24/2024	17	18.8	19.0	22.5	22.6	22.4	22.8	19.5	19.4
6/24/2024	18	18.5	18.7	22.0	22.7	22.6	22.9	19.4	19.3
6/24/2024	19	18.3	18.5	21.3	22.5	22.4	22.6	19.4	19.1
6/24/2024	20	18.2	18.2	20.4	22.1	22.1	22.2	19.3	19.1
6/24/2024	21	18.0	18.3	19.3	21.6	21.7	21.7	19.3	19.2
6/24/2024	22	18.1	18.3	18.4	21.1	21.2	21.2	19.2	19.1
6/24/2024	23	18.2	18.4	17.8	20.4	20.5	20.6	19.2	18.3
6/24/2024	24	18.1	18.2	17.4	19.6	19.8	19.9	19.1	15.9
6/25/2024	1	18.0	18.2	17.2	18.8	19.1	19.1	19.1	15.0
6/25/2024	2	18.0	18.1	17.0	18.2	18.4	18.4	19.0	14.3
6/25/2024	3	18.0	18.1	16.9	17.7	17.9	17.9	19.0	14.1
6/25/2024	4	18.0	18.2	16.9	17.4	17.6	17.5	19.0	13.8
6/25/2024	5	18.1	18.3	16.8	17.1	17.3	17.2	19.1	14.6
6/25/2024	6	18.2	18.4	16.7	17.0	17.1	17.0	19.1	18.4
6/25/2024	7	18.7	19.0	16.8	16.9	17.0	16.9	19.2	19.2
6/25/2024	8	19.1	19.3	17.2	17.2	17.0	17.1	19.3	19.3
6/25/2024	9	18.9	19.1	17.9	17.3	17.1	17.3	19.4	19.2
6/25/2024	10	18.9	19.2	19.0	17.5	17.3	17.6	19.5	19.2
6/25/2024	11	19.0	19.4	20.2	18.2	17.8	18.0	19.5	19.3
6/25/2024	12	19.1	19.5	21.1	19.2	18.8	19.0	19.6	19.4
6/25/2024	13	19.3	19.7	21.8	20.4	19.9	20.2	19.7	19.6
6/25/2024	14	19.4	19.8	22.3	21.6	21.0	21.4	19.8	19.7
6/25/2024	15	19.5	19.9	22.5	22.3	21.9	22.3	19.9	19.8
6/25/2024	16	19.5	19.9	22.4	22.9	22.4	22.8	20.0	19.8
6/25/2024	17	19.5	19.9	22.2	22.9	22.7	23.1	20.1	19.9
6/25/2024	18	19.5	19.8	21.8	22.8	22.7	23.0	20.1	20.0
6/25/2024	19	19.4	19.7	21.2	22.4	22.4	22.6	20.1	20.0
6/25/2024	20	19.3	19.6	20.5	22.0	22.0	22.1	20.1	20.0
6/25/2024	21	19.3	19.5	19.8	21.5	21.6	21.7	20.1	20.0
6/25/2024	22	19.3	19.5	19.3	20.9	21.0	21.1	20.1	20.0
6/25/2024	23	19.3	19.5	19.0	20.3	20.4	20.5	20.1	19.9
6/25/2024	24	19.3	19.5	18.8	19.7	19.8	19.9	20.0	17.6
6/26/2024	1	19.4	19.6	18.6	19.3	19.4	19.4	20.0	19.4
6/26/2024	2	19.5	19.6	18.5	18.9	19.1	19.1	20.0	19.6
6/26/2024	3	19.4	19.5	18.4	18.7	18.8	18.8	20.0	19.6
6/26/2024	4	19.3	19.5	18.3	18.6	18.6	18.6	19.9	19.4
6/26/2024	5	19.3	19.5	18.3	18.4	18.5	18.4	19.9	19.5
6/26/2024	6	19.3	19.4	18.2	18.3	18.3	18.3	19.9	19.6

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/26/2024	7	19.3	19.5	18.3	18.3	18.2	18.2	19.9	19.7
6/26/2024	8	18.9	19.0	18.7	18.4	18.3	18.4	19.8	19.6
6/26/2024	9	18.4	18.4	18.8	18.3	18.3	18.3	19.6	19.2
6/26/2024	10	18.2	18.4	19.1	18.7	18.5	18.6	19.4	19.0
6/26/2024	11	18.0	18.2	19.1	19.0	18.8	18.9	19.2	18.9
6/26/2024	12	17.9	18.2	19.1	19.2	19.1	19.2	19.1	18.9
6/26/2024	13	17.9	18.1	19.1	19.6	19.3	19.5	19.0	18.9
6/26/2024	14	18.0	18.3	19.2	19.7	19.5	19.7	19.1	19.1
6/26/2024	15	18.2	18.5	19.9	19.9	19.7	20.1	19.2	19.2
6/26/2024	16	18.5	18.8	19.7	19.9	19.7	19.9	19.3	19.2
6/26/2024	17	18.6	18.8	19.7	20.2	20.1	20.2	19.4	19.4
6/26/2024	18	18.8	19.2	19.4	20.1	20.1	20.2	19.4	19.5
6/26/2024	19	19.0	19.3	19.3	19.9	19.9	20.0	19.5	19.5
6/26/2024	20	19.2	19.3	19.0	19.5	19.6	19.6	19.6	19.7
6/26/2024	21	19.1	19.3	18.6	19.2	19.2	19.2	19.7	19.6
6/26/2024	22	19.1	19.3	18.2	19.0	19.0	18.9	19.8	19.6
6/26/2024	23	19.3	19.5	18.1	18.6	18.7	18.7	19.7	19.1
6/26/2024	24	19.3	19.5	18.0	18.3	18.4	18.3	19.7	19.3
6/27/2024	1	19.3	19.5	18.1	18.2	18.2	18.1	19.6	19.2
6/27/2024	2	19.3	19.5	18.1	18.0	18.1	18.0	19.5	19.2
6/27/2024	3	19.3	19.5	18.2	18.0	18.0	17.9	19.5	19.2
6/27/2024	4	19.3	19.4	18.1	18.0	17.9	17.9	19.4	19.2
6/27/2024	5	19.3	19.4	18.0	18.0	17.9	17.9	19.4	19.2
6/27/2024	6	19.2	19.4	18.1	17.9	17.9	17.9	19.3	19.2
6/27/2024	7	19.2	19.4	18.1	17.9	17.9	17.8	19.4	19.4
6/27/2024	8	19.2	19.4	18.4	18.2	17.9	18.0	19.4	19.4
6/27/2024	9	19.2	19.4	18.8	18.2	18.0	18.1	19.5	19.4
6/27/2024	10	19.2	19.5	19.5	18.5	18.2	18.4	19.5	19.4
6/27/2024	11	19.2	19.5	20.2	18.9	18.6	18.8	19.6	19.5
6/27/2024	12	19.2	19.5	20.6	19.6	19.2	19.4	19.7	19.5
6/27/2024	13	19.2	19.6	21.2	20.3	20.0	20.2	19.7	19.6
6/27/2024	14	19.3	19.6	21.6	20.9	20.5	20.8	19.8	19.7
6/27/2024	15	19.3	19.7	22.0	21.4	21.1	21.3	19.8	19.7
6/27/2024	16	19.4	19.7	21.6	21.7	21.4	21.7	19.8	19.8
6/27/2024	17	19.4	19.6	20.6	21.7	21.6	21.6	19.8	19.6
6/27/2024	18	19.4	19.7	19.9	21.5	21.5	21.6	19.8	19.6
6/27/2024	19	19.5	19.7	19.2	20.8	20.9	21.0	19.8	19.7
6/27/2024	20	19.5	19.7	18.9	20.1	20.2	20.3	19.8	19.7
6/27/2024	21	19.5	19.6	18.7	19.4	19.6	19.6	19.8	19.7
6/27/2024	22	19.5	19.6	18.4	18.9	19.1	19.0	19.8	19.7
6/27/2024	23	19.4	19.6	18.3	18.7	18.7	18.7	19.8	19.4
6/27/2024	24	19.4	19.5	18.2	18.4	18.5	18.4	19.7	19.4
6/28/2024	1	19.4	19.5	18.1	18.2	18.3	18.2	19.7	18.9
6/28/2024	2	19.3	19.5	18.1	18.1	18.1	18.1	19.6	19.1
6/28/2024	3	19.3	19.4	18.0	18.0	18.0	17.9	19.6	19.1
6/28/2024	4	19.3	19.4	18.0	17.9	17.9	17.8	19.6	19.1

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/28/2024	5	19.3	19.4	17.9	17.8	17.8	17.7	19.5	19.1
6/28/2024	6	19.3	19.4	17.9	17.8	17.7	17.7	19.5	19.2
6/28/2024	7	19.2	19.4	17.9	17.8	17.7	17.7	19.5	19.4
6/28/2024	8	19.2	19.4	18.3	18.0	17.8	17.8	19.5	19.4
6/28/2024	9	19.2	19.5	18.9	18.1	17.9	18.0	19.6	19.4
6/28/2024	10	19.2	19.5	19.6	18.5	18.2	18.4	19.6	19.5
6/28/2024	11	19.2	19.5	20.5	19.1	18.7	18.9	19.6	19.5
6/28/2024	12	19.2	19.5	21.3	19.9	19.5	19.8	19.7	19.5
6/28/2024	13	19.2	19.6	21.9	20.8	20.4	20.7	19.7	19.6
6/28/2024	14	19.2	19.6	22.5	21.6	21.1	21.6	19.7	19.7
6/28/2024	15	19.3	19.7	22.9	22.3	21.8	22.3	19.8	19.8
6/28/2024	16	19.3	19.7	22.9	22.8	22.3	22.8	19.8	19.9
6/28/2024	17	19.4	19.7	22.6	22.8	22.6	23.0	19.9	19.9
6/28/2024	18	19.4	19.6	21.7	23.0	22.8	23.0	19.9	19.9
6/28/2024	19	19.4	19.7	21.1	22.9	22.8	23.0	20.0	20.0
6/28/2024	20	19.4	19.7	20.3	22.4	22.5	22.6	20.0	20.0
6/28/2024	21	19.4	19.6	19.6	21.8	21.9	22.1	20.1	20.0
6/28/2024	22	19.5	19.6	19.2	21.2	21.3	21.5	20.1	20.0
6/28/2024	23	19.5	19.7	18.8	20.6	20.7	20.8	20.1	19.8
6/28/2024	24	19.5	19.6	18.6	20.0	20.2	20.2	20.1	19.8
6/29/2024	1	19.5	19.6	18.5	19.4	19.6	19.6	20.0	19.8
6/29/2024	2	19.5	19.6	18.3	19.1	19.2	19.2	20.0	19.8
6/29/2024	3	19.5	19.6	18.2	18.8	18.9	18.9	19.9	19.7
6/29/2024	4	19.4	19.6	18.2	18.5	18.7	18.6	19.9	19.7
6/29/2024	5	19.4	19.6	18.1	18.3	18.5	18.4	19.9	19.7
6/29/2024	6	19.4	19.5	18.2	18.3	18.3	18.3	19.8	19.7
6/29/2024	7	19.2	19.2	18.2	18.2	18.2	18.2	19.8	19.7
6/29/2024	8	18.8	19.0	18.4	18.3	18.2	18.3	19.7	19.5
6/29/2024	9	18.6	18.8	18.8	18.5	18.3	18.4	19.7	19.3
6/29/2024	10	18.5	18.7	19.5	18.8	18.6	18.8	19.6	19.2
6/29/2024	11	18.4	18.7	20.2	19.2	18.8	19.2	19.6	19.2
6/29/2024	12	18.4	18.7	21.2	19.8	19.4	19.8	19.6	19.2
6/29/2024	13	18.4	18.7	22.0	20.5	20.1	20.6	19.5	19.3
6/29/2024	14	18.3	18.7	22.3	21.1	20.7	21.1	19.5	19.3
6/29/2024	15	18.4	18.7	22.3	21.8	21.4	21.7	19.5	19.4
6/29/2024	16	18.3	18.6	22.0	22.3	22.0	22.3	19.6	19.4
6/29/2024	17	18.3	18.6	21.3	22.5	22.3	22.5	19.6	19.4
6/29/2024	18	18.4	18.6	20.6	22.5	22.3	22.5	19.6	19.5
6/29/2024	19	18.4	18.6	19.8	22.1	22.1	22.3	19.7	19.5
6/29/2024	20	18.4	18.6	19.2	21.5	21.6	21.7	19.7	19.6
6/29/2024	21	18.4	18.6	18.7	20.9	21.1	21.2	19.8	19.6
6/29/2024	22	18.5	18.6	18.5	20.3	20.5	20.6	19.8	19.7
6/29/2024	23	18.5	18.7	18.3	19.8	20.0	20.1	19.8	19.6
6/29/2024	24	18.5	18.7	18.2	19.3	19.5	19.6	19.7	19.6
6/30/2024	1	18.5	18.6	18.1	19.0	19.2	19.1	19.7	19.5
6/30/2024	2	18.4	18.6	18.0	18.7	18.9	18.9	19.7	19.5

Date	Hour	Low Level Outlet Pipe -Auto- (Deg. C)	Top of Reach 1 -Logger- (Deg. C)	End of Reach 1 -Logger- (Deg. C)	End of Reach 3 -Logger- (Deg. C)	Top of Reach 4 -Logger- (Deg. C)	End of Reach 4 -Logger- (Deg. C)	Tailrace at Pump Intake -Auto- (Deg. C)	Tailrace at Pump Intake -Logger- (Deg. C)
6/30/2024	3	18.4	18.6	17.8	18.5	18.7	18.6	19.7	19.6
6/30/2024	4	18.5	18.6	17.7	18.4	18.5	18.4	19.7	19.5
6/30/2024	5	18.5	18.7	17.6	18.2	18.3	18.3	19.6	19.5
6/30/2024	6	18.6	18.8	17.6	18.1	18.2	18.2	19.6	19.5
6/30/2024	7	18.7	19.0	17.8	18.1	18.1	18.1	19.7	19.5
6/30/2024	8	18.8	19.2	18.1	18.0	18.0	18.0	19.8	19.5
6/30/2024	9	19.0	19.4	18.7	18.4	18.1	18.3	19.9	19.5
6/30/2024	10	19.1	19.7	19.5	18.7	18.4	18.7	20.0	19.7
6/30/2024	11	19.3	19.8	20.4	19.0	18.7	19.1	20.1	20.1
6/30/2024	12	19.4	19.9	21.4	19.6	19.3	19.7	20.2	20.2
6/30/2024	13	19.5	19.8	22.0	20.6	20.2	20.6	20.3	21.1
6/30/2024	14	19.5	19.9	22.1	21.4	20.9	21.3	20.3	20.8
6/30/2024	15	19.5	19.8	22.8	22.1	21.7	22.2	20.3	20.8
6/30/2024	16	19.5	20.0	23.2	22.5	22.2	22.6	20.3	20.7
6/30/2024	17	19.6	20.0	22.7	22.6	22.4	22.8	20.3	20.6
6/30/2024	18	19.7	20.0	22.1	22.8	22.6	22.8	20.3	20.5
6/30/2024	19	19.8	20.1	21.5	22.8	22.7	22.7	20.3	20.4
6/30/2024	20	19.8	20.1	20.7	22.3	22.4	22.4	20.3	20.2
6/30/2024	21	19.9	20.1	19.9	21.8	21.9	21.9	20.3	20.0
6/30/2024	22	19.8	20.0	19.4	21.3	21.4	21.4	20.3	19.9
6/30/2024	23	19.8	20.0	19.0	20.7	20.8	20.9	20.3	20.0
6/30/2024	24	19.9	20.1	18.8	20.2	20.3	20.3	20.2	19.6