

Kate Taylor

From: Scott Hopkins
Sent: Friday, October 25, 2024 11:38 AM
To: 'jody.walters@noaa.gov'; 'hugh_anthony@nps.gov'; 'paul.willard@usda.gov';
'RD_Nelle@fws.gov'; 'travis.maitland@dfw.wa.gov'; Scott Hopkins; 'blod@yakamafish-
nsn.gov'; 'bret.nine@colvilletribes.com'; 'justin.yeager@noaa.gov';
'ashley_rawhouser@nps.gov'; 'kari.grover@usda.gov'; 'stuart_fety@fws.gov';
'ana.cerro@usda.gov'; 'CHBR461@ECY.WA.GOV'; 'Leslie.King@dfw.wa.gov';
'okeefe@americanwhitewater.org'; 'wfarris@cityofchelan.us'; 'info@mansonparks.com';
'Fisheries@ctuir.org'; 'philiprarchibald@gmail.com'; 'damon.roberts@ecy.wa.gov';
'Josh.Bell@PARKS.WA.GOV'; Bill Towey; Sara Peck; Kevin Wright; Gilbert, Joseph C
Cc: Kate Taylor; Meaghan Connell; Laura Clark
Subject: 2024 Chelan River Flow Monitoring - 3rd Quarter Reports
Attachments: 2024 Hourly Flow Data 3rd Quarterly Report.pdf; 2024 Daily Average Flow Data 3rd
Quarterly Report.pdf

Categories: .Post Filing

To: Chelan River Fishery Forum
Washington Department of Ecology
Washington Department of Fish and Wildlife
United States Forest Service
National Park Service
United States Fish and Wildlife Service
National Marine Fisheries Service
CCT (Colville)
YN (Yakama)
CTUIR (Umatilla tribe)
United States Geological Survey
Washington State Parks and Recreation Commission
Washington State Recreation and Conservation Office
City of Chelan
Manson Parks and Recreation Department
Lake Chelan Recreation Association
American Whitewater

From: Scott Hopkins, Fisheries Biologist III
Public Utility District No. 1 of Chelan County (Chelan PUD)
scott.hopkins@chelanpud.org
(509)661-4763

Re: Lake Chelan Hydroelectric Project No. 637 (Project)
License Article 405a - Hourly and Daily Average Flow Data 3rd Quarter Reports -
2024

Dear Chelan River Fishery Forum and Other Parties:

This email is to provide you, in the attached files, with the written flow information for 3rd Quarter 2024. These reports contain data for surface elevations at the Chelan Dam Forebay and

Powerhouse Tailrace, and flows from the Powerhouse, Low Level Outlet (LLO), Spillway, Pump Station, and Total Reach 4 flows.

This information will be posted to the Chelan County PUD external website under “River Flows, Water Temperatures and Total Dissolved Gas” (link below).

<https://www.chelanpud.org/parks-and-recreation/river-flows-and-water-temperatures>

Data during times of maintenance or calibration events have been denoted with “NA” to designate these periods when data was either unavailable or inaccurate. Noteworthy events are explained below.

- All data available and reported.
- Flows were increased to 375cfs on Saturday 21 September and 400cfs on Sunday 22 September to support the 2-day whitewater kayaking event. All ramping rates were adhered to when reducing flows following the event.

Please feel free to call or email any questions or concerns.



Scott Hopkins
Fisheries Biologist III
Chelan County P.U.D.
P: (509) 661-4763
C: (509) 630-2708

| Date | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/1/2024 | 1098.8 | 1655 | 708.5 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 1098.9 | 1680 | 708.5 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 1099.0 | 1776 | 709.0 | 88 | 0 | 0 | 88 |
| 7/4/2024 | 1099.0 | 2310 | 709.2 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 1099.0 | 2302 | 708.9 | 94 | 0 | 0 | 94 |
| 7/6/2024 | 1099.0 | 2314 | 709.0 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 1099.0 | 2308 | 708.9 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 1099.0 | 2313 | 709.0 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 1099.0 | 2305 | 708.8 | 127 | 0 | 0 | 127 |
| 7/10/2024 | 1099.1 | 1573 | 708.7 | 150 | 0 | 0 | 150 |
| 7/11/2024 | 1099.2 | 1572 | 709.1 | 165 | 0 | 0 | 165 |
| 7/12/2024 | 1099.2 | 1545 | 708.6 | 144 | 0 | 0 | 144 |
| 7/13/2024 | 1099.3 | 1513 | 708.5 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 1099.3 | 790 | 708.3 | 125 | 0 | 0 | 125 |
| 7/15/2024 | 1099.4 | 1545 | 709.1 | 104 | 0 | 0 | 104 |
| 7/16/2024 | 1099.4 | 1543 | 709.5 | 86 | 0 | 70 | 157 |
| 7/17/2024 | 1099.4 | 1547 | 708.7 | 86 | 0 | 98 | 185 |
| 7/18/2024 | 1099.4 | 1550 | 708.8 | 86 | 0 | 99 | 185 |
| 7/19/2024 | 1099.4 | 1528 | 708.2 | 86 | 0 | 97 | 184 |
| 7/20/2024 | 1099.4 | 1565 | 708.3 | 86 | 0 | 98 | 185 |
| 7/21/2024 | 1099.5 | 10 | 708.1 | 87 | 0 | 98 | 184 |
| 7/22/2024 | 1099.5 | 1568 | 708.7 | 86 | 0 | 97 | 183 |
| 7/23/2024 | 1099.6 | 1559 | 708.3 | 86 | 0 | 97 | 183 |
| 7/24/2024 | 1099.5 | 1450 | 708.7 | 87 | 0 | 97 | 184 |
| 7/25/2024 | 1099.5 | 1548 | 709.1 | 87 | 0 | 97 | 185 |
| 7/26/2024 | 1099.4 | 1565 | 709.1 | 87 | 0 | 99 | 186 |
| 7/27/2024 | 1099.4 | 1595 | 709.2 | 87 | 0 | 99 | 186 |
| 7/28/2024 | 1099.4 | 18 | 707.8 | 87 | 0 | 97 | 184 |
| 7/29/2024 | 1099.4 | 1564 | 708.2 | 87 | 0 | 97 | 184 |
| 7/30/2024 | 1099.4 | 813 | 707.5 | 87 | 0 | 96 | 183 |
| 7/31/2024 | 1099.4 | 799 | 707.8 | 87 | 0 | 97 | 184 |
| 8/1/2024 | 1099.4 | 814 | 708.2 | 87 | 0 | 98 | 185 |
| 8/2/2024 | 1099.4 | 1557 | 709.5 | 87 | 0 | 100 | 187 |
| 8/3/2024 | 1099.4 | 1568 | 708.8 | 87 | 0 | 97 | 185 |
| 8/4/2024 | 1099.4 | 20 | 707.8 | 88 | 0 | 97 | 184 |
| 8/5/2024 | 1099.4 | 1757 | 708.4 | 87 | 0 | 97 | 184 |
| 8/6/2024 | 1099.3 | 2106 | 708.9 | 87 | 0 | 98 | 186 |
| 8/7/2024 | 1099.2 | 787 | 708.1 | 87 | 0 | 97 | 184 |
| 8/8/2024 | 1099.2 | 782 | 708.4 | 87 | 0 | 98 | 186 |
| 8/9/2024 | 1099.3 | 780 | 708.4 | 87 | 0 | 100 | 188 |
| 8/10/2024 | 1099.3 | 776 | 708.1 | 87 | 0 | 100 | 187 |
| 8/11/2024 | 1099.3 | 25 | 707.4 | 88 | 0 | 99 | 187 |
| 8/12/2024 | 1099.4 | 20 | 707.3 | 87 | 0 | 100 | 187 |
| 8/13/2024 | 1099.4 | 758 | 707.6 | 87 | 0 | 99 | 186 |
| 8/14/2024 | 1099.4 | 798 | 708.1 | 87 | 0 | 100 | 187 |

| Date | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/15/2024 | 1099.3 | 779 | 708.1 | 87 | 0 | 100 | 187 |
| 8/16/2024 | 1099.4 | 773 | 708.0 | 87 | 0 | 101 | 188 |
| 8/17/2024 | 1099.3 | 778 | 707.7 | 87 | 0 | 101 | 189 |
| 8/18/2024 | 1099.3 | 20 | 707.7 | 87 | 0 | 99 | 186 |
| 8/19/2024 | 1099.4 | 783 | 707.8 | 87 | 0 | 99 | 186 |
| 8/20/2024 | 1099.4 | 838 | 707.9 | 87 | 0 | 99 | 186 |
| 8/21/2024 | 1099.3 | 1168 | 708.2 | 87 | 0 | 100 | 187 |
| 8/22/2024 | 1099.2 | 1066 | 708.4 | 87 | 0 | 101 | 188 |
| 8/23/2024 | 1099.3 | 790 | 708.0 | 87 | 0 | 99 | 187 |
| 8/24/2024 | 1099.3 | 754 | 707.8 | 87 | 0 | 99 | 186 |
| 8/25/2024 | 1099.3 | 20 | 707.8 | 87 | 0 | 101 | 188 |
| 8/26/2024 | 1099.3 | 786 | 707.6 | 87 | 0 | 100 | 187 |
| 8/27/2024 | 1099.4 | 20 | 708.4 | 87 | 0 | 99 | 187 |
| 8/28/2024 | 1099.3 | 792 | 708.7 | 87 | 0 | 101 | 188 |
| 8/29/2024 | 1099.3 | 787 | 708.1 | 102 | 0 | 30 | 132 |
| 8/30/2024 | 1099.2 | 1575 | 708.7 | 87 | 0 | 40 | 127 |
| 8/31/2024 | 1099.1 | 1570 | 708.9 | 87 | 0 | 98 | 185 |
| 9/1/2024 | 1099.1 | 20 | 707.9 | 87 | 0 | 96 | 183 |
| 9/2/2024 | 1099.1 | 780 | 707.5 | 87 | 0 | 96 | 183 |
| 9/3/2024 | 1099.1 | 796 | 707.6 | 87 | 0 | 95 | 183 |
| 9/4/2024 | 1099.1 | 798 | 707.5 | 87 | 0 | 96 | 183 |
| 9/5/2024 | 1099.0 | 1583 | 708.3 | 105 | 0 | 53 | 157 |
| 9/6/2024 | 1099.0 | 1568 | 708.9 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 1098.9 | 1563 | 708.8 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 1098.9 | 20 | 707.7 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 1098.9 | 1574 | 708.4 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 1098.8 | 1572 | 708.0 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 1098.8 | 783 | 707.3 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 1098.7 | 786 | 707.0 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 1098.7 | 1590 | 708.1 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 1098.6 | 1563 | 708.0 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 1098.5 | 20 | 706.8 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 1098.5 | 1566 | 708.3 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 1098.4 | 1573 | 708.0 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 1098.3 | 1575 | 708.2 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 1098.2 | 1592 | 707.9 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 1098.1 | 1548 | 707.9 | 87 | 0 | 0 | 87 |
| 9/21/2024 | 1098.0 | 1573 | 708.2 | 237 | 0 | 0 | 237 |
| 9/22/2024 | 1098.0 | 11 | 707.3 | 332 | 0 | 0 | 332 |
| 9/23/2024 | 1097.9 | 1574 | 708.5 | 195 | 0 | 0 | 195 |
| 9/24/2024 | 1097.8 | 1527 | 708.4 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 1097.8 | 1562 | 708.5 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 1097.7 | 1550 | 708.0 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 1097.6 | 1568 | 708.2 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 1097.5 | 1564 | 708.3 | 86 | 0 | 0 | 86 |

| Date | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/29/2024 | 1097.5 | 14 | 707.5 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 1097.4 | 1583 | 708.7 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/1/2024 | 1 | 1098.76 | 10 | 707.35 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 2 | 1098.77 | 10 | 707.55 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 3 | 1098.81 | 10 | 707.84 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 4 | 1098.79 | 10 | 708.01 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 5 | 1098.82 | 10 | 708.18 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 6 | 1098.84 | 230 | 708.27 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 7 | 1098.84 | 2310 | 708.77 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 8 | 1098.85 | 2310 | 708.89 | 87 | 0 | 0 | 87 |
| 7/1/2024 | 9 | 1098.84 | 2300 | 708.92 | 87 | 0 | 0 | 87 |
| 7/1/2024 | 10 | 1098.84 | 2290 | 708.82 | 87 | 0 | 0 | 87 |
| 7/1/2024 | 11 | 1098.84 | 2310 | 708.86 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 12 | 1098.83 | 2310 | 708.94 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 13 | 1098.85 | 2320 | 708.96 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 14 | 1098.86 | 2330 | 708.90 | 87 | 0 | 0 | 87 |
| 7/1/2024 | 15 | 1098.86 | 2320 | 709.04 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 16 | 1098.86 | 2310 | 709.17 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 17 | 1098.88 | 2330 | 709.00 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 18 | 1098.88 | 2320 | 708.86 | 87 | 0 | 0 | 87 |
| 7/1/2024 | 19 | 1098.88 | 2340 | 708.73 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 20 | 1098.88 | 2310 | 708.62 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 21 | 1098.88 | 2310 | 708.51 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 22 | 1098.87 | 2290 | 708.46 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 23 | 1098.88 | 2280 | 708.46 | 86 | 0 | 0 | 86 |
| 7/1/2024 | 24 | 1098.87 | 140 | 707.23 | 87 | 0 | 0 | 87 |
| 7/2/2024 | 1 | 1098.87 | 10 | 707.36 | 87 | 0 | 0 | 87 |
| 7/2/2024 | 2 | 1098.87 | 10 | 707.67 | 87 | 0 | 0 | 87 |
| 7/2/2024 | 3 | 1098.88 | 10 | 707.83 | 87 | 0 | 0 | 87 |
| 7/2/2024 | 4 | 1098.88 | 10 | 707.74 | 87 | 0 | 0 | 87 |
| 7/2/2024 | 5 | 1098.89 | 10 | 707.17 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 6 | 1098.89 | 200 | 707.01 | 87 | 0 | 0 | 87 |
| 7/2/2024 | 7 | 1098.90 | 2350 | 708.47 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 8 | 1098.90 | 2360 | 708.52 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 9 | 1098.90 | 2350 | 708.51 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 10 | 1098.89 | 2360 | 708.52 | 87 | 0 | 0 | 87 |
| 7/2/2024 | 11 | 1098.88 | 2360 | 708.51 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 12 | 1098.88 | 2360 | 708.52 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 13 | 1098.89 | 2370 | 708.54 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 14 | 1098.90 | 2380 | 708.65 | 87 | 0 | 0 | 87 |
| 7/2/2024 | 15 | 1098.90 | 2370 | 708.84 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 16 | 1098.89 | 2370 | 708.93 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 17 | 1098.91 | 2360 | 709.26 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 18 | 1098.91 | 2360 | 709.14 | 87 | 0 | 0 | 87 |
| 7/2/2024 | 19 | 1098.96 | 2370 | 709.16 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 20 | 1098.95 | 2370 | 709.34 | 87 | 0 | 0 | 87 |
| 7/2/2024 | 21 | 1098.93 | 2350 | 709.40 | 86 | 0 | 0 | 86 |
| 7/2/2024 | 22 | 1098.93 | 2360 | 709.05 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/2/2024 | 23 | 1098.95 | 2200 | 709.10 | 87 | 0 | 0 | 87 |
| 7/2/2024 | 24 | 1098.94 | 60 | 708.59 | 87 | 0 | 0 | 87 |
| 7/3/2024 | 1 | 1098.95 | 10 | 708.35 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 2 | 1098.98 | 10 | 708.39 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 3 | 1098.99 | 10 | 708.25 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 4 | 1098.98 | 10 | 708.02 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 5 | 1098.99 | 10 | 707.92 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 6 | 1099.00 | 240 | 707.86 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 7 | 1098.99 | 2330 | 708.72 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 8 | 1099.00 | 2370 | 708.89 | 91 | 0 | 0 | 91 |
| 7/3/2024 | 9 | 1099.00 | 2370 | 709.18 | 93 | 0 | 0 | 93 |
| 7/3/2024 | 10 | 1099.00 | 2380 | 709.37 | 92 | 0 | 0 | 92 |
| 7/3/2024 | 11 | 1098.99 | 2370 | 709.36 | 92 | 0 | 0 | 92 |
| 7/3/2024 | 12 | 1098.97 | 2370 | 709.16 | 92 | 0 | 0 | 92 |
| 7/3/2024 | 13 | 1098.95 | 2380 | 709.15 | 92 | 0 | 0 | 92 |
| 7/3/2024 | 14 | 1098.95 | 2370 | 709.27 | 92 | 0 | 0 | 92 |
| 7/3/2024 | 15 | 1098.97 | 2380 | 709.12 | 90 | 0 | 0 | 90 |
| 7/3/2024 | 16 | 1098.97 | 2370 | 709.16 | 87 | 0 | 0 | 87 |
| 7/3/2024 | 17 | 1098.94 | 2380 | 709.13 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 18 | 1098.96 | 2360 | 709.03 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 19 | 1098.99 | 2330 | 709.15 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 20 | 1098.99 | 2320 | 709.48 | 87 | 0 | 0 | 87 |
| 7/3/2024 | 21 | 1098.99 | 2300 | 709.63 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 22 | 1098.99 | 2330 | 709.55 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 23 | 1098.99 | 2310 | 709.58 | 86 | 0 | 0 | 86 |
| 7/3/2024 | 24 | 1098.98 | 2310 | 709.43 | 87 | 0 | 0 | 87 |
| 7/4/2024 | 1 | 1098.98 | 2310 | 709.37 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 2 | 1099.00 | 2310 | 709.21 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 3 | 1099.00 | 2290 | 708.96 | 87 | 0 | 0 | 87 |
| 7/4/2024 | 4 | 1098.99 | 2300 | 709.05 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 5 | 1098.99 | 2320 | 709.18 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 6 | 1099.00 | 2300 | 709.12 | 87 | 0 | 0 | 87 |
| 7/4/2024 | 7 | 1098.99 | 2290 | 709.21 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 8 | 1099.00 | 2310 | 709.69 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 9 | 1098.99 | 2330 | 710.24 | 87 | 0 | 0 | 87 |
| 7/4/2024 | 10 | 1098.98 | 2330 | 710.19 | 87 | 0 | 0 | 87 |
| 7/4/2024 | 11 | 1098.97 | 2340 | 710.07 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 12 | 1098.98 | 2320 | 709.89 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 13 | 1098.96 | 2340 | 709.84 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 14 | 1098.97 | 2330 | 709.49 | 87 | 0 | 0 | 87 |
| 7/4/2024 | 15 | 1098.95 | 2320 | 709.33 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 16 | 1098.91 | 2310 | 709.13 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 17 | 1098.94 | 2320 | 708.98 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 18 | 1098.96 | 2320 | 708.83 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 19 | 1098.96 | 2310 | 708.67 | 87 | 0 | 0 | 87 |
| 7/4/2024 | 20 | 1098.97 | 2290 | 708.57 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/4/2024 | 21 | 1098.98 | 2270 | 708.51 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 22 | 1098.98 | 2300 | 708.50 | 87 | 0 | 0 | 87 |
| 7/4/2024 | 23 | 1098.97 | 2300 | 708.51 | 86 | 0 | 0 | 86 |
| 7/4/2024 | 24 | 1098.98 | 2280 | 708.52 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 1 | 1098.99 | 2310 | 708.57 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 2 | 1098.99 | 2290 | 708.55 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 3 | 1098.98 | 2300 | 708.55 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 4 | 1098.98 | 2300 | 708.54 | 87 | 0 | 0 | 87 |
| 7/5/2024 | 5 | 1099.00 | 2280 | 708.59 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 6 | 1098.99 | 2280 | 708.54 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 7 | 1098.98 | 2260 | 708.53 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 8 | 1098.98 | 2300 | 708.57 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 9 | 1098.99 | 2290 | 708.62 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 10 | 1098.99 | 2310 | 708.61 | 87 | 0 | 0 | 87 |
| 7/5/2024 | 11 | 1098.98 | 2300 | 708.74 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 12 | 1098.97 | 2320 | 708.85 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 13 | 1098.98 | 2330 | 709.22 | 87 | 0 | 0 | 87 |
| 7/5/2024 | 14 | 1098.98 | 2320 | 709.60 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 15 | 1098.97 | 2330 | 709.78 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 16 | 1098.97 | 2300 | 709.59 | 87 | 0 | 0 | 87 |
| 7/5/2024 | 17 | 1098.98 | 2330 | 709.28 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 18 | 1098.99 | 2320 | 709.29 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 19 | 1098.99 | 2330 | 709.21 | 86 | 0 | 0 | 86 |
| 7/5/2024 | 20 | 1098.98 | 2300 | 708.96 | 95 | 0 | 0 | 95 |
| 7/5/2024 | 21 | 1098.99 | 2270 | 708.90 | 127 | 0 | 0 | 127 |
| 7/5/2024 | 22 | 1099.00 | 2290 | 708.68 | 128 | 0 | 0 | 128 |
| 7/5/2024 | 23 | 1098.99 | 2290 | 708.57 | 128 | 0 | 0 | 128 |
| 7/5/2024 | 24 | 1098.99 | 2290 | 708.58 | 128 | 0 | 0 | 128 |
| 7/6/2024 | 1 | 1098.99 | 2300 | 708.60 | 128 | 0 | 0 | 128 |
| 7/6/2024 | 2 | 1099.00 | 2310 | 708.69 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 3 | 1099.00 | 2310 | 708.81 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 4 | 1098.99 | 2320 | 708.97 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 5 | 1099.00 | 2330 | 709.03 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 6 | 1099.00 | 2290 | 709.27 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 7 | 1099.00 | 2280 | 709.31 | 128 | 0 | 0 | 128 |
| 7/6/2024 | 8 | 1099.00 | 2330 | 709.37 | 128 | 0 | 0 | 128 |
| 7/6/2024 | 9 | 1099.00 | 2320 | 709.44 | 128 | 0 | 0 | 128 |
| 7/6/2024 | 10 | 1099.01 | 2320 | 709.17 | 128 | 0 | 0 | 128 |
| 7/6/2024 | 11 | 1098.98 | 2320 | 709.30 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 12 | 1098.99 | 2300 | 709.22 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 13 | 1098.98 | 2320 | 709.15 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 14 | 1099.00 | 2330 | 709.19 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 15 | 1098.99 | 2310 | 709.02 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 16 | 1098.99 | 2340 | 709.02 | 128 | 0 | 0 | 128 |
| 7/6/2024 | 17 | 1098.98 | 2320 | 709.15 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 18 | 1099.00 | 2320 | 708.99 | 128 | 0 | 0 | 128 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/6/2024 | 19 | 1099.00 | 2340 | 708.97 | 128 | 0 | 0 | 128 |
| 7/6/2024 | 20 | 1098.99 | 2300 | 709.01 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 21 | 1098.99 | 2300 | 708.96 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 22 | 1099.00 | 2330 | 708.91 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 23 | 1099.00 | 2300 | 708.78 | 127 | 0 | 0 | 127 |
| 7/6/2024 | 24 | 1099.00 | 2300 | 708.66 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 1 | 1098.99 | 2280 | 708.59 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 2 | 1099.00 | 2300 | 708.59 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 3 | 1099.00 | 2300 | 708.51 | 128 | 0 | 0 | 128 |
| 7/7/2024 | 4 | 1099.00 | 2290 | 708.50 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 5 | 1099.00 | 2300 | 708.50 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 6 | 1099.00 | 2300 | 708.56 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 7 | 1099.01 | 2300 | 708.66 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 8 | 1099.00 | 2320 | 708.96 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 9 | 1099.00 | 2320 | 709.50 | 128 | 0 | 0 | 128 |
| 7/7/2024 | 10 | 1099.00 | 2340 | 709.54 | 128 | 0 | 0 | 128 |
| 7/7/2024 | 11 | 1099.00 | 2310 | 709.51 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 12 | 1099.00 | 2320 | 709.51 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 13 | 1099.00 | 2330 | 709.51 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 14 | 1099.00 | 2320 | 709.41 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 15 | 1099.01 | 2330 | 709.24 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 16 | 1099.01 | 2330 | 709.07 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 17 | 1099.00 | 2310 | 708.84 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 18 | 1099.00 | 2310 | 708.74 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 19 | 1099.00 | 2350 | 708.69 | 128 | 0 | 0 | 128 |
| 7/7/2024 | 20 | 1099.00 | 2290 | 708.57 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 21 | 1099.00 | 2280 | 708.53 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 22 | 1099.01 | 2290 | 708.50 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 23 | 1099.01 | 2290 | 708.50 | 127 | 0 | 0 | 127 |
| 7/7/2024 | 24 | 1099.01 | 2290 | 708.52 | 128 | 0 | 0 | 128 |
| 7/8/2024 | 1 | 1099.03 | 2290 | 708.56 | 128 | 0 | 0 | 128 |
| 7/8/2024 | 2 | 1099.02 | 2300 | 708.60 | 128 | 0 | 0 | 128 |
| 7/8/2024 | 3 | 1099.02 | 2300 | 708.68 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 4 | 1099.02 | 2290 | 708.62 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 5 | 1099.03 | 2290 | 708.65 | 128 | 0 | 0 | 128 |
| 7/8/2024 | 6 | 1099.03 | 2300 | 708.77 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 7 | 1099.02 | 2310 | 709.01 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 8 | 1099.01 | 2320 | 709.33 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 9 | 1099.03 | 2310 | 709.37 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 10 | 1099.02 | 2320 | 709.54 | 128 | 0 | 0 | 128 |
| 7/8/2024 | 11 | 1099.01 | 2330 | 709.66 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 12 | 1099.01 | 2330 | 709.82 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 13 | 1099.03 | 2350 | 709.20 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 14 | 1099.02 | 2330 | 709.06 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 15 | 1099.01 | 2330 | 709.00 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 16 | 1099.01 | 2320 | 709.01 | 127 | 0 | 0 | 127 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/8/2024 | 17 | 1099.01 | 2340 | 708.97 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 18 | 1099.01 | 2350 | 708.96 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 19 | 1099.01 | 2340 | 708.86 | 128 | 0 | 0 | 128 |
| 7/8/2024 | 20 | 1099.01 | 2290 | 708.93 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 21 | 1099.02 | 2290 | 708.96 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 22 | 1099.02 | 2290 | 709.06 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 23 | 1099.02 | 2300 | 709.02 | 127 | 0 | 0 | 127 |
| 7/8/2024 | 24 | 1099.03 | 2300 | 708.84 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 1 | 1099.03 | 2280 | 708.76 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 2 | 1099.04 | 2300 | 708.73 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 3 | 1099.03 | 2290 | 708.65 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 4 | 1099.03 | 2300 | 708.64 | 128 | 0 | 0 | 128 |
| 7/9/2024 | 5 | 1099.03 | 2300 | 708.59 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 6 | 1099.03 | 2300 | 708.59 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 7 | 1099.03 | 2300 | 708.59 | 128 | 0 | 0 | 128 |
| 7/9/2024 | 8 | 1099.03 | 2330 | 708.59 | 128 | 0 | 0 | 128 |
| 7/9/2024 | 9 | 1099.03 | 2320 | 708.62 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 10 | 1099.03 | 2310 | 708.63 | 128 | 0 | 0 | 128 |
| 7/9/2024 | 11 | 1099.03 | 2310 | 708.62 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 12 | 1099.03 | 2310 | 708.55 | 128 | 0 | 0 | 128 |
| 7/9/2024 | 13 | 1099.03 | 2310 | 708.55 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 14 | 1099.03 | 2310 | 708.59 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 15 | 1099.03 | 2300 | 708.72 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 16 | 1099.03 | 2320 | 708.75 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 17 | 1099.03 | 2320 | 708.80 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 18 | 1099.03 | 2320 | 708.89 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 19 | 1099.03 | 2320 | 709.02 | 128 | 0 | 0 | 128 |
| 7/9/2024 | 20 | 1099.06 | 2290 | 709.13 | 128 | 0 | 0 | 128 |
| 7/9/2024 | 21 | 1099.07 | 2290 | 709.26 | 128 | 0 | 0 | 128 |
| 7/9/2024 | 22 | 1099.09 | 2280 | 709.28 | 128 | 0 | 0 | 128 |
| 7/9/2024 | 23 | 1099.10 | 2310 | 709.24 | 127 | 0 | 0 | 127 |
| 7/9/2024 | 24 | 1099.10 | 2300 | 709.10 | 127 | 0 | 0 | 127 |
| 7/10/2024 | 1 | 1099.12 | 220 | 708.53 | 127 | 0 | 0 | 127 |
| 7/10/2024 | 2 | 1099.12 | 10 | 708.36 | 127 | 0 | 0 | 127 |
| 7/10/2024 | 3 | 1099.12 | 10 | 708.22 | 127 | 0 | 0 | 127 |
| 7/10/2024 | 4 | 1099.13 | 10 | 708.15 | 127 | 0 | 0 | 127 |
| 7/10/2024 | 5 | 1099.13 | 10 | 708.31 | 127 | 0 | 0 | 127 |
| 7/10/2024 | 6 | 1099.12 | 220 | 708.20 | 127 | 0 | 0 | 127 |
| 7/10/2024 | 7 | 1099.12 | 2300 | 708.89 | 128 | 0 | 0 | 128 |
| 7/10/2024 | 8 | 1099.13 | 2310 | 708.84 | 127 | 0 | 0 | 127 |
| 7/10/2024 | 9 | 1099.13 | 2300 | 708.72 | 127 | 0 | 0 | 127 |
| 7/10/2024 | 10 | 1099.13 | 2320 | 708.67 | 146 | 0 | 0 | 146 |
| 7/10/2024 | 11 | 1099.13 | 2320 | 708.58 | 165 | 0 | 0 | 165 |
| 7/10/2024 | 12 | 1099.15 | 2310 | 708.66 | 165 | 0 | 0 | 165 |
| 7/10/2024 | 13 | 1099.13 | 2330 | 708.58 | 165 | 0 | 0 | 165 |
| 7/10/2024 | 14 | 1099.14 | 2330 | 708.68 | 166 | 0 | 0 | 166 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/10/2024 | 15 | 1099.13 | 2320 | 708.71 | 165 | 0 | 0 | 165 |
| 7/10/2024 | 16 | 1099.14 | 2320 | 708.94 | 165 | 0 | 0 | 165 |
| 7/10/2024 | 17 | 1099.16 | 2330 | 709.02 | 166 | 0 | 0 | 166 |
| 7/10/2024 | 18 | 1099.16 | 2330 | 709.23 | 166 | 0 | 0 | 166 |
| 7/10/2024 | 19 | 1099.19 | 2310 | 709.28 | 165 | 0 | 0 | 165 |
| 7/10/2024 | 20 | 1099.19 | 2300 | 709.35 | 165 | 0 | 0 | 165 |
| 7/10/2024 | 21 | 1099.16 | 2300 | 709.23 | 166 | 0 | 0 | 166 |
| 7/10/2024 | 22 | 1099.17 | 2310 | 709.01 | 165 | 0 | 0 | 165 |
| 7/10/2024 | 23 | 1099.22 | 210 | 708.17 | 166 | 0 | 0 | 166 |
| 7/10/2024 | 24 | 1099.21 | 10 | 708.00 | 164 | 0 | 0 | 164 |
| 7/11/2024 | 1 | 1099.23 | 10 | 707.67 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 2 | 1099.24 | 10 | 707.22 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 3 | 1099.24 | 10 | 707.20 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 4 | 1099.23 | 10 | 707.30 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 5 | 1099.24 | 10 | 707.42 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 6 | 1099.25 | 190 | 707.86 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 7 | 1099.25 | 2320 | 708.90 | 166 | 0 | 0 | 166 |
| 7/11/2024 | 8 | 1099.24 | 2300 | 709.15 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 9 | 1099.24 | 2310 | 709.20 | 166 | 0 | 0 | 166 |
| 7/11/2024 | 10 | 1099.24 | 2320 | 709.42 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 11 | 1099.23 | 2310 | 709.59 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 12 | 1099.23 | 2330 | 709.85 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 13 | 1099.24 | 2340 | 709.96 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 14 | 1099.24 | 2350 | 710.01 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 15 | 1099.23 | 2340 | 710.07 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 16 | 1099.23 | 2330 | 709.96 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 17 | 1099.24 | 2340 | 709.95 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 18 | 1099.24 | 2320 | 710.05 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 19 | 1099.24 | 2350 | 710.04 | 166 | 0 | 0 | 166 |
| 7/11/2024 | 20 | 1099.24 | 2320 | 709.99 | 166 | 0 | 0 | 166 |
| 7/11/2024 | 21 | 1099.24 | 2320 | 709.79 | 166 | 0 | 0 | 166 |
| 7/11/2024 | 22 | 1099.24 | 2310 | 709.41 | 165 | 0 | 0 | 165 |
| 7/11/2024 | 23 | 1099.24 | 260 | 709.25 | 166 | 0 | 0 | 166 |
| 7/11/2024 | 24 | 1099.25 | 10 | 708.60 | 165 | 0 | 0 | 165 |
| 7/12/2024 | 1 | 1099.25 | 10 | 708.13 | 165 | 0 | 0 | 165 |
| 7/12/2024 | 2 | 1099.25 | 10 | 707.78 | 165 | 0 | 0 | 165 |
| 7/12/2024 | 3 | 1099.25 | 10 | 707.55 | 165 | 0 | 0 | 165 |
| 7/12/2024 | 4 | 1099.25 | 10 | 707.82 | 165 | 0 | 0 | 165 |
| 7/12/2024 | 5 | 1099.25 | 10 | 707.93 | 165 | 0 | 0 | 165 |
| 7/12/2024 | 6 | 1099.25 | 130 | 707.95 | 165 | 0 | 0 | 165 |
| 7/12/2024 | 7 | 1099.25 | 2310 | 708.88 | 165 | 0 | 0 | 165 |
| 7/12/2024 | 8 | 1099.25 | 2300 | 708.73 | 166 | 0 | 0 | 166 |
| 7/12/2024 | 9 | 1099.25 | 2300 | 708.84 | 166 | 0 | 0 | 166 |
| 7/12/2024 | 10 | 1099.25 | 2310 | 709.05 | 165 | 0 | 0 | 165 |
| 7/12/2024 | 11 | 1099.25 | 2300 | 709.18 | 152 | 0 | 0 | 152 |
| 7/12/2024 | 12 | 1099.24 | 2320 | 709.20 | 136 | 0 | 0 | 136 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/12/2024 | 13 | 1099.24 | 2320 | 709.15 | 128 | 0 | 0 | 128 |
| 7/12/2024 | 14 | 1099.25 | 2330 | 709.03 | 125 | 0 | 0 | 125 |
| 7/12/2024 | 15 | 1099.24 | 2320 | 709.01 | 126 | 0 | 0 | 126 |
| 7/12/2024 | 16 | 1099.24 | 2330 | 708.96 | 125 | 0 | 0 | 125 |
| 7/12/2024 | 17 | 1099.24 | 2300 | 708.90 | 125 | 0 | 0 | 125 |
| 7/12/2024 | 18 | 1099.24 | 2330 | 708.86 | 126 | 0 | 0 | 126 |
| 7/12/2024 | 19 | 1099.25 | 2310 | 709.08 | 125 | 0 | 0 | 125 |
| 7/12/2024 | 20 | 1099.25 | 2300 | 709.00 | 125 | 0 | 0 | 125 |
| 7/12/2024 | 21 | 1099.24 | 2300 | 708.89 | 125 | 0 | 0 | 125 |
| 7/12/2024 | 22 | 1099.24 | 2200 | 708.76 | 125 | 0 | 0 | 125 |
| 7/12/2024 | 23 | 1099.25 | 20 | 707.74 | 126 | 0 | 0 | 126 |
| 7/12/2024 | 24 | 1099.25 | 10 | 707.38 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 1 | 1099.25 | 10 | 707.27 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 2 | 1099.25 | 10 | 707.43 | 126 | 0 | 0 | 126 |
| 7/13/2024 | 3 | 1099.26 | 10 | 706.95 | 126 | 0 | 0 | 126 |
| 7/13/2024 | 4 | 1099.27 | 10 | 707.24 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 5 | 1099.27 | 10 | 707.27 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 6 | 1099.26 | 170 | 707.36 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 7 | 1099.26 | 1340 | 707.85 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 8 | 1099.27 | 2300 | 708.64 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 9 | 1099.26 | 2310 | 708.61 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 10 | 1099.25 | 2320 | 708.66 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 11 | 1099.25 | 2330 | 708.76 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 12 | 1099.25 | 2310 | 709.00 | 126 | 0 | 0 | 126 |
| 7/13/2024 | 13 | 1099.25 | 2320 | 709.20 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 14 | 1099.25 | 2340 | 709.72 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 15 | 1099.25 | 2310 | 709.87 | 126 | 0 | 0 | 126 |
| 7/13/2024 | 16 | 1099.26 | 2330 | 709.50 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 17 | 1099.26 | 2340 | 709.38 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 18 | 1099.25 | 2320 | 709.18 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 19 | 1099.25 | 2310 | 709.09 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 20 | 1099.26 | 2290 | 708.91 | 126 | 0 | 0 | 126 |
| 7/13/2024 | 21 | 1099.26 | 2290 | 708.77 | 126 | 0 | 0 | 126 |
| 7/13/2024 | 22 | 1099.25 | 2250 | 708.76 | 125 | 0 | 0 | 125 |
| 7/13/2024 | 23 | 1099.26 | 80 | 707.92 | 126 | 0 | 0 | 126 |
| 7/13/2024 | 24 | 1099.26 | 10 | 707.92 | 126 | 0 | 0 | 126 |
| 7/14/2024 | 1 | 1099.28 | 10 | 708.25 | 126 | 0 | 0 | 126 |
| 7/14/2024 | 2 | 1099.30 | 10 | 708.77 | 126 | 0 | 0 | 126 |
| 7/14/2024 | 3 | 1099.33 | 10 | 708.79 | 126 | 0 | 0 | 126 |
| 7/14/2024 | 4 | 1099.33 | 10 | 708.97 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 5 | 1099.35 | 10 | 708.53 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 6 | 1099.34 | 20 | 708.45 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 7 | 1099.35 | 1160 | 708.26 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 8 | 1099.34 | 1170 | 707.84 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 9 | 1099.31 | 1160 | 707.82 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 10 | 1099.30 | 1150 | 707.91 | 126 | 0 | 0 | 126 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/14/2024 | 11 | 1099.32 | 1170 | 707.94 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 12 | 1099.33 | 1170 | 708.27 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 13 | 1099.32 | 1160 | 708.12 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 14 | 1099.35 | 1160 | 708.22 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 15 | 1099.34 | 1170 | 708.25 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 16 | 1099.35 | 1170 | 708.24 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 17 | 1099.36 | 1160 | 708.23 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 18 | 1099.37 | 1170 | 708.32 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 19 | 1099.37 | 1170 | 708.32 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 20 | 1099.37 | 1170 | 708.25 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 21 | 1099.37 | 1160 | 708.31 | 125 | 0 | 0 | 125 |
| 7/14/2024 | 22 | 1099.37 | 1160 | 708.55 | 126 | 0 | 0 | 126 |
| 7/14/2024 | 23 | 1099.37 | 260 | 708.35 | 126 | 0 | 0 | 126 |
| 7/14/2024 | 24 | 1099.38 | 10 | 708.26 | 126 | 0 | 0 | 126 |
| 7/15/2024 | 1 | 1099.38 | 10 | 707.75 | 126 | 0 | 0 | 126 |
| 7/15/2024 | 2 | 1099.39 | 10 | 707.36 | 125 | 0 | 0 | 125 |
| 7/15/2024 | 3 | 1099.40 | 10 | 707.08 | 125 | 0 | 0 | 125 |
| 7/15/2024 | 4 | 1099.40 | 10 | 707.11 | 125 | 0 | 0 | 125 |
| 7/15/2024 | 5 | 1099.40 | 10 | 707.01 | 125 | 0 | 0 | 125 |
| 7/15/2024 | 6 | 1099.41 | 210 | 707.16 | 125 | 0 | 0 | 125 |
| 7/15/2024 | 7 | 1099.41 | 2220 | 708.75 | 125 | 0 | 0 | 125 |
| 7/15/2024 | 8 | 1099.41 | 2290 | 708.73 | 126 | 0 | 0 | 126 |
| 7/15/2024 | 9 | 1099.40 | 2290 | 708.86 | 125 | 0 | 0 | 125 |
| 7/15/2024 | 10 | 1099.39 | 2300 | 708.94 | 125 | 0 | 0 | 125 |
| 7/15/2024 | 11 | 1099.38 | 2310 | 709.15 | 108 | 0 | 0 | 108 |
| 7/15/2024 | 12 | 1099.38 | 2300 | 709.23 | 91 | 0 | 0 | 91 |
| 7/15/2024 | 13 | 1099.37 | 2320 | 709.27 | 86 | 0 | 0 | 86 |
| 7/15/2024 | 14 | 1099.37 | 2330 | 709.55 | 87 | 0 | 0 | 87 |
| 7/15/2024 | 15 | 1099.38 | 2310 | 709.85 | 86 | 0 | 0 | 86 |
| 7/15/2024 | 16 | 1099.38 | 2320 | 709.93 | 86 | 0 | 0 | 86 |
| 7/15/2024 | 17 | 1099.38 | 2330 | 710.04 | 86 | 0 | 0 | 86 |
| 7/15/2024 | 18 | 1099.38 | 2320 | 710.22 | 86 | 0 | 0 | 86 |
| 7/15/2024 | 19 | 1099.38 | 2330 | 710.28 | 87 | 0 | 0 | 87 |
| 7/15/2024 | 20 | 1099.38 | 2300 | 710.21 | 86 | 0 | 0 | 86 |
| 7/15/2024 | 21 | 1099.38 | 2310 | 710.36 | 86 | 0 | 0 | 86 |
| 7/15/2024 | 22 | 1099.38 | 2210 | 710.51 | 87 | 0 | 0 | 87 |
| 7/15/2024 | 23 | 1099.38 | 30 | 710.22 | 86 | 0 | 0 | 86 |
| 7/15/2024 | 24 | 1099.38 | 10 | 709.91 | 86 | 0 | 0 | 86 |
| 7/16/2024 | 1 | 1099.38 | 10 | 709.11 | 86 | 0 | 0 | 86 |
| 7/16/2024 | 2 | 1099.40 | 10 | 708.78 | 86 | 0 | 0 | 86 |
| 7/16/2024 | 3 | 1099.40 | 10 | 708.08 | 86 | 0 | 0 | 86 |
| 7/16/2024 | 4 | 1099.40 | 10 | 707.62 | 86 | 0 | 0 | 86 |
| 7/16/2024 | 5 | 1099.40 | 10 | 707.75 | 86 | 0 | 0 | 86 |
| 7/16/2024 | 6 | 1099.39 | 240 | 707.89 | 86 | 0 | 0 | 86 |
| 7/16/2024 | 7 | 1099.39 | 2280 | 708.89 | 86 | 0 | 14 | 100 |
| 7/16/2024 | 8 | 1099.39 | 2310 | 708.98 | 86 | 0 | 96 | 183 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/16/2024 | 9 | 1099.38 | 2310 | 709.28 | 86 | 0 | 96 | 182 |
| 7/16/2024 | 10 | 1099.38 | 2320 | 709.70 | 86 | 0 | 97 | 183 |
| 7/16/2024 | 11 | 1099.38 | 2330 | 709.60 | 86 | 0 | 98 | 184 |
| 7/16/2024 | 12 | 1099.38 | 2150 | 709.73 | 86 | 0 | 98 | 184 |
| 7/16/2024 | 13 | 1099.37 | 1080 | 709.58 | 86 | 0 | 98 | 185 |
| 7/16/2024 | 14 | 1099.37 | 1890 | 709.76 | 86 | 0 | 98 | 184 |
| 7/16/2024 | 15 | 1099.38 | 2330 | 709.86 | 86 | 0 | 99 | 186 |
| 7/16/2024 | 16 | 1099.38 | 2320 | 710.19 | 86 | 0 | 101 | 187 |
| 7/16/2024 | 17 | 1099.37 | 2350 | 710.29 | 86 | 0 | 101 | 187 |
| 7/16/2024 | 18 | 1099.37 | 2340 | 710.46 | 86 | 0 | 100 | 186 |
| 7/16/2024 | 19 | 1099.37 | 2370 | 710.64 | 87 | 0 | 99 | 185 |
| 7/16/2024 | 20 | 1099.38 | 2320 | 710.73 | 86 | 0 | 99 | 186 |
| 7/16/2024 | 21 | 1099.37 | 2330 | 710.75 | 87 | 0 | 98 | 185 |
| 7/16/2024 | 22 | 1099.37 | 2200 | 710.55 | 86 | 0 | 99 | 185 |
| 7/16/2024 | 23 | 1099.38 | 1420 | 710.37 | 86 | 0 | 99 | 186 |
| 7/16/2024 | 24 | 1099.38 | 90 | 709.96 | 87 | 0 | 98 | 185 |
| 7/17/2024 | 1 | 1099.37 | 10 | 709.59 | 87 | 0 | 98 | 185 |
| 7/17/2024 | 2 | 1099.38 | 10 | 708.92 | 87 | 0 | 98 | 184 |
| 7/17/2024 | 3 | 1099.38 | 10 | 708.50 | 86 | 0 | 97 | 183 |
| 7/17/2024 | 4 | 1099.39 | 10 | 707.99 | 87 | 0 | 96 | 183 |
| 7/17/2024 | 5 | 1099.39 | 10 | 708.09 | 86 | 0 | 96 | 183 |
| 7/17/2024 | 6 | 1099.38 | 260 | 707.90 | 86 | 0 | 96 | 182 |
| 7/17/2024 | 7 | 1099.38 | 2290 | 709.00 | 86 | 0 | 98 | 184 |
| 7/17/2024 | 8 | 1099.38 | 2310 | 709.44 | 86 | 0 | 97 | 183 |
| 7/17/2024 | 9 | 1099.38 | 2320 | 709.13 | 86 | 0 | 97 | 183 |
| 7/17/2024 | 10 | 1099.38 | 2310 | 709.18 | 86 | 0 | 97 | 183 |
| 7/17/2024 | 11 | 1099.38 | 2320 | 709.09 | 86 | 0 | 98 | 184 |
| 7/17/2024 | 12 | 1099.38 | 2300 | 708.78 | 87 | 0 | 101 | 188 |
| 7/17/2024 | 13 | 1099.38 | 2300 | 708.71 | 86 | 0 | 100 | 186 |
| 7/17/2024 | 14 | 1099.38 | 2320 | 708.74 | 86 | 0 | 99 | 186 |
| 7/17/2024 | 15 | 1099.37 | 2310 | 708.70 | 86 | 0 | 99 | 185 |
| 7/17/2024 | 16 | 1099.37 | 2310 | 708.65 | 86 | 0 | 99 | 185 |
| 7/17/2024 | 17 | 1099.38 | 2310 | 708.66 | 87 | 0 | 98 | 185 |
| 7/17/2024 | 18 | 1099.37 | 2310 | 708.61 | 87 | 0 | 99 | 185 |
| 7/17/2024 | 19 | 1099.37 | 2320 | 708.54 | 86 | 0 | 99 | 185 |
| 7/17/2024 | 20 | 1099.38 | 2300 | 708.47 | 86 | 0 | 99 | 186 |
| 7/17/2024 | 21 | 1099.38 | 2290 | 708.58 | 86 | 0 | 99 | 186 |
| 7/17/2024 | 22 | 1099.38 | 2140 | 708.69 | 86 | 0 | 100 | 186 |
| 7/17/2024 | 23 | 1099.38 | 50 | 708.28 | 86 | 0 | 100 | 186 |
| 7/17/2024 | 24 | 1099.38 | 10 | 708.38 | 86 | 0 | 100 | 187 |
| 7/18/2024 | 1 | 1099.37 | 10 | 708.37 | 86 | 0 | 99 | 185 |
| 7/18/2024 | 2 | 1099.39 | 10 | 708.06 | 86 | 0 | 99 | 186 |
| 7/18/2024 | 3 | 1099.40 | 10 | 707.79 | 86 | 0 | 99 | 185 |
| 7/18/2024 | 4 | 1099.42 | 10 | 708.04 | 86 | 0 | 99 | 185 |
| 7/18/2024 | 5 | 1099.40 | 10 | 708.04 | 86 | 0 | 99 | 186 |
| 7/18/2024 | 6 | 1099.41 | 250 | 708.01 | 86 | 0 | 99 | 186 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/18/2024 | 7 | 1099.41 | 2280 | 708.73 | 86 | 0 | 100 | 185 |
| 7/18/2024 | 8 | 1099.44 | 2310 | 708.61 | 86 | 0 | 98 | 184 |
| 7/18/2024 | 9 | 1099.39 | 2310 | 708.70 | 86 | 0 | 98 | 184 |
| 7/18/2024 | 10 | 1099.41 | 2320 | 708.65 | 87 | 0 | 98 | 184 |
| 7/18/2024 | 11 | 1099.40 | 2310 | 708.76 | 87 | 0 | 98 | 185 |
| 7/18/2024 | 12 | 1099.40 | 2330 | 708.79 | 87 | 0 | 98 | 185 |
| 7/18/2024 | 13 | 1099.38 | 2320 | 708.86 | 86 | 0 | 98 | 184 |
| 7/18/2024 | 14 | 1099.40 | 2310 | 709.07 | 86 | 0 | 99 | 185 |
| 7/18/2024 | 15 | 1099.40 | 2340 | 709.26 | 86 | 0 | 99 | 185 |
| 7/18/2024 | 16 | 1099.38 | 2300 | 709.43 | 86 | 0 | 99 | 185 |
| 7/18/2024 | 17 | 1099.38 | 2310 | 709.66 | 86 | 0 | 99 | 185 |
| 7/18/2024 | 18 | 1099.38 | 2320 | 709.49 | 86 | 0 | 98 | 184 |
| 7/18/2024 | 19 | 1099.39 | 2330 | 709.50 | 87 | 0 | 98 | 185 |
| 7/18/2024 | 20 | 1099.37 | 2300 | 709.47 | 86 | 0 | 100 | 186 |
| 7/18/2024 | 21 | 1099.38 | 2290 | 709.56 | 86 | 0 | 101 | 186 |
| 7/18/2024 | 22 | 1099.40 | 2140 | 709.40 | 86 | 0 | 100 | 186 |
| 7/18/2024 | 23 | 1099.41 | 50 | 708.94 | 87 | 0 | 100 | 187 |
| 7/18/2024 | 24 | 1099.43 | 20 | 708.72 | 86 | 0 | 99 | 186 |
| 7/19/2024 | 1 | 1099.45 | 20 | 708.21 | 86 | 0 | 99 | 185 |
| 7/19/2024 | 2 | 1099.43 | 10 | 707.81 | 86 | 0 | 98 | 184 |
| 7/19/2024 | 3 | 1099.42 | 10 | 707.48 | 86 | 0 | 97 | 184 |
| 7/19/2024 | 4 | 1099.47 | 10 | 707.28 | 86 | 0 | 98 | 185 |
| 7/19/2024 | 5 | 1099.47 | 20 | 707.01 | 86 | 0 | 97 | 183 |
| 7/19/2024 | 6 | 1099.48 | 30 | 707.42 | 86 | 0 | 98 | 185 |
| 7/19/2024 | 7 | 1099.48 | 2170 | 708.47 | 86 | 0 | 99 | 185 |
| 7/19/2024 | 8 | 1099.48 | 2310 | 708.56 | 86 | 0 | 98 | 184 |
| 7/19/2024 | 9 | 1099.48 | 2300 | 708.50 | 86 | 0 | 98 | 184 |
| 7/19/2024 | 10 | 1099.47 | 2280 | 708.57 | 87 | 0 | 97 | 184 |
| 7/19/2024 | 11 | 1099.47 | 2310 | 708.66 | 86 | 0 | 97 | 184 |
| 7/19/2024 | 12 | 1099.44 | 2320 | 708.62 | 86 | 0 | 98 | 185 |
| 7/19/2024 | 13 | 1099.41 | 2350 | 708.67 | 86 | 0 | 98 | 184 |
| 7/19/2024 | 14 | 1099.41 | 2340 | 708.73 | 86 | 0 | 97 | 184 |
| 7/19/2024 | 15 | 1099.40 | 2320 | 708.76 | 86 | 0 | 97 | 184 |
| 7/19/2024 | 16 | 1099.40 | 2320 | 708.87 | 87 | 0 | 97 | 183 |
| 7/19/2024 | 17 | 1099.40 | 2310 | 708.81 | 86 | 0 | 97 | 183 |
| 7/19/2024 | 18 | 1099.41 | 2320 | 708.76 | 86 | 0 | 96 | 183 |
| 7/19/2024 | 19 | 1099.42 | 2310 | 708.79 | 87 | 0 | 97 | 184 |
| 7/19/2024 | 20 | 1099.47 | 2330 | 708.70 | 87 | 0 | 96 | 183 |
| 7/19/2024 | 21 | 1099.47 | 2280 | 708.56 | 86 | 0 | 97 | 183 |
| 7/19/2024 | 22 | 1099.47 | 1990 | 708.34 | 86 | 0 | 97 | 183 |
| 7/19/2024 | 23 | 1099.46 | 10 | 707.25 | 86 | 0 | 95 | 181 |
| 7/19/2024 | 24 | 1099.46 | 10 | 707.15 | 86 | 0 | 95 | 181 |
| 7/20/2024 | 1 | 1099.46 | 10 | 707.00 | 86 | 0 | 95 | 182 |
| 7/20/2024 | 2 | 1099.47 | 10 | 706.80 | 86 | 0 | 96 | 182 |
| 7/20/2024 | 3 | 1099.48 | 10 | 706.51 | 86 | 0 | 95 | 181 |
| 7/20/2024 | 4 | 1099.48 | 10 | 706.46 | 86 | 0 | 95 | 182 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/20/2024 | 5 | 1099.48 | 10 | 706.53 | 86 | 0 | 95 | 182 |
| 7/20/2024 | 6 | 1099.48 | 250 | 706.70 | 86 | 0 | 96 | 182 |
| 7/20/2024 | 7 | 1099.47 | 2310 | 708.39 | 86 | 0 | 98 | 184 |
| 7/20/2024 | 8 | 1099.48 | 2300 | 708.46 | 86 | 0 | 99 | 185 |
| 7/20/2024 | 9 | 1099.48 | 2310 | 708.47 | 87 | 0 | 98 | 185 |
| 7/20/2024 | 10 | 1099.47 | 2320 | 708.52 | 87 | 0 | 99 | 185 |
| 7/20/2024 | 11 | 1099.46 | 2320 | 708.55 | 86 | 0 | 98 | 184 |
| 7/20/2024 | 12 | 1099.46 | 2320 | 708.55 | 86 | 0 | 99 | 185 |
| 7/20/2024 | 13 | 1099.43 | 2330 | 708.69 | 86 | 0 | 100 | 186 |
| 7/20/2024 | 14 | 1099.44 | 2330 | 708.83 | 87 | 0 | 100 | 187 |
| 7/20/2024 | 15 | 1099.43 | 2320 | 708.84 | 86 | 0 | 100 | 186 |
| 7/20/2024 | 16 | 1099.41 | 2330 | 709.24 | 86 | 0 | 102 | 188 |
| 7/20/2024 | 17 | 1099.40 | 2330 | 709.55 | 86 | 0 | 101 | 187 |
| 7/20/2024 | 18 | 1099.40 | 2350 | 709.62 | 87 | 0 | 100 | 186 |
| 7/20/2024 | 19 | 1099.40 | 2350 | 709.57 | 87 | 0 | 100 | 187 |
| 7/20/2024 | 20 | 1099.40 | 2310 | 709.34 | 87 | 0 | 99 | 186 |
| 7/20/2024 | 21 | 1099.40 | 2310 | 709.56 | 86 | 0 | 99 | 186 |
| 7/20/2024 | 22 | 1099.40 | 2320 | 709.05 | 87 | 0 | 98 | 185 |
| 7/20/2024 | 23 | 1099.42 | 100 | 708.51 | 87 | 0 | 98 | 185 |
| 7/20/2024 | 24 | 1099.46 | 10 | 708.64 | 87 | 0 | 98 | 185 |
| 7/21/2024 | 1 | 1099.44 | 10 | 708.25 | 87 | 0 | 98 | 185 |
| 7/21/2024 | 2 | 1099.41 | 10 | 707.98 | 87 | 0 | 98 | 185 |
| 7/21/2024 | 3 | 1099.43 | 10 | 707.63 | 87 | 0 | 97 | 184 |
| 7/21/2024 | 4 | 1099.47 | 10 | 707.57 | 87 | 0 | 97 | 183 |
| 7/21/2024 | 5 | 1099.46 | 10 | 707.35 | 87 | 0 | 96 | 183 |
| 7/21/2024 | 6 | 1099.44 | 10 | 707.29 | 87 | 0 | 96 | 183 |
| 7/21/2024 | 7 | 1099.48 | 10 | 707.06 | 87 | 0 | 96 | 183 |
| 7/21/2024 | 8 | 1099.47 | 10 | 706.95 | 87 | 0 | 96 | 183 |
| 7/21/2024 | 9 | 1099.47 | 10 | 707.13 | 87 | 0 | 97 | 183 |
| 7/21/2024 | 10 | 1099.47 | 10 | 707.31 | 86 | 0 | 97 | 183 |
| 7/21/2024 | 11 | 1099.49 | 10 | 707.57 | 86 | 0 | 98 | 184 |
| 7/21/2024 | 12 | 1099.48 | 10 | 707.96 | 86 | 0 | 97 | 184 |
| 7/21/2024 | 13 | 1099.47 | 10 | 708.44 | 86 | 0 | 98 | 184 |
| 7/21/2024 | 14 | 1099.49 | 10 | 708.60 | 86 | 0 | 98 | 185 |
| 7/21/2024 | 15 | 1099.50 | 10 | 708.81 | 86 | 0 | 99 | 185 |
| 7/21/2024 | 16 | 1099.49 | 10 | 709.16 | 86 | 0 | 99 | 185 |
| 7/21/2024 | 17 | 1099.49 | 10 | 709.19 | 86 | 0 | 99 | 185 |
| 7/21/2024 | 18 | 1099.49 | 10 | 708.84 | 87 | 0 | 100 | 186 |
| 7/21/2024 | 19 | 1099.50 | 10 | 708.77 | 87 | 0 | 100 | 186 |
| 7/21/2024 | 20 | 1099.50 | 10 | 708.81 | 87 | 0 | 98 | 185 |
| 7/21/2024 | 21 | 1099.49 | 10 | 708.76 | 86 | 0 | 98 | 185 |
| 7/21/2024 | 22 | 1099.50 | 10 | 708.48 | 87 | 0 | 98 | 185 |
| 7/21/2024 | 23 | 1099.51 | 10 | 708.36 | 87 | 0 | 98 | 185 |
| 7/21/2024 | 24 | 1099.50 | 10 | 707.66 | 87 | 0 | 97 | 184 |
| 7/22/2024 | 1 | 1099.51 | 10 | 707.03 | 87 | 0 | 96 | 183 |
| 7/22/2024 | 2 | 1099.51 | 10 | 706.75 | 87 | 0 | 96 | 182 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/22/2024 | 3 | 1099.52 | 10 | 706.73 | 87 | 0 | 95 | 182 |
| 7/22/2024 | 4 | 1099.51 | 10 | 706.96 | 87 | 0 | 95 | 182 |
| 7/22/2024 | 5 | 1099.52 | 10 | 707.04 | 86 | 0 | 96 | 182 |
| 7/22/2024 | 6 | 1099.52 | 250 | 707.20 | 86 | 0 | 96 | 182 |
| 7/22/2024 | 7 | 1099.53 | 2290 | 708.57 | 86 | 0 | 97 | 183 |
| 7/22/2024 | 8 | 1099.51 | 2310 | 708.76 | 86 | 0 | 96 | 182 |
| 7/22/2024 | 9 | 1099.50 | 2310 | 708.78 | 86 | 0 | 97 | 183 |
| 7/22/2024 | 10 | 1099.52 | 2320 | 709.06 | 86 | 0 | 97 | 183 |
| 7/22/2024 | 11 | 1099.52 | 2310 | 709.19 | 86 | 0 | 97 | 184 |
| 7/22/2024 | 12 | 1099.52 | 2320 | 709.26 | 86 | 0 | 98 | 184 |
| 7/22/2024 | 13 | 1099.51 | 2310 | 709.33 | 86 | 0 | 98 | 184 |
| 7/22/2024 | 14 | 1099.50 | 2340 | 709.54 | 86 | 0 | 98 | 184 |
| 7/22/2024 | 15 | 1099.52 | 2330 | 709.75 | 86 | 0 | 98 | 185 |
| 7/22/2024 | 16 | 1099.51 | 2320 | 709.84 | 86 | 0 | 98 | 184 |
| 7/22/2024 | 17 | 1099.54 | 2360 | 709.83 | 86 | 0 | 98 | 184 |
| 7/22/2024 | 18 | 1099.53 | 2350 | 709.80 | 86 | 0 | 97 | 183 |
| 7/22/2024 | 19 | 1099.55 | 2320 | 709.69 | 87 | 0 | 96 | 183 |
| 7/22/2024 | 20 | 1099.59 | 2310 | 709.59 | 87 | 0 | 96 | 183 |
| 7/22/2024 | 21 | 1099.59 | 2310 | 709.59 | 86 | 0 | 97 | 183 |
| 7/22/2024 | 22 | 1099.58 | 2320 | 709.52 | 86 | 0 | 98 | 184 |
| 7/22/2024 | 23 | 1099.60 | 190 | 708.79 | 87 | 0 | 96 | 183 |
| 7/22/2024 | 24 | 1099.63 | 10 | 708.53 | 87 | 0 | 95 | 182 |
| 7/23/2024 | 1 | 1099.61 | 10 | 707.83 | 87 | 0 | 95 | 181 |
| 7/23/2024 | 2 | 1099.60 | 10 | 706.92 | 87 | 0 | 94 | 180 |
| 7/23/2024 | 3 | 1099.63 | 10 | 706.66 | 87 | 0 | 93 | 180 |
| 7/23/2024 | 4 | 1099.64 | 10 | 707.00 | 87 | 0 | 95 | 181 |
| 7/23/2024 | 5 | 1099.62 | 10 | 707.01 | 87 | 0 | 95 | 181 |
| 7/23/2024 | 6 | 1099.61 | 240 | 706.78 | 87 | 0 | 95 | 181 |
| 7/23/2024 | 7 | 1099.60 | 2300 | 708.44 | 86 | 0 | 97 | 184 |
| 7/23/2024 | 8 | 1099.63 | 2320 | 708.46 | 86 | 0 | 97 | 183 |
| 7/23/2024 | 9 | 1099.63 | 2300 | 708.46 | 86 | 0 | 97 | 183 |
| 7/23/2024 | 10 | 1099.62 | 2320 | 708.47 | 86 | 0 | 98 | 184 |
| 7/23/2024 | 11 | 1099.60 | 2330 | 708.53 | 86 | 0 | 98 | 184 |
| 7/23/2024 | 12 | 1099.58 | 2330 | 708.53 | 87 | 0 | 99 | 186 |
| 7/23/2024 | 13 | 1099.58 | 2330 | 708.58 | 86 | 0 | 99 | 185 |
| 7/23/2024 | 14 | 1099.58 | 2350 | 708.78 | 86 | 0 | 99 | 185 |
| 7/23/2024 | 15 | 1099.55 | 2340 | 709.20 | 86 | 0 | 99 | 186 |
| 7/23/2024 | 16 | 1099.53 | 2320 | 709.34 | 86 | 0 | 98 | 185 |
| 7/23/2024 | 17 | 1099.52 | 2350 | 709.39 | 86 | 0 | 99 | 185 |
| 7/23/2024 | 18 | 1099.52 | 2340 | 709.07 | 87 | 0 | 98 | 185 |
| 7/23/2024 | 19 | 1099.50 | 2330 | 708.98 | 86 | 0 | 97 | 183 |
| 7/23/2024 | 20 | 1099.50 | 2290 | 708.95 | 86 | 0 | 97 | 183 |
| 7/23/2024 | 21 | 1099.51 | 2310 | 708.91 | 86 | 0 | 97 | 183 |
| 7/23/2024 | 22 | 1099.50 | 2200 | 708.83 | 86 | 0 | 98 | 184 |
| 7/23/2024 | 23 | 1099.50 | 60 | 708.01 | 87 | 0 | 97 | 183 |
| 7/23/2024 | 24 | 1099.50 | 10 | 707.85 | 86 | 0 | 97 | 183 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/24/2024 | 1 | 1099.50 | 10 | 707.52 | 86 | 0 | 97 | 183 |
| 7/24/2024 | 2 | 1099.50 | 10 | 707.68 | 86 | 0 | 97 | 183 |
| 7/24/2024 | 3 | 1099.50 | 10 | 708.16 | 86 | 0 | 98 | 184 |
| 7/24/2024 | 4 | 1099.51 | 10 | 708.17 | 86 | 0 | 98 | 184 |
| 7/24/2024 | 5 | 1099.50 | 10 | 708.38 | 86 | 0 | 99 | 185 |
| 7/24/2024 | 6 | 1099.50 | 240 | 708.29 | 86 | 0 | 98 | 184 |
| 7/24/2024 | 7 | 1099.50 | 2150 | 708.84 | 86 | 0 | 98 | 183 |
| 7/24/2024 | 8 | 1099.51 | 2150 | 708.66 | 87 | 0 | 97 | 184 |
| 7/24/2024 | 9 | 1099.50 | 2160 | 708.59 | 86 | 0 | 98 | 185 |
| 7/24/2024 | 10 | 1099.50 | 2160 | 708.55 | 86 | 0 | 99 | 185 |
| 7/24/2024 | 11 | 1099.49 | 2160 | 708.58 | 86 | 0 | 99 | 186 |
| 7/24/2024 | 12 | 1099.50 | 2160 | 708.60 | 86 | 0 | 98 | 184 |
| 7/24/2024 | 13 | 1099.50 | 2170 | 708.64 | 87 | 0 | 98 | 185 |
| 7/24/2024 | 14 | 1099.50 | 2160 | 708.59 | 87 | 0 | 97 | 184 |
| 7/24/2024 | 15 | 1099.49 | 2170 | 708.81 | 87 | 0 | 97 | 184 |
| 7/24/2024 | 16 | 1099.48 | 2150 | 708.85 | 87 | 0 | 97 | 184 |
| 7/24/2024 | 17 | 1099.49 | 2160 | 709.04 | 88 | 0 | 97 | 184 |
| 7/24/2024 | 18 | 1099.49 | 2140 | 708.92 | 87 | 0 | 96 | 184 |
| 7/24/2024 | 19 | 1099.49 | 2150 | 708.74 | 87 | 0 | 96 | 182 |
| 7/24/2024 | 20 | 1099.49 | 2150 | 709.23 | 87 | 0 | 96 | 183 |
| 7/24/2024 | 21 | 1099.49 | 2150 | 709.46 | 87 | 0 | 96 | 183 |
| 7/24/2024 | 22 | 1099.51 | 2080 | 709.69 | 87 | 0 | 97 | 184 |
| 7/24/2024 | 23 | 1099.51 | 70 | 709.41 | 88 | 0 | 97 | 184 |
| 7/24/2024 | 24 | 1099.49 | 20 | 709.46 | 88 | 0 | 97 | 185 |
| 7/25/2024 | 1 | 1099.50 | 20 | 709.32 | 88 | 0 | 98 | 186 |
| 7/25/2024 | 2 | 1099.51 | 20 | 709.37 | 88 | 0 | 97 | 184 |
| 7/25/2024 | 3 | 1099.50 | 20 | 708.99 | 87 | 0 | 97 | 185 |
| 7/25/2024 | 4 | 1099.50 | 20 | 708.87 | 87 | 0 | 97 | 185 |
| 7/25/2024 | 5 | 1099.50 | 20 | 708.37 | 87 | 0 | 97 | 184 |
| 7/25/2024 | 6 | 1099.50 | 120 | 707.88 | 87 | 0 | 95 | 182 |
| 7/25/2024 | 7 | 1099.50 | 2290 | 708.79 | 87 | 0 | 96 | 183 |
| 7/25/2024 | 8 | 1099.50 | 2310 | 708.91 | 87 | 0 | 97 | 184 |
| 7/25/2024 | 9 | 1099.50 | 2300 | 708.68 | 88 | 0 | 97 | 185 |
| 7/25/2024 | 10 | 1099.50 | 2310 | 708.79 | 87 | 0 | 96 | 184 |
| 7/25/2024 | 11 | 1099.50 | 2320 | 708.89 | 87 | 0 | 97 | 184 |
| 7/25/2024 | 12 | 1099.51 | 2320 | 708.98 | 87 | 0 | 97 | 184 |
| 7/25/2024 | 13 | 1099.51 | 2310 | 709.03 | 88 | 0 | 97 | 184 |
| 7/25/2024 | 14 | 1099.52 | 2310 | 708.84 | 87 | 0 | 96 | 184 |
| 7/25/2024 | 15 | 1099.52 | 2320 | 708.91 | 87 | 0 | 96 | 183 |
| 7/25/2024 | 16 | 1099.52 | 2310 | 708.94 | 88 | 0 | 96 | 184 |
| 7/25/2024 | 17 | 1099.52 | 2310 | 708.98 | 87 | 0 | 96 | 183 |
| 7/25/2024 | 18 | 1099.52 | 2330 | 709.16 | 87 | 0 | 97 | 184 |
| 7/25/2024 | 19 | 1099.51 | 2320 | 709.30 | 87 | 0 | 97 | 184 |
| 7/25/2024 | 20 | 1099.51 | 2300 | 709.50 | 88 | 0 | 98 | 185 |
| 7/25/2024 | 21 | 1099.51 | 2320 | 709.70 | 87 | 0 | 100 | 187 |
| 7/25/2024 | 22 | 1099.50 | 2190 | 709.79 | 87 | 0 | 100 | 187 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/25/2024 | 23 | 1099.50 | 40 | 709.80 | 88 | 0 | 101 | 189 |
| 7/25/2024 | 24 | 1099.50 | 20 | 709.84 | 87 | 0 | 99 | 187 |
| 7/26/2024 | 1 | 1099.50 | 20 | 709.52 | 87 | 0 | 100 | 187 |
| 7/26/2024 | 2 | 1099.50 | 20 | 709.06 | 87 | 0 | 100 | 187 |
| 7/26/2024 | 3 | 1099.50 | 20 | 708.12 | 87 | 0 | 98 | 185 |
| 7/26/2024 | 4 | 1099.50 | 20 | 708.05 | 87 | 0 | 98 | 185 |
| 7/26/2024 | 5 | 1099.49 | 20 | 708.19 | 87 | 0 | 97 | 184 |
| 7/26/2024 | 6 | 1099.49 | 140 | 708.43 | 87 | 0 | 98 | 185 |
| 7/26/2024 | 7 | 1099.49 | 2320 | 709.11 | 86 | 0 | 99 | 185 |
| 7/26/2024 | 8 | 1099.47 | 2310 | 708.85 | 87 | 0 | 98 | 185 |
| 7/26/2024 | 9 | 1099.45 | 2320 | 708.92 | 87 | 0 | 98 | 186 |
| 7/26/2024 | 10 | 1099.41 | 2320 | 709.09 | 87 | 0 | 100 | 187 |
| 7/26/2024 | 11 | 1099.42 | 2330 | 709.43 | 87 | 0 | 100 | 187 |
| 7/26/2024 | 12 | 1099.42 | 2320 | 709.78 | 87 | 0 | 101 | 187 |
| 7/26/2024 | 13 | 1099.40 | 2330 | 709.69 | 87 | 0 | 100 | 187 |
| 7/26/2024 | 14 | 1099.40 | 2330 | 709.58 | 88 | 0 | 99 | 187 |
| 7/26/2024 | 15 | 1099.40 | 2330 | 709.65 | 87 | 0 | 99 | 186 |
| 7/26/2024 | 16 | 1099.39 | 2340 | 709.79 | 87 | 0 | 99 | 187 |
| 7/26/2024 | 17 | 1099.39 | 2330 | 709.46 | 87 | 0 | 99 | 187 |
| 7/26/2024 | 18 | 1099.38 | 2340 | 709.34 | 87 | 0 | 99 | 186 |
| 7/26/2024 | 19 | 1099.38 | 2360 | 709.26 | 88 | 0 | 98 | 186 |
| 7/26/2024 | 20 | 1099.38 | 2320 | 709.31 | 87 | 0 | 98 | 185 |
| 7/26/2024 | 21 | 1099.38 | 2330 | 709.28 | 87 | 0 | 98 | 184 |
| 7/26/2024 | 22 | 1099.37 | 2250 | 709.30 | 88 | 0 | 96 | 184 |
| 7/26/2024 | 23 | 1099.38 | 130 | 708.82 | 88 | 0 | 98 | 186 |
| 7/26/2024 | 24 | 1099.38 | 20 | 709.21 | 87 | 0 | 98 | 185 |
| 7/27/2024 | 1 | 1099.38 | 20 | 709.03 | 87 | 0 | 97 | 185 |
| 7/27/2024 | 2 | 1099.38 | 20 | 708.45 | 87 | 0 | 97 | 184 |
| 7/27/2024 | 3 | 1099.38 | 20 | 708.27 | 87 | 0 | 97 | 184 |
| 7/27/2024 | 4 | 1099.38 | 20 | 708.21 | 87 | 0 | 98 | 185 |
| 7/27/2024 | 5 | 1099.39 | 20 | 708.24 | 87 | 0 | 98 | 185 |
| 7/27/2024 | 6 | 1099.38 | 140 | 708.35 | 87 | 0 | 99 | 186 |
| 7/27/2024 | 7 | 1099.38 | 2290 | 708.91 | 86 | 0 | 99 | 186 |
| 7/27/2024 | 8 | 1099.38 | 2310 | 708.72 | 88 | 0 | 100 | 187 |
| 7/27/2024 | 9 | 1099.37 | 2300 | 708.64 | 88 | 0 | 99 | 187 |
| 7/27/2024 | 10 | 1099.37 | 2320 | 708.74 | 87 | 0 | 99 | 187 |
| 7/27/2024 | 11 | 1099.37 | 2340 | 708.86 | 87 | 0 | 99 | 186 |
| 7/27/2024 | 12 | 1099.35 | 2330 | 709.24 | 87 | 0 | 99 | 186 |
| 7/27/2024 | 13 | 1099.35 | 2330 | 709.82 | 88 | 0 | 101 | 188 |
| 7/27/2024 | 14 | 1099.35 | 2350 | 709.97 | 87 | 0 | 100 | 187 |
| 7/27/2024 | 15 | 1099.34 | 2310 | 709.91 | 87 | 0 | 100 | 187 |
| 7/27/2024 | 16 | 1099.33 | 2330 | 710.02 | 87 | 0 | 99 | 187 |
| 7/27/2024 | 17 | 1099.33 | 2330 | 709.97 | 87 | 0 | 101 | 188 |
| 7/27/2024 | 18 | 1099.34 | 2330 | 709.70 | 87 | 0 | 99 | 187 |
| 7/27/2024 | 19 | 1099.35 | 2350 | 709.90 | 87 | 0 | 98 | 185 |
| 7/27/2024 | 20 | 1099.35 | 2340 | 709.85 | 87 | 0 | 98 | 186 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/27/2024 | 21 | 1099.35 | 2340 | 709.92 | 87 | 0 | 99 | 186 |
| 7/27/2024 | 22 | 1099.34 | 2330 | 709.99 | 87 | 0 | 98 | 185 |
| 7/27/2024 | 23 | 1099.35 | 790 | 709.69 | 88 | 0 | 99 | 187 |
| 7/27/2024 | 24 | 1099.34 | 10 | 709.26 | 87 | 0 | 97 | 185 |
| 7/28/2024 | 1 | 1099.35 | 10 | 708.92 | 88 | 0 | 98 | 185 |
| 7/28/2024 | 2 | 1099.37 | 10 | 708.08 | 88 | 0 | 96 | 184 |
| 7/28/2024 | 3 | 1099.37 | 10 | 707.57 | 88 | 0 | 96 | 184 |
| 7/28/2024 | 4 | 1099.36 | 10 | 707.50 | 87 | 0 | 97 | 184 |
| 7/28/2024 | 5 | 1099.37 | 10 | 707.50 | 87 | 0 | 97 | 184 |
| 7/28/2024 | 6 | 1099.37 | 20 | 707.30 | 87 | 0 | 96 | 183 |
| 7/28/2024 | 7 | 1099.37 | 20 | 707.36 | 87 | 0 | 96 | 183 |
| 7/28/2024 | 8 | 1099.37 | 20 | 707.33 | 87 | 0 | 96 | 183 |
| 7/28/2024 | 9 | 1099.37 | 20 | 707.63 | 87 | 0 | 96 | 183 |
| 7/28/2024 | 10 | 1099.38 | 20 | 707.77 | 87 | 0 | 97 | 184 |
| 7/28/2024 | 11 | 1099.37 | 20 | 708.07 | 87 | 0 | 98 | 185 |
| 7/28/2024 | 12 | 1099.37 | 20 | 708.08 | 87 | 0 | 99 | 186 |
| 7/28/2024 | 13 | 1099.36 | 20 | 707.75 | 87 | 0 | 99 | 186 |
| 7/28/2024 | 14 | 1099.37 | 20 | 707.73 | 87 | 0 | 98 | 184 |
| 7/28/2024 | 15 | 1099.37 | 20 | 707.88 | 87 | 0 | 97 | 184 |
| 7/28/2024 | 16 | 1099.37 | 20 | 707.99 | 88 | 0 | 97 | 185 |
| 7/28/2024 | 17 | 1099.37 | 20 | 708.17 | 88 | 0 | 96 | 184 |
| 7/28/2024 | 18 | 1099.37 | 20 | 708.33 | 88 | 0 | 96 | 184 |
| 7/28/2024 | 19 | 1099.38 | 20 | 708.52 | 88 | 0 | 96 | 184 |
| 7/28/2024 | 20 | 1099.38 | 20 | 708.07 | 88 | 0 | 96 | 184 |
| 7/28/2024 | 21 | 1099.37 | 20 | 707.77 | 88 | 0 | 96 | 183 |
| 7/28/2024 | 22 | 1099.38 | 20 | 707.70 | 88 | 0 | 97 | 184 |
| 7/28/2024 | 23 | 1099.38 | 20 | 707.72 | 88 | 0 | 96 | 184 |
| 7/28/2024 | 24 | 1099.38 | 20 | 707.47 | 87 | 0 | 97 | 184 |
| 7/29/2024 | 1 | 1099.40 | 20 | 707.26 | 87 | 0 | 96 | 183 |
| 7/29/2024 | 2 | 1099.38 | 20 | 707.32 | 87 | 0 | 95 | 183 |
| 7/29/2024 | 3 | 1099.38 | 20 | 707.31 | 88 | 0 | 96 | 183 |
| 7/29/2024 | 4 | 1099.40 | 20 | 707.50 | 88 | 0 | 96 | 183 |
| 7/29/2024 | 5 | 1099.40 | 20 | 707.41 | 88 | 0 | 96 | 184 |
| 7/29/2024 | 6 | 1099.40 | 230 | 707.67 | 88 | 0 | 96 | 184 |
| 7/29/2024 | 7 | 1099.38 | 2290 | 708.61 | 87 | 0 | 97 | 184 |
| 7/29/2024 | 8 | 1099.38 | 2310 | 708.57 | 87 | 0 | 97 | 185 |
| 7/29/2024 | 9 | 1099.39 | 2310 | 708.56 | 87 | 0 | 97 | 184 |
| 7/29/2024 | 10 | 1099.37 | 2310 | 708.59 | 87 | 0 | 98 | 185 |
| 7/29/2024 | 11 | 1099.36 | 2320 | 708.58 | 87 | 0 | 98 | 186 |
| 7/29/2024 | 12 | 1099.37 | 2340 | 708.56 | 87 | 0 | 99 | 186 |
| 7/29/2024 | 13 | 1099.38 | 2320 | 708.58 | 88 | 0 | 97 | 184 |
| 7/29/2024 | 14 | 1099.37 | 2340 | 708.66 | 87 | 0 | 95 | 183 |
| 7/29/2024 | 15 | 1099.36 | 2290 | 708.60 | 88 | 0 | 97 | 184 |
| 7/29/2024 | 16 | 1099.37 | 2310 | 708.65 | 87 | 0 | 96 | 184 |
| 7/29/2024 | 17 | 1099.38 | 2330 | 708.73 | 88 | 0 | 97 | 184 |
| 7/29/2024 | 18 | 1099.37 | 2330 | 708.85 | 87 | 0 | 97 | 184 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/29/2024 | 19 | 1099.37 | 2340 | 708.81 | 87 | 0 | 96 | 183 |
| 7/29/2024 | 20 | 1099.35 | 2330 | 708.72 | 88 | 0 | 97 | 185 |
| 7/29/2024 | 21 | 1099.36 | 2330 | 708.59 | 87 | 0 | 97 | 184 |
| 7/29/2024 | 22 | 1099.36 | 2250 | 708.49 | 87 | 0 | 96 | 184 |
| 7/29/2024 | 23 | 1099.36 | 130 | 706.98 | 88 | 0 | 95 | 183 |
| 7/29/2024 | 24 | 1099.35 | 20 | 706.89 | 87 | 0 | 96 | 183 |
| 7/30/2024 | 1 | 1099.35 | 20 | 706.61 | 87 | 0 | 97 | 184 |
| 7/30/2024 | 2 | 1099.37 | 20 | 706.98 | 87 | 0 | 98 | 185 |
| 7/30/2024 | 3 | 1099.37 | 20 | 706.84 | 87 | 0 | 97 | 185 |
| 7/30/2024 | 4 | 1099.36 | 20 | 706.73 | 87 | 0 | 95 | 182 |
| 7/30/2024 | 5 | 1099.37 | 20 | 706.62 | 87 | 0 | 96 | 183 |
| 7/30/2024 | 6 | 1099.37 | 130 | 706.84 | 87 | 0 | 98 | 185 |
| 7/30/2024 | 7 | 1099.37 | 1230 | 707.48 | 87 | 0 | 98 | 185 |
| 7/30/2024 | 8 | 1099.36 | 1240 | 707.58 | 87 | 0 | 97 | 184 |
| 7/30/2024 | 9 | 1099.37 | 1230 | 707.67 | 87 | 0 | 97 | 184 |
| 7/30/2024 | 10 | 1099.37 | 1230 | 707.71 | 87 | 0 | 98 | 185 |
| 7/30/2024 | 11 | 1099.36 | 1230 | 707.72 | 87 | 0 | 98 | 185 |
| 7/30/2024 | 12 | 1099.35 | 1230 | 707.75 | 87 | 0 | 97 | 184 |
| 7/30/2024 | 13 | 1099.35 | 1220 | 707.71 | 87 | 0 | 96 | 183 |
| 7/30/2024 | 14 | 1099.36 | 1230 | 707.86 | 87 | 0 | 96 | 183 |
| 7/30/2024 | 15 | 1099.37 | 1210 | 707.90 | 87 | 0 | 96 | 183 |
| 7/30/2024 | 16 | 1099.37 | 1170 | 708.01 | 87 | 0 | 95 | 182 |
| 7/30/2024 | 17 | 1099.37 | 1160 | 708.01 | 87 | 0 | 96 | 182 |
| 7/30/2024 | 18 | 1099.37 | 1170 | 707.95 | 87 | 0 | 95 | 182 |
| 7/30/2024 | 19 | 1099.37 | 1170 | 707.98 | 87 | 0 | 95 | 182 |
| 7/30/2024 | 20 | 1099.37 | 1160 | 707.93 | 87 | 0 | 95 | 181 |
| 7/30/2024 | 21 | 1099.38 | 1160 | 707.84 | 87 | 0 | 95 | 182 |
| 7/30/2024 | 22 | 1099.38 | 1170 | 707.84 | 87 | 0 | 96 | 183 |
| 7/30/2024 | 23 | 1099.37 | 50 | 707.28 | 88 | 0 | 95 | 183 |
| 7/30/2024 | 24 | 1099.37 | 20 | 706.70 | 88 | 0 | 95 | 183 |
| 7/31/2024 | 1 | 1099.37 | 20 | 706.28 | 87 | 0 | 94 | 182 |
| 7/31/2024 | 2 | 1099.38 | 20 | 706.11 | 87 | 0 | 94 | 182 |
| 7/31/2024 | 3 | 1099.38 | 20 | 706.36 | 87 | 0 | 94 | 182 |
| 7/31/2024 | 4 | 1099.37 | 20 | 706.27 | 87 | 0 | 95 | 182 |
| 7/31/2024 | 5 | 1099.37 | 20 | 706.24 | 87 | 0 | 95 | 182 |
| 7/31/2024 | 6 | 1099.38 | 120 | 706.44 | 87 | 0 | 95 | 183 |
| 7/31/2024 | 7 | 1099.38 | 1190 | 707.47 | 87 | 0 | 96 | 183 |
| 7/31/2024 | 8 | 1099.37 | 1190 | 707.69 | 87 | 0 | 96 | 183 |
| 7/31/2024 | 9 | 1099.37 | 1200 | 707.78 | 87 | 0 | 96 | 183 |
| 7/31/2024 | 10 | 1099.38 | 1200 | 708.11 | 87 | 0 | 97 | 184 |
| 7/31/2024 | 11 | 1099.37 | 1200 | 708.52 | 87 | 0 | 98 | 185 |
| 7/31/2024 | 12 | 1099.37 | 1210 | 708.85 | 87 | 0 | 99 | 186 |
| 7/31/2024 | 13 | 1099.37 | 1210 | 709.25 | 87 | 0 | 99 | 186 |
| 7/31/2024 | 14 | 1099.37 | 1200 | 709.59 | 87 | 0 | 99 | 186 |
| 7/31/2024 | 15 | 1099.37 | 1200 | 709.12 | 87 | 0 | 98 | 185 |
| 7/31/2024 | 16 | 1099.37 | 1160 | 709.01 | 87 | 0 | 98 | 184 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 7/31/2024 | 17 | 1099.37 | 1170 | 708.92 | 87 | 0 | 98 | 185 |
| 7/31/2024 | 18 | 1099.37 | 1160 | 708.95 | 87 | 0 | 97 | 184 |
| 7/31/2024 | 19 | 1099.37 | 1160 | 708.69 | 87 | 0 | 98 | 184 |
| 7/31/2024 | 20 | 1099.37 | 1150 | 708.46 | 88 | 0 | 98 | 185 |
| 7/31/2024 | 21 | 1099.37 | 1150 | 708.22 | 87 | 0 | 97 | 184 |
| 7/31/2024 | 22 | 1099.37 | 1150 | 707.87 | 87 | 0 | 96 | 183 |
| 7/31/2024 | 23 | 1099.38 | 30 | 707.04 | 88 | 0 | 96 | 184 |
| 7/31/2024 | 24 | 1099.37 | 20 | 707.10 | 88 | 0 | 96 | 184 |
| 8/1/2024 | 1 | 1099.37 | 20 | 707.21 | 88 | 0 | 96 | 184 |
| 8/1/2024 | 2 | 1099.38 | 20 | 706.56 | 87 | 0 | 95 | 183 |
| 8/1/2024 | 3 | 1099.38 | 20 | 706.66 | 87 | 0 | 96 | 183 |
| 8/1/2024 | 4 | 1099.38 | 20 | 706.94 | 87 | 0 | 96 | 183 |
| 8/1/2024 | 5 | 1099.37 | 20 | 706.90 | 87 | 0 | 96 | 183 |
| 8/1/2024 | 6 | 1099.37 | 100 | 707.03 | 87 | 0 | 96 | 183 |
| 8/1/2024 | 7 | 1099.38 | 1200 | 707.88 | 87 | 0 | 97 | 184 |
| 8/1/2024 | 8 | 1099.38 | 1210 | 707.88 | 87 | 0 | 97 | 184 |
| 8/1/2024 | 9 | 1099.37 | 1210 | 708.05 | 87 | 0 | 98 | 185 |
| 8/1/2024 | 10 | 1099.37 | 1220 | 708.21 | 87 | 0 | 98 | 185 |
| 8/1/2024 | 11 | 1099.37 | 1210 | 708.19 | 87 | 0 | 98 | 185 |
| 8/1/2024 | 12 | 1099.37 | 1200 | 708.39 | 87 | 0 | 99 | 187 |
| 8/1/2024 | 13 | 1099.37 | 1170 | 708.22 | 87 | 0 | 99 | 186 |
| 8/1/2024 | 14 | 1099.37 | 1170 | 708.42 | 87 | 0 | 99 | 187 |
| 8/1/2024 | 15 | 1099.36 | 1170 | 708.85 | 87 | 0 | 100 | 187 |
| 8/1/2024 | 16 | 1099.35 | 1170 | 709.04 | 87 | 0 | 99 | 187 |
| 8/1/2024 | 17 | 1099.35 | 1170 | 709.11 | 87 | 0 | 100 | 187 |
| 8/1/2024 | 18 | 1099.36 | 1170 | 708.89 | 87 | 0 | 99 | 187 |
| 8/1/2024 | 19 | 1099.36 | 1170 | 708.73 | 87 | 0 | 98 | 186 |
| 8/1/2024 | 20 | 1099.36 | 1170 | 708.82 | 87 | 0 | 98 | 185 |
| 8/1/2024 | 21 | 1099.37 | 1170 | 708.63 | 87 | 0 | 98 | 185 |
| 8/1/2024 | 22 | 1099.37 | 1170 | 709.05 | 87 | 0 | 98 | 186 |
| 8/1/2024 | 23 | 1099.37 | 370 | 709.19 | 88 | 0 | 99 | 186 |
| 8/1/2024 | 24 | 1099.37 | 20 | 709.69 | 88 | 0 | 100 | 187 |
| 8/2/2024 | 1 | 1099.37 | 20 | 709.99 | 87 | 0 | 100 | 187 |
| 8/2/2024 | 2 | 1099.37 | 20 | 709.50 | 87 | 0 | 99 | 186 |
| 8/2/2024 | 3 | 1099.37 | 20 | 709.29 | 87 | 0 | 99 | 186 |
| 8/2/2024 | 4 | 1099.37 | 20 | 708.95 | 87 | 0 | 99 | 186 |
| 8/2/2024 | 5 | 1099.38 | 20 | 708.63 | 87 | 0 | 99 | 185 |
| 8/2/2024 | 6 | 1099.38 | 120 | 708.87 | 87 | 0 | 99 | 186 |
| 8/2/2024 | 7 | 1099.37 | 2270 | 709.11 | 87 | 0 | 98 | 185 |
| 8/2/2024 | 8 | 1099.37 | 2320 | 708.91 | 87 | 0 | 99 | 186 |
| 8/2/2024 | 9 | 1099.37 | 2300 | 708.80 | 87 | 0 | 99 | 186 |
| 8/2/2024 | 10 | 1099.38 | 2320 | 708.76 | 88 | 0 | 99 | 187 |
| 8/2/2024 | 11 | 1099.37 | 2310 | 708.78 | 88 | 0 | 100 | 188 |
| 8/2/2024 | 12 | 1099.37 | 2340 | 708.79 | 87 | 0 | 100 | 187 |
| 8/2/2024 | 13 | 1099.35 | 2330 | 708.95 | 87 | 0 | 100 | 187 |
| 8/2/2024 | 14 | 1099.34 | 2350 | 709.30 | 87 | 0 | 101 | 188 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/2/2024 | 15 | 1099.32 | 2330 | 709.50 | 87 | 0 | 101 | 188 |
| 8/2/2024 | 16 | 1099.32 | 2340 | 710.02 | 87 | 0 | 101 | 189 |
| 8/2/2024 | 17 | 1099.34 | 2330 | 710.19 | 87 | 0 | 102 | 189 |
| 8/2/2024 | 18 | 1099.31 | 2340 | 710.22 | 87 | 0 | 99 | 186 |
| 8/2/2024 | 19 | 1099.30 | 2340 | 710.38 | 87 | 0 | 100 | 187 |
| 8/2/2024 | 20 | 1099.34 | 2340 | 710.52 | 87 | 0 | 100 | 188 |
| 8/2/2024 | 21 | 1099.34 | 2320 | 710.67 | 88 | 0 | 100 | 188 |
| 8/2/2024 | 22 | 1099.35 | 2210 | 710.21 | 87 | 0 | 99 | 187 |
| 8/2/2024 | 23 | 1099.36 | 40 | 709.65 | 88 | 0 | 99 | 187 |
| 8/2/2024 | 24 | 1099.37 | 10 | 709.44 | 87 | 0 | 98 | 186 |
| 8/3/2024 | 1 | 1099.37 | 10 | 709.21 | 87 | 0 | 98 | 186 |
| 8/3/2024 | 2 | 1099.35 | 10 | 708.87 | 87 | 0 | 98 | 185 |
| 8/3/2024 | 3 | 1099.36 | 10 | 708.52 | 87 | 0 | 97 | 184 |
| 8/3/2024 | 4 | 1099.37 | 10 | 708.63 | 87 | 0 | 98 | 185 |
| 8/3/2024 | 5 | 1099.37 | 10 | 708.57 | 87 | 0 | 98 | 185 |
| 8/3/2024 | 6 | 1099.37 | 150 | 708.47 | 87 | 0 | 98 | 185 |
| 8/3/2024 | 7 | 1099.37 | 2300 | 708.88 | 87 | 0 | 98 | 185 |
| 8/3/2024 | 8 | 1099.39 | 2310 | 708.67 | 87 | 0 | 98 | 185 |
| 8/3/2024 | 9 | 1099.38 | 2320 | 708.84 | 87 | 0 | 97 | 184 |
| 8/3/2024 | 10 | 1099.37 | 2330 | 709.07 | 87 | 0 | 97 | 184 |
| 8/3/2024 | 11 | 1099.36 | 2330 | 708.90 | 87 | 0 | 98 | 184 |
| 8/3/2024 | 12 | 1099.37 | 2330 | 709.14 | 87 | 0 | 98 | 185 |
| 8/3/2024 | 13 | 1099.36 | 2340 | 709.10 | 88 | 0 | 98 | 186 |
| 8/3/2024 | 14 | 1099.35 | 2340 | 709.07 | 87 | 0 | 97 | 185 |
| 8/3/2024 | 15 | 1099.35 | 2330 | 709.08 | 88 | 0 | 98 | 186 |
| 8/3/2024 | 16 | 1099.31 | 2330 | 708.95 | 87 | 0 | 97 | 184 |
| 8/3/2024 | 17 | 1099.32 | 2320 | 708.81 | 88 | 0 | 97 | 185 |
| 8/3/2024 | 18 | 1099.32 | 2330 | 708.78 | 87 | 0 | 96 | 183 |
| 8/3/2024 | 19 | 1099.32 | 2320 | 708.85 | 87 | 0 | 96 | 184 |
| 8/3/2024 | 20 | 1099.31 | 2290 | 708.64 | 87 | 0 | 97 | 184 |
| 8/3/2024 | 21 | 1099.32 | 2310 | 708.70 | 87 | 0 | 97 | 184 |
| 8/3/2024 | 22 | 1099.34 | 2330 | 708.84 | 87 | 0 | 97 | 184 |
| 8/3/2024 | 23 | 1099.34 | 240 | 708.37 | 88 | 0 | 97 | 185 |
| 8/3/2024 | 24 | 1099.34 | 20 | 708.24 | 87 | 0 | 97 | 184 |
| 8/4/2024 | 1 | 1099.35 | 20 | 708.03 | 87 | 0 | 96 | 184 |
| 8/4/2024 | 2 | 1099.35 | 20 | 708.27 | 87 | 0 | 97 | 184 |
| 8/4/2024 | 3 | 1099.35 | 20 | 708.34 | 88 | 0 | 98 | 186 |
| 8/4/2024 | 4 | 1099.35 | 20 | 707.90 | 88 | 0 | 97 | 185 |
| 8/4/2024 | 5 | 1099.36 | 20 | 707.87 | 88 | 0 | 96 | 184 |
| 8/4/2024 | 6 | 1099.36 | 20 | 707.70 | 88 | 0 | 97 | 184 |
| 8/4/2024 | 7 | 1099.35 | 20 | 707.71 | 88 | 0 | 97 | 184 |
| 8/4/2024 | 8 | 1099.35 | 20 | 707.56 | 88 | 0 | 96 | 184 |
| 8/4/2024 | 9 | 1099.35 | 20 | 707.31 | 88 | 0 | 96 | 183 |
| 8/4/2024 | 10 | 1099.36 | 20 | 707.27 | 88 | 0 | 96 | 183 |
| 8/4/2024 | 11 | 1099.35 | 20 | 707.55 | 88 | 0 | 96 | 184 |
| 8/4/2024 | 12 | 1099.35 | 20 | 707.53 | 88 | 0 | 99 | 186 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/4/2024 | 13 | 1099.35 | 20 | 707.30 | 88 | 0 | 98 | 185 |
| 8/4/2024 | 14 | 1099.35 | 20 | 707.48 | 88 | 0 | 98 | 185 |
| 8/4/2024 | 15 | 1099.35 | 20 | 707.57 | 88 | 0 | 97 | 184 |
| 8/4/2024 | 16 | 1099.35 | 20 | 707.85 | 88 | 0 | 96 | 184 |
| 8/4/2024 | 17 | 1099.35 | 20 | 707.87 | 88 | 0 | 96 | 184 |
| 8/4/2024 | 18 | 1099.35 | 20 | 707.86 | 88 | 0 | 98 | 185 |
| 8/4/2024 | 19 | 1099.36 | 20 | 708.02 | 88 | 0 | 96 | 183 |
| 8/4/2024 | 20 | 1099.37 | 20 | 708.17 | 88 | 0 | 96 | 184 |
| 8/4/2024 | 21 | 1099.37 | 20 | 708.28 | 87 | 0 | 97 | 184 |
| 8/4/2024 | 22 | 1099.37 | 20 | 707.84 | 87 | 0 | 95 | 182 |
| 8/4/2024 | 23 | 1099.38 | 20 | 707.86 | 87 | 0 | 96 | 183 |
| 8/4/2024 | 24 | 1099.37 | 20 | 707.76 | 87 | 0 | 96 | 183 |
| 8/5/2024 | 1 | 1099.37 | 20 | 707.43 | 87 | 0 | 95 | 182 |
| 8/5/2024 | 2 | 1099.37 | 20 | 707.26 | 87 | 0 | 96 | 183 |
| 8/5/2024 | 3 | 1099.37 | 20 | 707.35 | 87 | 0 | 95 | 182 |
| 8/5/2024 | 4 | 1099.37 | 20 | 707.42 | 87 | 0 | 96 | 184 |
| 8/5/2024 | 5 | 1099.38 | 20 | 707.25 | 87 | 0 | 96 | 183 |
| 8/5/2024 | 6 | 1099.38 | 230 | 707.42 | 87 | 0 | 96 | 183 |
| 8/5/2024 | 7 | 1099.37 | 2320 | 708.54 | 87 | 0 | 98 | 184 |
| 8/5/2024 | 8 | 1099.36 | 2320 | 708.51 | 87 | 0 | 97 | 184 |
| 8/5/2024 | 9 | 1099.38 | 2310 | 708.52 | 87 | 0 | 98 | 185 |
| 8/5/2024 | 10 | 1099.38 | 2320 | 708.57 | 88 | 0 | 97 | 185 |
| 8/5/2024 | 11 | 1099.36 | 2320 | 708.52 | 88 | 0 | 97 | 185 |
| 8/5/2024 | 12 | 1099.35 | 2350 | 708.53 | 87 | 0 | 98 | 185 |
| 8/5/2024 | 13 | 1099.36 | 2330 | 708.57 | 87 | 0 | 99 | 186 |
| 8/5/2024 | 14 | 1099.36 | 2340 | 708.70 | 87 | 0 | 99 | 186 |
| 8/5/2024 | 15 | 1099.35 | 2330 | 708.88 | 87 | 0 | 99 | 186 |
| 8/5/2024 | 16 | 1099.34 | 2330 | 709.02 | 88 | 0 | 99 | 186 |
| 8/5/2024 | 17 | 1099.33 | 2350 | 709.20 | 87 | 0 | 98 | 186 |
| 8/5/2024 | 18 | 1099.33 | 2330 | 709.41 | 87 | 0 | 99 | 186 |
| 8/5/2024 | 19 | 1099.35 | 2330 | 709.18 | 88 | 0 | 98 | 185 |
| 8/5/2024 | 20 | 1099.35 | 2290 | 708.89 | 87 | 0 | 96 | 184 |
| 8/5/2024 | 21 | 1099.34 | 2300 | 708.71 | 88 | 0 | 96 | 184 |
| 8/5/2024 | 22 | 1099.36 | 2310 | 708.76 | 86 | 0 | 97 | 183 |
| 8/5/2024 | 23 | 1099.36 | 2330 | 708.90 | 88 | 0 | 98 | 186 |
| 8/5/2024 | 24 | 1099.35 | 2320 | 708.97 | 87 | 0 | 97 | 184 |
| 8/6/2024 | 1 | 1099.35 | 2320 | 708.92 | 88 | 0 | 98 | 186 |
| 8/6/2024 | 2 | 1099.36 | 2310 | 708.71 | 87 | 0 | 97 | 184 |
| 8/6/2024 | 3 | 1099.35 | 2290 | 708.74 | 87 | 0 | 98 | 185 |
| 8/6/2024 | 4 | 1099.34 | 2330 | 708.95 | 87 | 0 | 98 | 185 |
| 8/6/2024 | 5 | 1099.31 | 2330 | 708.88 | 88 | 0 | 98 | 186 |
| 8/6/2024 | 6 | 1099.32 | 1450 | 708.63 | 88 | 0 | 98 | 185 |
| 8/6/2024 | 7 | 1099.33 | 2320 | 709.14 | 88 | 0 | 97 | 185 |
| 8/6/2024 | 8 | 1099.30 | 2340 | 708.97 | 87 | 0 | 97 | 184 |
| 8/6/2024 | 9 | 1099.29 | 2330 | 709.16 | 88 | 0 | 98 | 186 |
| 8/6/2024 | 10 | 1099.28 | 2340 | 709.29 | 87 | 0 | 99 | 186 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/6/2024 | 11 | 1099.27 | 2350 | 709.42 | 87 | 0 | 99 | 186 |
| 8/6/2024 | 12 | 1099.26 | 2350 | 709.53 | 88 | 0 | 99 | 186 |
| 8/6/2024 | 13 | 1099.26 | 2340 | 709.68 | 87 | 0 | 100 | 187 |
| 8/6/2024 | 14 | 1099.26 | 2360 | 709.45 | 87 | 0 | 100 | 187 |
| 8/6/2024 | 15 | 1099.25 | 2340 | 709.33 | 88 | 0 | 98 | 186 |
| 8/6/2024 | 16 | 1099.25 | 2350 | 709.36 | 88 | 0 | 100 | 188 |
| 8/6/2024 | 17 | 1099.25 | 2350 | 709.07 | 87 | 0 | 99 | 186 |
| 8/6/2024 | 18 | 1099.26 | 2350 | 709.28 | 88 | 0 | 100 | 187 |
| 8/6/2024 | 19 | 1099.27 | 2350 | 709.33 | 87 | 0 | 100 | 187 |
| 8/6/2024 | 20 | 1099.25 | 2310 | 709.02 | 88 | 0 | 99 | 186 |
| 8/6/2024 | 21 | 1099.26 | 2330 | 708.75 | 87 | 0 | 98 | 185 |
| 8/6/2024 | 22 | 1099.26 | 2260 | 708.62 | 87 | 0 | 97 | 184 |
| 8/6/2024 | 23 | 1099.27 | 120 | 707.00 | 88 | 0 | 96 | 183 |
| 8/6/2024 | 24 | 1099.26 | 20 | 705.88 | 88 | 0 | 94 | 182 |
| 8/7/2024 | 1 | 1099.25 | 10 | 705.92 | 87 | 0 | 94 | 181 |
| 8/7/2024 | 2 | 1099.26 | 10 | 706.45 | 87 | 0 | 95 | 182 |
| 8/7/2024 | 3 | 1099.26 | 10 | 706.38 | 87 | 0 | 95 | 181 |
| 8/7/2024 | 4 | 1099.25 | 10 | 706.63 | 87 | 0 | 95 | 182 |
| 8/7/2024 | 5 | 1099.25 | 10 | 706.97 | 87 | 0 | 95 | 182 |
| 8/7/2024 | 6 | 1099.25 | 130 | 707.13 | 87 | 0 | 95 | 182 |
| 8/7/2024 | 7 | 1099.25 | 1210 | 707.72 | 87 | 0 | 96 | 183 |
| 8/7/2024 | 8 | 1099.25 | 1200 | 707.77 | 87 | 0 | 96 | 183 |
| 8/7/2024 | 9 | 1099.25 | 1210 | 707.88 | 87 | 0 | 96 | 183 |
| 8/7/2024 | 10 | 1099.25 | 1200 | 708.03 | 87 | 0 | 97 | 184 |
| 8/7/2024 | 11 | 1099.25 | 1200 | 708.00 | 87 | 0 | 97 | 184 |
| 8/7/2024 | 12 | 1099.25 | 1210 | 708.23 | 87 | 0 | 98 | 185 |
| 8/7/2024 | 13 | 1099.25 | 1210 | 708.30 | 87 | 0 | 99 | 186 |
| 8/7/2024 | 14 | 1099.25 | 1170 | 708.38 | 87 | 0 | 99 | 186 |
| 8/7/2024 | 15 | 1099.25 | 1130 | 708.41 | 87 | 0 | 98 | 185 |
| 8/7/2024 | 16 | 1099.24 | 1130 | 708.32 | 87 | 0 | 98 | 185 |
| 8/7/2024 | 17 | 1099.24 | 1130 | 708.69 | 87 | 0 | 100 | 187 |
| 8/7/2024 | 18 | 1099.25 | 1130 | 709.22 | 87 | 0 | 101 | 188 |
| 8/7/2024 | 19 | 1099.24 | 1140 | 709.37 | 87 | 0 | 101 | 188 |
| 8/7/2024 | 20 | 1099.24 | 1120 | 709.41 | 87 | 0 | 99 | 186 |
| 8/7/2024 | 21 | 1099.25 | 1130 | 709.41 | 87 | 0 | 99 | 186 |
| 8/7/2024 | 22 | 1099.25 | 1130 | 709.36 | 87 | 0 | 99 | 186 |
| 8/7/2024 | 23 | 1099.25 | 40 | 709.22 | 87 | 0 | 98 | 186 |
| 8/7/2024 | 24 | 1099.25 | 20 | 709.04 | 87 | 0 | 98 | 185 |
| 8/8/2024 | 1 | 1099.25 | 20 | 708.55 | 88 | 0 | 97 | 185 |
| 8/8/2024 | 2 | 1099.25 | 20 | 708.47 | 88 | 0 | 97 | 185 |
| 8/8/2024 | 3 | 1099.25 | 20 | 708.34 | 87 | 0 | 97 | 184 |
| 8/8/2024 | 4 | 1099.25 | 20 | 708.60 | 87 | 0 | 98 | 185 |
| 8/8/2024 | 5 | 1099.25 | 20 | 708.72 | 88 | 0 | 98 | 186 |
| 8/8/2024 | 6 | 1099.25 | 120 | 708.84 | 88 | 0 | 98 | 186 |
| 8/8/2024 | 7 | 1099.25 | 1160 | 708.77 | 87 | 0 | 98 | 185 |
| 8/8/2024 | 8 | 1099.25 | 1150 | 708.18 | 87 | 0 | 97 | 184 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/8/2024 | 9 | 1099.25 | 1150 | 708.18 | 87 | 0 | 97 | 184 |
| 8/8/2024 | 10 | 1099.25 | 1150 | 708.17 | 87 | 0 | 97 | 184 |
| 8/8/2024 | 11 | 1099.25 | 1160 | 708.30 | 87 | 0 | 97 | 184 |
| 8/8/2024 | 12 | 1099.25 | 1150 | 708.10 | 87 | 0 | 97 | 184 |
| 8/8/2024 | 13 | 1099.25 | 1150 | 708.19 | 87 | 0 | 97 | 184 |
| 8/8/2024 | 14 | 1099.24 | 1160 | 707.81 | 87 | 0 | 96 | 183 |
| 8/8/2024 | 15 | 1099.24 | 1150 | 707.67 | 87 | 0 | 100 | 187 |
| 8/8/2024 | 16 | 1099.24 | 1160 | 707.92 | 87 | 0 | 99 | 187 |
| 8/8/2024 | 17 | 1099.24 | 1160 | 708.14 | 87 | 0 | 101 | 188 |
| 8/8/2024 | 18 | 1099.24 | 1160 | 708.28 | 87 | 0 | 100 | 187 |
| 8/8/2024 | 19 | 1099.23 | 1160 | 708.56 | 87 | 0 | 101 | 188 |
| 8/8/2024 | 20 | 1099.23 | 1150 | 708.50 | 87 | 0 | 100 | 187 |
| 8/8/2024 | 21 | 1099.24 | 1150 | 708.59 | 87 | 0 | 99 | 187 |
| 8/8/2024 | 22 | 1099.24 | 1150 | 708.77 | 87 | 0 | 100 | 187 |
| 8/8/2024 | 23 | 1099.24 | 50 | 708.90 | 88 | 0 | 101 | 188 |
| 8/8/2024 | 24 | 1099.24 | 20 | 709.06 | 88 | 0 | 100 | 188 |
| 8/9/2024 | 1 | 1099.24 | 20 | 709.14 | 88 | 0 | 101 | 188 |
| 8/9/2024 | 2 | 1099.25 | 20 | 708.84 | 87 | 0 | 100 | 188 |
| 8/9/2024 | 3 | 1099.25 | 20 | 708.58 | 87 | 0 | 100 | 187 |
| 8/9/2024 | 4 | 1099.25 | 20 | 708.64 | 87 | 0 | 101 | 188 |
| 8/9/2024 | 5 | 1099.25 | 20 | 708.34 | 88 | 0 | 100 | 187 |
| 8/9/2024 | 6 | 1099.25 | 70 | 708.30 | 87 | 0 | 100 | 187 |
| 8/9/2024 | 7 | 1099.25 | 1170 | 708.58 | 87 | 0 | 100 | 187 |
| 8/9/2024 | 8 | 1099.25 | 1170 | 708.77 | 87 | 0 | 101 | 188 |
| 8/9/2024 | 9 | 1099.25 | 1170 | 708.73 | 87 | 0 | 100 | 187 |
| 8/9/2024 | 10 | 1099.25 | 1160 | 708.60 | 87 | 0 | 100 | 187 |
| 8/9/2024 | 11 | 1099.25 | 1160 | 708.50 | 87 | 0 | 100 | 187 |
| 8/9/2024 | 12 | 1099.25 | 1170 | 708.67 | 87 | 0 | 100 | 187 |
| 8/9/2024 | 13 | 1099.25 | 1170 | 708.75 | 87 | 0 | 101 | 188 |
| 8/9/2024 | 14 | 1099.24 | 1170 | 708.65 | 87 | 0 | 101 | 188 |
| 8/9/2024 | 15 | 1099.25 | 1170 | 708.53 | 87 | 0 | 100 | 187 |
| 8/9/2024 | 16 | 1099.25 | 1170 | 708.41 | 87 | 0 | 100 | 187 |
| 8/9/2024 | 17 | 1099.28 | 1170 | 708.56 | 87 | 0 | 102 | 189 |
| 8/9/2024 | 18 | 1099.25 | 1170 | 708.17 | 88 | 0 | 103 | 191 |
| 8/9/2024 | 19 | 1099.25 | 1170 | 707.92 | 87 | 0 | 100 | 187 |
| 8/9/2024 | 20 | 1099.26 | 1160 | 707.85 | 88 | 0 | 99 | 186 |
| 8/9/2024 | 21 | 1099.25 | 1160 | 707.71 | 88 | 0 | 99 | 187 |
| 8/9/2024 | 22 | 1099.27 | 1000 | 707.69 | 88 | 0 | 100 | 188 |
| 8/9/2024 | 23 | 1099.24 | 20 | 707.13 | 88 | 0 | 99 | 187 |
| 8/9/2024 | 24 | 1099.25 | 20 | 707.58 | 87 | 0 | 99 | 186 |
| 8/10/2024 | 1 | 1099.27 | 20 | 707.94 | 87 | 0 | 99 | 186 |
| 8/10/2024 | 2 | 1099.27 | 20 | 708.25 | 87 | 0 | 100 | 186 |
| 8/10/2024 | 3 | 1099.25 | 20 | 708.28 | 87 | 0 | 99 | 186 |
| 8/10/2024 | 4 | 1099.25 | 20 | 708.49 | 87 | 0 | 101 | 187 |
| 8/10/2024 | 5 | 1099.26 | 20 | 708.72 | 87 | 0 | 101 | 187 |
| 8/10/2024 | 6 | 1099.26 | 50 | 709.05 | 87 | 0 | 101 | 188 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/10/2024 | 7 | 1099.25 | 1080 | 709.17 | 88 | 0 | 101 | 189 |
| 8/10/2024 | 8 | 1099.25 | 1150 | 708.81 | 87 | 0 | 100 | 187 |
| 8/10/2024 | 9 | 1099.25 | 1180 | 708.36 | 87 | 0 | 100 | 187 |
| 8/10/2024 | 10 | 1099.25 | 1170 | 708.05 | 87 | 0 | 99 | 186 |
| 8/10/2024 | 11 | 1099.24 | 1160 | 707.87 | 87 | 0 | 99 | 186 |
| 8/10/2024 | 12 | 1099.24 | 1170 | 707.58 | 87 | 0 | 99 | 186 |
| 8/10/2024 | 13 | 1099.25 | 1180 | 707.51 | 87 | 0 | 99 | 185 |
| 8/10/2024 | 14 | 1099.25 | 1170 | 707.68 | 87 | 0 | 99 | 186 |
| 8/10/2024 | 15 | 1099.25 | 1180 | 707.86 | 87 | 0 | 98 | 185 |
| 8/10/2024 | 16 | 1099.25 | 1160 | 707.95 | 88 | 0 | 98 | 186 |
| 8/10/2024 | 17 | 1099.25 | 1180 | 707.86 | 88 | 0 | 97 | 185 |
| 8/10/2024 | 18 | 1099.25 | 1170 | 707.81 | 88 | 0 | 101 | 189 |
| 8/10/2024 | 19 | 1099.26 | 1160 | 707.79 | 88 | 0 | 102 | 190 |
| 8/10/2024 | 20 | 1099.25 | 1160 | 708.01 | 88 | 0 | 102 | 189 |
| 8/10/2024 | 21 | 1099.25 | 1160 | 708.43 | 88 | 0 | 101 | 188 |
| 8/10/2024 | 22 | 1099.25 | 1010 | 708.21 | 87 | 0 | 99 | 186 |
| 8/10/2024 | 23 | 1099.25 | 20 | 708.17 | 88 | 0 | 100 | 188 |
| 8/10/2024 | 24 | 1099.25 | 20 | 707.72 | 88 | 0 | 99 | 187 |
| 8/11/2024 | 1 | 1099.25 | 20 | 706.88 | 88 | 0 | 98 | 186 |
| 8/11/2024 | 2 | 1099.25 | 20 | 706.87 | 88 | 0 | 98 | 186 |
| 8/11/2024 | 3 | 1099.25 | 20 | 706.62 | 88 | 0 | 98 | 185 |
| 8/11/2024 | 4 | 1099.25 | 20 | 706.85 | 88 | 0 | 98 | 186 |
| 8/11/2024 | 5 | 1099.25 | 20 | 707.06 | 88 | 0 | 98 | 186 |
| 8/11/2024 | 6 | 1099.25 | 30 | 707.13 | 88 | 0 | 98 | 186 |
| 8/11/2024 | 7 | 1099.25 | 120 | 707.27 | 88 | 0 | 99 | 186 |
| 8/11/2024 | 8 | 1099.25 | 20 | 707.48 | 88 | 0 | 99 | 187 |
| 8/11/2024 | 9 | 1099.25 | 20 | 707.70 | 88 | 0 | 99 | 187 |
| 8/11/2024 | 10 | 1099.25 | 20 | 707.45 | 88 | 0 | 99 | 187 |
| 8/11/2024 | 11 | 1099.25 | 20 | 707.38 | 88 | 0 | 99 | 187 |
| 8/11/2024 | 12 | 1099.25 | 20 | 707.50 | 88 | 0 | 99 | 187 |
| 8/11/2024 | 13 | 1099.25 | 20 | 707.74 | 87 | 0 | 102 | 189 |
| 8/11/2024 | 14 | 1099.25 | 20 | 707.69 | 87 | 0 | 101 | 188 |
| 8/11/2024 | 15 | 1099.25 | 20 | 707.80 | 87 | 0 | 101 | 188 |
| 8/11/2024 | 16 | 1099.25 | 20 | 707.90 | 87 | 0 | 100 | 187 |
| 8/11/2024 | 17 | 1099.26 | 20 | 707.54 | 87 | 0 | 99 | 186 |
| 8/11/2024 | 18 | 1099.26 | 20 | 707.59 | 87 | 0 | 98 | 186 |
| 8/11/2024 | 19 | 1099.26 | 20 | 707.34 | 88 | 0 | 99 | 186 |
| 8/11/2024 | 20 | 1099.27 | 20 | 707.34 | 88 | 0 | 98 | 185 |
| 8/11/2024 | 21 | 1099.28 | 20 | 707.28 | 88 | 0 | 98 | 186 |
| 8/11/2024 | 22 | 1099.28 | 20 | 707.42 | 88 | 0 | 99 | 187 |
| 8/11/2024 | 23 | 1099.28 | 20 | 707.51 | 88 | 0 | 99 | 187 |
| 8/11/2024 | 24 | 1099.29 | 20 | 707.26 | 88 | 0 | 100 | 188 |
| 8/12/2024 | 1 | 1099.30 | 20 | 706.62 | 88 | 0 | 99 | 187 |
| 8/12/2024 | 2 | 1099.28 | 20 | 706.44 | 88 | 0 | 99 | 187 |
| 8/12/2024 | 3 | 1099.29 | 20 | 706.54 | 88 | 0 | 98 | 186 |
| 8/12/2024 | 4 | 1099.29 | 20 | 706.72 | 88 | 0 | 99 | 187 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/12/2024 | 5 | 1099.34 | 20 | 706.85 | 88 | 0 | 99 | 187 |
| 8/12/2024 | 6 | 1099.34 | 20 | 707.30 | 88 | 0 | 98 | 186 |
| 8/12/2024 | 7 | 1099.37 | 20 | 707.38 | 88 | 0 | 99 | 187 |
| 8/12/2024 | 8 | 1099.37 | 20 | 707.60 | 88 | 0 | 99 | 187 |
| 8/12/2024 | 9 | 1099.38 | 20 | 707.42 | 87 | 0 | 100 | 187 |
| 8/12/2024 | 10 | 1099.38 | 20 | 707.43 | 87 | 0 | 101 | 187 |
| 8/12/2024 | 11 | 1099.38 | 20 | 707.48 | 86 | 0 | 99 | 185 |
| 8/12/2024 | 12 | 1099.38 | 20 | 707.38 | 86 | 0 | 100 | 187 |
| 8/12/2024 | 13 | 1099.38 | 20 | 707.49 | 86 | 0 | 101 | 187 |
| 8/12/2024 | 14 | 1099.38 | 20 | 707.74 | 87 | 0 | 102 | 188 |
| 8/12/2024 | 15 | 1099.38 | 20 | 707.77 | 88 | 0 | 102 | 190 |
| 8/12/2024 | 16 | 1099.38 | 20 | 707.81 | 88 | 0 | 102 | 190 |
| 8/12/2024 | 17 | 1099.40 | 20 | 707.78 | 87 | 0 | 101 | 188 |
| 8/12/2024 | 18 | 1099.40 | 20 | 707.82 | 87 | 0 | 101 | 189 |
| 8/12/2024 | 19 | 1099.40 | 20 | 707.75 | 87 | 0 | 102 | 190 |
| 8/12/2024 | 20 | 1099.40 | 20 | 707.70 | 87 | 0 | 100 | 187 |
| 8/12/2024 | 21 | 1099.40 | 20 | 707.40 | 88 | 0 | 99 | 187 |
| 8/12/2024 | 22 | 1099.40 | 20 | 707.16 | 87 | 0 | 98 | 186 |
| 8/12/2024 | 23 | 1099.44 | 20 | 706.97 | 87 | 0 | 97 | 184 |
| 8/12/2024 | 24 | 1099.41 | 20 | 706.53 | 88 | 0 | 96 | 184 |
| 8/13/2024 | 1 | 1099.45 | 20 | 706.23 | 87 | 0 | 98 | 185 |
| 8/13/2024 | 2 | 1099.46 | 20 | 706.38 | 87 | 0 | 98 | 184 |
| 8/13/2024 | 3 | 1099.45 | 20 | 706.79 | 87 | 0 | 98 | 184 |
| 8/13/2024 | 4 | 1099.42 | 20 | 706.66 | 87 | 0 | 97 | 184 |
| 8/13/2024 | 5 | 1099.41 | 20 | 706.78 | 86 | 0 | 98 | 184 |
| 8/13/2024 | 6 | 1099.40 | 30 | 706.89 | 87 | 0 | 97 | 183 |
| 8/13/2024 | 7 | 1099.40 | 710 | 707.33 | 87 | 0 | 98 | 185 |
| 8/13/2024 | 8 | 1099.40 | 1140 | 707.64 | 87 | 0 | 98 | 185 |
| 8/13/2024 | 9 | 1099.38 | 1150 | 707.71 | 87 | 0 | 97 | 185 |
| 8/13/2024 | 10 | 1099.38 | 1150 | 707.65 | 87 | 0 | 98 | 185 |
| 8/13/2024 | 11 | 1099.38 | 1150 | 707.80 | 87 | 0 | 99 | 186 |
| 8/13/2024 | 12 | 1099.37 | 1150 | 708.08 | 88 | 0 | 101 | 189 |
| 8/13/2024 | 13 | 1099.37 | 1150 | 707.95 | 88 | 0 | 101 | 189 |
| 8/13/2024 | 14 | 1099.37 | 1160 | 707.95 | 88 | 0 | 101 | 188 |
| 8/13/2024 | 15 | 1099.38 | 1160 | 707.97 | 88 | 0 | 100 | 188 |
| 8/13/2024 | 16 | 1099.37 | 1150 | 708.09 | 87 | 0 | 99 | 186 |
| 8/13/2024 | 17 | 1099.37 | 1150 | 708.39 | 87 | 0 | 99 | 186 |
| 8/13/2024 | 18 | 1099.37 | 1160 | 708.28 | 87 | 0 | 99 | 186 |
| 8/13/2024 | 19 | 1099.37 | 1160 | 708.17 | 87 | 0 | 99 | 186 |
| 8/13/2024 | 20 | 1099.37 | 1150 | 707.93 | 87 | 0 | 99 | 186 |
| 8/13/2024 | 21 | 1099.37 | 1160 | 707.98 | 87 | 0 | 98 | 186 |
| 8/13/2024 | 22 | 1099.38 | 1150 | 707.78 | 87 | 0 | 99 | 186 |
| 8/13/2024 | 23 | 1099.37 | 40 | 707.58 | 88 | 0 | 99 | 186 |
| 8/13/2024 | 24 | 1099.37 | 20 | 707.50 | 87 | 0 | 98 | 185 |
| 8/14/2024 | 1 | 1099.37 | 20 | 707.23 | 87 | 0 | 98 | 186 |
| 8/14/2024 | 2 | 1099.37 | 20 | 706.58 | 87 | 0 | 97 | 184 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/14/2024 | 3 | 1099.38 | 20 | 706.80 | 87 | 0 | 97 | 184 |
| 8/14/2024 | 4 | 1099.38 | 20 | 706.64 | 87 | 0 | 97 | 184 |
| 8/14/2024 | 5 | 1099.38 | 20 | 706.78 | 87 | 0 | 97 | 185 |
| 8/14/2024 | 6 | 1099.37 | 330 | 707.15 | 87 | 0 | 98 | 185 |
| 8/14/2024 | 7 | 1099.37 | 1170 | 707.63 | 87 | 0 | 98 | 185 |
| 8/14/2024 | 8 | 1099.37 | 1160 | 707.54 | 87 | 0 | 99 | 186 |
| 8/14/2024 | 9 | 1099.37 | 1160 | 707.73 | 87 | 0 | 100 | 187 |
| 8/14/2024 | 10 | 1099.37 | 1170 | 707.82 | 87 | 0 | 100 | 186 |
| 8/14/2024 | 11 | 1099.36 | 1170 | 707.84 | 87 | 0 | 100 | 187 |
| 8/14/2024 | 12 | 1099.35 | 1170 | 708.29 | 87 | 0 | 101 | 188 |
| 8/14/2024 | 13 | 1099.35 | 1170 | 708.30 | 87 | 0 | 101 | 188 |
| 8/14/2024 | 14 | 1099.35 | 1170 | 708.35 | 87 | 0 | 101 | 188 |
| 8/14/2024 | 15 | 1099.34 | 1170 | 708.53 | 87 | 0 | 101 | 187 |
| 8/14/2024 | 16 | 1099.34 | 1170 | 708.71 | 87 | 0 | 101 | 187 |
| 8/14/2024 | 17 | 1099.33 | 1170 | 708.98 | 87 | 0 | 102 | 189 |
| 8/14/2024 | 18 | 1099.32 | 1170 | 708.97 | 88 | 0 | 101 | 188 |
| 8/14/2024 | 19 | 1099.34 | 1180 | 709.07 | 88 | 0 | 100 | 188 |
| 8/14/2024 | 20 | 1099.34 | 1170 | 709.13 | 88 | 0 | 100 | 188 |
| 8/14/2024 | 21 | 1099.34 | 1170 | 709.05 | 88 | 0 | 100 | 187 |
| 8/14/2024 | 22 | 1099.35 | 1150 | 709.12 | 88 | 0 | 100 | 188 |
| 8/14/2024 | 23 | 1099.35 | 20 | 709.02 | 88 | 0 | 101 | 189 |
| 8/14/2024 | 24 | 1099.35 | 20 | 708.93 | 88 | 0 | 101 | 189 |
| 8/15/2024 | 1 | 1099.35 | 20 | 708.34 | 88 | 0 | 100 | 188 |
| 8/15/2024 | 2 | 1099.35 | 20 | 707.87 | 87 | 0 | 99 | 187 |
| 8/15/2024 | 3 | 1099.35 | 20 | 707.21 | 87 | 0 | 99 | 186 |
| 8/15/2024 | 4 | 1099.35 | 20 | 707.38 | 87 | 0 | 100 | 187 |
| 8/15/2024 | 5 | 1099.36 | 20 | 707.47 | 87 | 0 | 99 | 186 |
| 8/15/2024 | 6 | 1099.35 | 100 | 707.38 | 87 | 0 | 99 | 186 |
| 8/15/2024 | 7 | 1099.35 | 1150 | 707.83 | 87 | 0 | 100 | 187 |
| 8/15/2024 | 8 | 1099.35 | 1160 | 707.72 | 87 | 0 | 100 | 187 |
| 8/15/2024 | 9 | 1099.35 | 1160 | 707.69 | 87 | 0 | 100 | 186 |
| 8/15/2024 | 10 | 1099.35 | 1160 | 707.79 | 87 | 0 | 99 | 186 |
| 8/15/2024 | 11 | 1099.34 | 1160 | 707.96 | 87 | 0 | 100 | 186 |
| 8/15/2024 | 12 | 1099.34 | 1160 | 708.08 | 87 | 0 | 99 | 187 |
| 8/15/2024 | 13 | 1099.30 | 1160 | 708.14 | 87 | 0 | 100 | 187 |
| 8/15/2024 | 14 | 1099.31 | 1160 | 708.43 | 87 | 0 | 101 | 188 |
| 8/15/2024 | 15 | 1099.32 | 1160 | 708.42 | 87 | 0 | 100 | 188 |
| 8/15/2024 | 16 | 1099.29 | 1160 | 708.72 | 87 | 0 | 101 | 188 |
| 8/15/2024 | 17 | 1099.33 | 1160 | 708.72 | 87 | 0 | 101 | 188 |
| 8/15/2024 | 18 | 1099.35 | 1160 | 708.77 | 87 | 0 | 100 | 187 |
| 8/15/2024 | 19 | 1099.36 | 1170 | 708.84 | 87 | 0 | 99 | 186 |
| 8/15/2024 | 20 | 1099.35 | 1150 | 708.64 | 87 | 0 | 99 | 186 |
| 8/15/2024 | 21 | 1099.36 | 1150 | 708.46 | 87 | 0 | 99 | 186 |
| 8/15/2024 | 22 | 1099.36 | 1070 | 708.40 | 87 | 0 | 99 | 186 |
| 8/15/2024 | 23 | 1099.37 | 20 | 708.05 | 88 | 0 | 99 | 187 |
| 8/15/2024 | 24 | 1099.37 | 20 | 707.64 | 88 | 0 | 98 | 186 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/16/2024 | 1 | 1099.37 | 20 | 706.70 | 88 | 0 | 97 | 185 |
| 8/16/2024 | 2 | 1099.37 | 20 | 706.73 | 88 | 0 | 97 | 185 |
| 8/16/2024 | 3 | 1099.37 | 20 | 706.68 | 88 | 0 | 97 | 185 |
| 8/16/2024 | 4 | 1099.37 | 20 | 707.05 | 88 | 0 | 98 | 186 |
| 8/16/2024 | 5 | 1099.37 | 20 | 707.20 | 88 | 0 | 99 | 187 |
| 8/16/2024 | 6 | 1099.37 | 30 | 707.41 | 88 | 0 | 100 | 188 |
| 8/16/2024 | 7 | 1099.37 | 1120 | 707.92 | 88 | 0 | 100 | 187 |
| 8/16/2024 | 8 | 1099.37 | 1150 | 707.70 | 87 | 0 | 100 | 187 |
| 8/16/2024 | 9 | 1099.37 | 1160 | 707.65 | 87 | 0 | 102 | 189 |
| 8/16/2024 | 10 | 1099.35 | 1150 | 707.61 | 87 | 0 | 102 | 189 |
| 8/16/2024 | 11 | 1099.33 | 1150 | 707.57 | 87 | 0 | 102 | 189 |
| 8/16/2024 | 12 | 1099.33 | 1160 | 707.71 | 87 | 0 | 102 | 189 |
| 8/16/2024 | 13 | 1099.34 | 1160 | 708.01 | 87 | 0 | 102 | 189 |
| 8/16/2024 | 14 | 1099.34 | 1160 | 708.43 | 87 | 0 | 102 | 189 |
| 8/16/2024 | 15 | 1099.29 | 1160 | 708.86 | 87 | 0 | 102 | 189 |
| 8/16/2024 | 16 | 1099.35 | 1170 | 709.08 | 87 | 0 | 101 | 188 |
| 8/16/2024 | 17 | 1099.35 | 1160 | 709.04 | 87 | 0 | 101 | 188 |
| 8/16/2024 | 18 | 1099.36 | 1150 | 708.90 | 87 | 0 | 100 | 188 |
| 8/16/2024 | 19 | 1099.37 | 1160 | 708.82 | 87 | 0 | 100 | 187 |
| 8/16/2024 | 20 | 1099.37 | 1150 | 708.71 | 87 | 0 | 103 | 190 |
| 8/16/2024 | 21 | 1099.36 | 1150 | 708.62 | 87 | 0 | 103 | 190 |
| 8/16/2024 | 22 | 1099.35 | 1070 | 708.51 | 87 | 0 | 103 | 190 |
| 8/16/2024 | 23 | 1099.35 | 20 | 708.23 | 87 | 0 | 102 | 189 |
| 8/16/2024 | 24 | 1099.35 | 20 | 708.02 | 88 | 0 | 102 | 189 |
| 8/17/2024 | 1 | 1099.35 | 20 | 707.84 | 88 | 0 | 101 | 189 |
| 8/17/2024 | 2 | 1099.35 | 20 | 707.31 | 88 | 0 | 101 | 188 |
| 8/17/2024 | 3 | 1099.34 | 20 | 707.17 | 87 | 0 | 101 | 188 |
| 8/17/2024 | 4 | 1099.35 | 20 | 707.34 | 87 | 0 | 100 | 188 |
| 8/17/2024 | 5 | 1099.34 | 20 | 707.67 | 87 | 0 | 101 | 188 |
| 8/17/2024 | 6 | 1099.34 | 170 | 707.63 | 87 | 0 | 101 | 189 |
| 8/17/2024 | 7 | 1099.35 | 1150 | 707.93 | 87 | 0 | 101 | 188 |
| 8/17/2024 | 8 | 1099.34 | 1150 | 707.94 | 87 | 0 | 102 | 189 |
| 8/17/2024 | 9 | 1099.34 | 1160 | 707.87 | 87 | 0 | 101 | 188 |
| 8/17/2024 | 10 | 1099.34 | 1150 | 707.83 | 87 | 0 | 102 | 189 |
| 8/17/2024 | 11 | 1099.30 | 1150 | 707.71 | 87 | 0 | 101 | 188 |
| 8/17/2024 | 12 | 1099.29 | 1160 | 707.59 | 87 | 0 | 102 | 189 |
| 8/17/2024 | 13 | 1099.33 | 1150 | 707.50 | 88 | 0 | 102 | 189 |
| 8/17/2024 | 14 | 1099.28 | 1160 | 707.50 | 88 | 0 | 102 | 189 |
| 8/17/2024 | 15 | 1099.28 | 1160 | 707.46 | 88 | 0 | 102 | 189 |
| 8/17/2024 | 16 | 1099.28 | 1150 | 707.55 | 88 | 0 | 102 | 190 |
| 8/17/2024 | 17 | 1099.28 | 1160 | 707.56 | 87 | 0 | 102 | 189 |
| 8/17/2024 | 18 | 1099.26 | 1150 | 707.55 | 87 | 0 | 102 | 189 |
| 8/17/2024 | 19 | 1099.28 | 1150 | 707.78 | 87 | 0 | 102 | 189 |
| 8/17/2024 | 20 | 1099.28 | 1150 | 708.00 | 87 | 0 | 101 | 188 |
| 8/17/2024 | 21 | 1099.29 | 1150 | 708.14 | 87 | 0 | 101 | 188 |
| 8/17/2024 | 22 | 1099.29 | 1070 | 708.18 | 87 | 0 | 101 | 188 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/17/2024 | 23 | 1099.30 | 20 | 707.70 | 88 | 0 | 102 | 190 |
| 8/17/2024 | 24 | 1099.29 | 20 | 707.73 | 87 | 0 | 99 | 187 |
| 8/18/2024 | 1 | 1099.40 | 20 | 708.02 | 87 | 0 | 100 | 187 |
| 8/18/2024 | 2 | 1099.34 | 20 | 708.02 | 87 | 0 | 100 | 187 |
| 8/18/2024 | 3 | 1099.31 | 20 | 707.65 | 88 | 0 | 99 | 187 |
| 8/18/2024 | 4 | 1099.32 | 20 | 707.41 | 87 | 0 | 98 | 185 |
| 8/18/2024 | 5 | 1099.38 | 20 | 707.52 | 87 | 0 | 98 | 185 |
| 8/18/2024 | 6 | 1099.35 | 20 | 707.43 | 87 | 0 | 99 | 186 |
| 8/18/2024 | 7 | 1099.32 | 20 | 707.67 | 87 | 0 | 99 | 186 |
| 8/18/2024 | 8 | 1099.33 | 20 | 707.44 | 87 | 0 | 99 | 186 |
| 8/18/2024 | 9 | 1099.35 | 20 | 707.60 | 87 | 0 | 99 | 186 |
| 8/18/2024 | 10 | 1099.36 | 20 | 707.53 | 87 | 0 | 100 | 186 |
| 8/18/2024 | 11 | 1099.33 | 20 | 707.79 | 87 | 0 | 99 | 186 |
| 8/18/2024 | 12 | 1099.33 | 20 | 707.97 | 87 | 0 | 99 | 186 |
| 8/18/2024 | 13 | 1099.34 | 20 | 707.89 | 87 | 0 | 98 | 185 |
| 8/18/2024 | 14 | 1099.37 | 20 | 707.86 | 87 | 0 | 98 | 185 |
| 8/18/2024 | 15 | 1099.34 | 20 | 707.92 | 87 | 0 | 98 | 185 |
| 8/18/2024 | 16 | 1099.29 | 20 | 707.99 | 87 | 0 | 99 | 186 |
| 8/18/2024 | 17 | 1099.32 | 20 | 707.88 | 87 | 0 | 98 | 185 |
| 8/18/2024 | 18 | 1099.33 | 20 | 707.88 | 87 | 0 | 98 | 185 |
| 8/18/2024 | 19 | 1099.36 | 20 | 707.89 | 87 | 0 | 97 | 184 |
| 8/18/2024 | 20 | 1099.34 | 20 | 707.87 | 87 | 0 | 98 | 185 |
| 8/18/2024 | 21 | 1099.35 | 20 | 707.73 | 87 | 0 | 98 | 185 |
| 8/18/2024 | 22 | 1099.38 | 20 | 707.58 | 87 | 0 | 98 | 185 |
| 8/18/2024 | 23 | 1099.36 | 20 | 707.43 | 88 | 0 | 97 | 185 |
| 8/18/2024 | 24 | 1099.35 | 20 | 707.35 | 88 | 0 | 98 | 186 |
| 8/19/2024 | 1 | 1099.36 | 20 | 707.11 | 87 | 0 | 97 | 184 |
| 8/19/2024 | 2 | 1099.40 | 20 | 707.38 | 87 | 0 | 98 | 185 |
| 8/19/2024 | 3 | 1099.39 | 20 | 707.69 | 87 | 0 | 99 | 187 |
| 8/19/2024 | 4 | 1099.39 | 20 | 707.83 | 87 | 0 | 99 | 186 |
| 8/19/2024 | 5 | 1099.37 | 20 | 707.90 | 87 | 0 | 100 | 187 |
| 8/19/2024 | 6 | 1099.40 | 70 | 707.88 | 87 | 0 | 99 | 186 |
| 8/19/2024 | 7 | 1099.38 | 1170 | 708.55 | 87 | 0 | 100 | 187 |
| 8/19/2024 | 8 | 1099.36 | 1160 | 708.34 | 87 | 0 | 100 | 187 |
| 8/19/2024 | 9 | 1099.37 | 1170 | 708.09 | 87 | 0 | 99 | 186 |
| 8/19/2024 | 10 | 1099.38 | 1160 | 708.31 | 87 | 0 | 99 | 186 |
| 8/19/2024 | 11 | 1099.39 | 1160 | 708.27 | 87 | 0 | 100 | 187 |
| 8/19/2024 | 12 | 1099.37 | 1170 | 708.24 | 87 | 0 | 100 | 187 |
| 8/19/2024 | 13 | 1099.37 | 1170 | 708.16 | 87 | 0 | 100 | 187 |
| 8/19/2024 | 14 | 1099.38 | 1170 | 708.19 | 87 | 0 | 100 | 187 |
| 8/19/2024 | 15 | 1099.39 | 1170 | 708.07 | 87 | 0 | 100 | 187 |
| 8/19/2024 | 16 | 1099.37 | 1160 | 707.94 | 87 | 0 | 99 | 186 |
| 8/19/2024 | 17 | 1099.37 | 1170 | 707.84 | 87 | 0 | 98 | 185 |
| 8/19/2024 | 18 | 1099.38 | 1170 | 707.75 | 87 | 0 | 98 | 185 |
| 8/19/2024 | 19 | 1099.37 | 1170 | 707.68 | 87 | 0 | 101 | 188 |
| 8/19/2024 | 20 | 1099.37 | 1160 | 707.73 | 87 | 0 | 99 | 186 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/19/2024 | 21 | 1099.37 | 1160 | 707.56 | 87 | 0 | 98 | 185 |
| 8/19/2024 | 22 | 1099.38 | 1080 | 707.53 | 87 | 0 | 97 | 184 |
| 8/19/2024 | 23 | 1099.37 | 20 | 706.69 | 87 | 0 | 96 | 184 |
| 8/19/2024 | 24 | 1099.37 | 20 | 706.45 | 87 | 0 | 97 | 184 |
| 8/20/2024 | 1 | 1099.38 | 20 | 706.21 | 87 | 0 | 96 | 184 |
| 8/20/2024 | 2 | 1099.37 | 20 | 706.40 | 87 | 0 | 96 | 183 |
| 8/20/2024 | 3 | 1099.37 | 20 | 706.68 | 87 | 0 | 97 | 184 |
| 8/20/2024 | 4 | 1099.36 | 20 | 707.03 | 87 | 0 | 98 | 185 |
| 8/20/2024 | 5 | 1099.37 | 20 | 707.07 | 87 | 0 | 98 | 185 |
| 8/20/2024 | 6 | 1099.37 | 120 | 707.50 | 87 | 0 | 99 | 185 |
| 8/20/2024 | 7 | 1099.37 | 1080 | 708.31 | 87 | 0 | 99 | 186 |
| 8/20/2024 | 8 | 1099.36 | 1090 | 708.16 | 87 | 0 | 100 | 186 |
| 8/20/2024 | 9 | 1099.36 | 1090 | 708.16 | 87 | 0 | 99 | 186 |
| 8/20/2024 | 10 | 1099.37 | 1090 | 708.45 | 88 | 0 | 99 | 187 |
| 8/20/2024 | 11 | 1099.37 | 1090 | 708.16 | 88 | 0 | 100 | 188 |
| 8/20/2024 | 12 | 1099.37 | 1090 | 707.96 | 87 | 0 | 100 | 187 |
| 8/20/2024 | 13 | 1099.37 | 1090 | 708.04 | 87 | 0 | 101 | 189 |
| 8/20/2024 | 14 | 1099.38 | 1090 | 708.11 | 87 | 0 | 101 | 188 |
| 8/20/2024 | 15 | 1099.38 | 1090 | 708.20 | 87 | 0 | 101 | 188 |
| 8/20/2024 | 16 | 1099.38 | 1090 | 708.39 | 87 | 0 | 100 | 187 |
| 8/20/2024 | 17 | 1099.37 | 1080 | 708.52 | 87 | 0 | 99 | 186 |
| 8/20/2024 | 18 | 1099.38 | 1090 | 708.41 | 87 | 0 | 98 | 186 |
| 8/20/2024 | 19 | 1099.38 | 1080 | 708.45 | 87 | 0 | 98 | 185 |
| 8/20/2024 | 20 | 1099.38 | 1080 | 708.52 | 87 | 0 | 99 | 186 |
| 8/20/2024 | 21 | 1099.37 | 1170 | 708.59 | 87 | 0 | 99 | 186 |
| 8/20/2024 | 22 | 1099.37 | 1170 | 708.68 | 87 | 0 | 99 | 186 |
| 8/20/2024 | 23 | 1099.37 | 1170 | 708.39 | 87 | 0 | 98 | 185 |
| 8/20/2024 | 24 | 1099.37 | 1160 | 708.25 | 87 | 0 | 98 | 185 |
| 8/21/2024 | 1 | 1099.37 | 1170 | 707.89 | 87 | 0 | 98 | 186 |
| 8/21/2024 | 2 | 1099.36 | 1160 | 707.88 | 87 | 0 | 99 | 186 |
| 8/21/2024 | 3 | 1099.35 | 1170 | 707.97 | 87 | 0 | 99 | 186 |
| 8/21/2024 | 4 | 1099.35 | 1170 | 708.16 | 87 | 0 | 99 | 186 |
| 8/21/2024 | 5 | 1099.32 | 1170 | 708.25 | 87 | 0 | 98 | 185 |
| 8/21/2024 | 6 | 1099.33 | 1170 | 708.37 | 87 | 0 | 99 | 186 |
| 8/21/2024 | 7 | 1099.34 | 1170 | 708.66 | 87 | 0 | 99 | 187 |
| 8/21/2024 | 8 | 1099.33 | 1170 | 708.73 | 87 | 0 | 100 | 187 |
| 8/21/2024 | 9 | 1099.32 | 1170 | 708.53 | 87 | 0 | 100 | 187 |
| 8/21/2024 | 10 | 1099.29 | 1170 | 708.77 | 87 | 0 | 100 | 187 |
| 8/21/2024 | 11 | 1099.31 | 1170 | 708.78 | 87 | 0 | 101 | 188 |
| 8/21/2024 | 12 | 1099.31 | 1170 | 708.84 | 87 | 0 | 101 | 188 |
| 8/21/2024 | 13 | 1099.30 | 1170 | 708.64 | 87 | 0 | 100 | 187 |
| 8/21/2024 | 14 | 1099.29 | 1170 | 708.73 | 87 | 0 | 100 | 187 |
| 8/21/2024 | 15 | 1099.30 | 1160 | 708.51 | 87 | 0 | 101 | 188 |
| 8/21/2024 | 16 | 1099.28 | 1170 | 708.15 | 87 | 0 | 100 | 187 |
| 8/21/2024 | 17 | 1099.26 | 1170 | 708.04 | 87 | 0 | 100 | 187 |
| 8/21/2024 | 18 | 1099.27 | 1170 | 707.78 | 87 | 0 | 100 | 187 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/21/2024 | 19 | 1099.28 | 1160 | 707.63 | 87 | 0 | 100 | 187 |
| 8/21/2024 | 20 | 1099.27 | 1160 | 707.50 | 87 | 0 | 100 | 187 |
| 8/21/2024 | 21 | 1099.27 | 1170 | 707.44 | 87 | 0 | 99 | 186 |
| 8/21/2024 | 22 | 1099.27 | 1160 | 707.44 | 87 | 0 | 99 | 186 |
| 8/21/2024 | 23 | 1099.27 | 1170 | 707.70 | 87 | 0 | 99 | 186 |
| 8/21/2024 | 24 | 1099.26 | 1160 | 707.81 | 87 | 0 | 101 | 187 |
| 8/22/2024 | 1 | 1099.26 | 1170 | 708.03 | 87 | 0 | 100 | 187 |
| 8/22/2024 | 2 | 1099.26 | 1170 | 708.07 | 87 | 0 | 100 | 187 |
| 8/22/2024 | 3 | 1099.26 | 1170 | 708.31 | 87 | 0 | 100 | 187 |
| 8/22/2024 | 4 | 1099.25 | 1170 | 708.74 | 87 | 0 | 101 | 188 |
| 8/22/2024 | 5 | 1099.25 | 1170 | 708.87 | 87 | 0 | 101 | 188 |
| 8/22/2024 | 6 | 1099.25 | 1180 | 709.14 | 87 | 0 | 101 | 188 |
| 8/22/2024 | 7 | 1099.25 | 1170 | 709.34 | 87 | 0 | 102 | 189 |
| 8/22/2024 | 8 | 1099.24 | 1170 | 709.57 | 87 | 0 | 103 | 190 |
| 8/22/2024 | 9 | 1099.25 | 1170 | 709.39 | 87 | 0 | 102 | 189 |
| 8/22/2024 | 10 | 1099.25 | 1170 | 709.08 | 87 | 0 | 101 | 188 |
| 8/22/2024 | 11 | 1099.25 | 1170 | 708.97 | 87 | 0 | 102 | 189 |
| 8/22/2024 | 12 | 1099.25 | 1170 | 708.86 | 87 | 0 | 101 | 189 |
| 8/22/2024 | 13 | 1099.25 | 1180 | 708.76 | 87 | 0 | 101 | 188 |
| 8/22/2024 | 14 | 1099.25 | 1170 | 708.61 | 87 | 0 | 101 | 188 |
| 8/22/2024 | 15 | 1099.22 | 1170 | 708.42 | 87 | 0 | 101 | 188 |
| 8/22/2024 | 16 | 1099.22 | 1170 | 708.21 | 87 | 0 | 100 | 187 |
| 8/22/2024 | 17 | 1099.23 | 1170 | 708.12 | 87 | 0 | 101 | 188 |
| 8/22/2024 | 18 | 1099.25 | 1160 | 708.15 | 87 | 0 | 101 | 188 |
| 8/22/2024 | 19 | 1099.22 | 1160 | 708.20 | 87 | 0 | 101 | 188 |
| 8/22/2024 | 20 | 1099.23 | 1160 | 707.87 | 87 | 0 | 100 | 187 |
| 8/22/2024 | 21 | 1099.25 | 1160 | 707.78 | 87 | 0 | 100 | 186 |
| 8/22/2024 | 22 | 1099.26 | 1000 | 707.42 | 87 | 0 | 99 | 187 |
| 8/22/2024 | 23 | 1099.24 | 20 | 706.48 | 87 | 0 | 99 | 186 |
| 8/22/2024 | 24 | 1099.25 | 20 | 706.52 | 87 | 0 | 98 | 185 |
| 8/23/2024 | 1 | 1099.26 | 20 | 706.30 | 87 | 0 | 99 | 186 |
| 8/23/2024 | 2 | 1099.25 | 20 | 706.50 | 87 | 0 | 98 | 185 |
| 8/23/2024 | 3 | 1099.25 | 20 | 706.73 | 87 | 0 | 98 | 184 |
| 8/23/2024 | 4 | 1099.25 | 20 | 706.64 | 87 | 0 | 97 | 184 |
| 8/23/2024 | 5 | 1099.26 | 20 | 706.88 | 87 | 0 | 100 | 187 |
| 8/23/2024 | 6 | 1099.26 | 20 | 707.62 | 87 | 0 | 100 | 187 |
| 8/23/2024 | 7 | 1099.25 | 1070 | 708.31 | 87 | 0 | 99 | 187 |
| 8/23/2024 | 8 | 1099.26 | 1080 | 708.53 | 87 | 0 | 101 | 188 |
| 8/23/2024 | 9 | 1099.26 | 1080 | 708.35 | 87 | 0 | 100 | 187 |
| 8/23/2024 | 10 | 1099.24 | 1130 | 708.43 | 87 | 0 | 99 | 186 |
| 8/23/2024 | 11 | 1099.23 | 1160 | 708.44 | 87 | 0 | 100 | 186 |
| 8/23/2024 | 12 | 1099.26 | 1160 | 708.57 | 87 | 0 | 100 | 187 |
| 8/23/2024 | 13 | 1099.28 | 1160 | 708.68 | 87 | 0 | 100 | 187 |
| 8/23/2024 | 14 | 1099.27 | 1170 | 708.80 | 87 | 0 | 100 | 187 |
| 8/23/2024 | 15 | 1099.29 | 1170 | 708.62 | 87 | 0 | 101 | 188 |
| 8/23/2024 | 16 | 1099.29 | 1170 | 708.66 | 87 | 0 | 101 | 188 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/23/2024 | 17 | 1099.26 | 1170 | 708.62 | 87 | 0 | 102 | 189 |
| 8/23/2024 | 18 | 1099.26 | 1170 | 708.28 | 87 | 0 | 100 | 187 |
| 8/23/2024 | 19 | 1099.24 | 1170 | 708.40 | 88 | 0 | 98 | 186 |
| 8/23/2024 | 20 | 1099.24 | 1170 | 708.57 | 88 | 0 | 99 | 187 |
| 8/23/2024 | 21 | 1099.23 | 1160 | 708.50 | 87 | 0 | 100 | 187 |
| 8/23/2024 | 22 | 1099.24 | 1170 | 708.11 | 88 | 0 | 99 | 187 |
| 8/23/2024 | 23 | 1099.26 | 450 | 707.57 | 88 | 0 | 99 | 186 |
| 8/23/2024 | 24 | 1099.24 | 20 | 707.09 | 87 | 0 | 98 | 185 |
| 8/24/2024 | 1 | 1099.24 | 20 | 706.81 | 87 | 0 | 97 | 185 |
| 8/24/2024 | 2 | 1099.27 | 20 | 706.98 | 87 | 0 | 97 | 184 |
| 8/24/2024 | 3 | 1099.27 | 20 | 707.29 | 87 | 0 | 98 | 186 |
| 8/24/2024 | 4 | 1099.27 | 20 | 707.60 | 87 | 0 | 98 | 185 |
| 8/24/2024 | 5 | 1099.26 | 20 | 707.68 | 87 | 0 | 98 | 185 |
| 8/24/2024 | 6 | 1099.27 | 20 | 707.83 | 87 | 0 | 98 | 185 |
| 8/24/2024 | 7 | 1099.27 | 1040 | 708.60 | 87 | 0 | 99 | 186 |
| 8/24/2024 | 8 | 1099.25 | 1100 | 708.34 | 87 | 0 | 99 | 186 |
| 8/24/2024 | 9 | 1099.26 | 1090 | 708.53 | 87 | 0 | 99 | 186 |
| 8/24/2024 | 10 | 1099.27 | 1090 | 708.98 | 87 | 0 | 100 | 187 |
| 8/24/2024 | 11 | 1099.27 | 1100 | 708.47 | 87 | 0 | 99 | 186 |
| 8/24/2024 | 12 | 1099.27 | 1090 | 708.12 | 87 | 0 | 98 | 185 |
| 8/24/2024 | 13 | 1099.27 | 1090 | 707.87 | 87 | 0 | 98 | 185 |
| 8/24/2024 | 14 | 1099.26 | 1090 | 707.71 | 87 | 0 | 98 | 185 |
| 8/24/2024 | 15 | 1099.27 | 1090 | 707.84 | 87 | 0 | 98 | 185 |
| 8/24/2024 | 16 | 1099.26 | 1090 | 707.99 | 87 | 0 | 100 | 187 |
| 8/24/2024 | 17 | 1099.25 | 1100 | 707.95 | 87 | 0 | 101 | 188 |
| 8/24/2024 | 18 | 1099.25 | 1120 | 708.05 | 87 | 0 | 101 | 188 |
| 8/24/2024 | 19 | 1099.26 | 1170 | 708.21 | 87 | 0 | 101 | 188 |
| 8/24/2024 | 20 | 1099.26 | 1180 | 708.13 | 87 | 0 | 101 | 188 |
| 8/24/2024 | 21 | 1099.25 | 1170 | 707.75 | 87 | 0 | 100 | 187 |
| 8/24/2024 | 22 | 1099.25 | 1170 | 707.56 | 87 | 0 | 100 | 187 |
| 8/24/2024 | 23 | 1099.26 | 180 | 706.79 | 87 | 0 | 99 | 187 |
| 8/24/2024 | 24 | 1099.26 | 20 | 706.82 | 87 | 0 | 100 | 187 |
| 8/25/2024 | 1 | 1099.27 | 20 | 707.00 | 87 | 0 | 100 | 187 |
| 8/25/2024 | 2 | 1099.25 | 20 | 706.82 | 87 | 0 | 99 | 187 |
| 8/25/2024 | 3 | 1099.26 | 20 | 706.92 | 87 | 0 | 100 | 187 |
| 8/25/2024 | 4 | 1099.26 | 20 | 707.17 | 87 | 0 | 100 | 187 |
| 8/25/2024 | 5 | 1099.25 | 20 | 707.26 | 87 | 0 | 100 | 187 |
| 8/25/2024 | 6 | 1099.25 | 20 | 707.12 | 87 | 0 | 99 | 186 |
| 8/25/2024 | 7 | 1099.26 | 20 | 707.26 | 87 | 0 | 100 | 187 |
| 8/25/2024 | 8 | 1099.26 | 20 | 707.37 | 87 | 0 | 101 | 188 |
| 8/25/2024 | 9 | 1099.26 | 20 | 707.34 | 87 | 0 | 101 | 188 |
| 8/25/2024 | 10 | 1099.25 | 20 | 707.64 | 87 | 0 | 103 | 190 |
| 8/25/2024 | 11 | 1099.25 | 20 | 707.90 | 87 | 0 | 103 | 190 |
| 8/25/2024 | 12 | 1099.25 | 20 | 708.13 | 87 | 0 | 103 | 190 |
| 8/25/2024 | 13 | 1099.26 | 20 | 708.12 | 87 | 0 | 104 | 191 |
| 8/25/2024 | 14 | 1099.26 | 20 | 708.26 | 87 | 0 | 103 | 190 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/25/2024 | 15 | 1099.27 | 20 | 708.16 | 87 | 0 | 101 | 188 |
| 8/25/2024 | 16 | 1099.26 | 20 | 708.12 | 87 | 0 | 100 | 187 |
| 8/25/2024 | 17 | 1099.26 | 20 | 708.17 | 87 | 0 | 100 | 187 |
| 8/25/2024 | 18 | 1099.26 | 20 | 708.12 | 87 | 0 | 100 | 187 |
| 8/25/2024 | 19 | 1099.27 | 20 | 708.41 | 87 | 0 | 101 | 188 |
| 8/25/2024 | 20 | 1099.27 | 20 | 708.66 | 87 | 0 | 101 | 189 |
| 8/25/2024 | 21 | 1099.26 | 20 | 708.23 | 87 | 0 | 100 | 188 |
| 8/25/2024 | 22 | 1099.28 | 20 | 708.09 | 87 | 0 | 101 | 188 |
| 8/25/2024 | 23 | 1099.28 | 20 | 708.09 | 87 | 0 | 101 | 188 |
| 8/25/2024 | 24 | 1099.31 | 20 | 707.75 | 87 | 0 | 100 | 188 |
| 8/26/2024 | 1 | 1099.33 | 20 | 707.40 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 2 | 1099.30 | 20 | 707.40 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 3 | 1099.34 | 20 | 707.55 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 4 | 1099.33 | 20 | 707.43 | 87 | 0 | 99 | 187 |
| 8/26/2024 | 5 | 1099.34 | 20 | 707.39 | 87 | 0 | 99 | 186 |
| 8/26/2024 | 6 | 1099.32 | 20 | 707.35 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 7 | 1099.30 | 1160 | 707.71 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 8 | 1099.30 | 1160 | 707.64 | 87 | 0 | 101 | 188 |
| 8/26/2024 | 9 | 1099.29 | 1160 | 707.58 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 10 | 1099.27 | 1160 | 707.60 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 11 | 1099.28 | 1160 | 707.55 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 12 | 1099.28 | 1160 | 707.50 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 13 | 1099.28 | 1170 | 707.45 | 87 | 0 | 99 | 187 |
| 8/26/2024 | 14 | 1099.26 | 1170 | 707.48 | 87 | 0 | 99 | 186 |
| 8/26/2024 | 15 | 1099.27 | 1170 | 707.48 | 87 | 0 | 99 | 186 |
| 8/26/2024 | 16 | 1099.30 | 1170 | 707.53 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 17 | 1099.32 | 1170 | 707.56 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 18 | 1099.30 | 1180 | 707.60 | 87 | 0 | 99 | 186 |
| 8/26/2024 | 19 | 1099.29 | 1180 | 707.62 | 87 | 0 | 99 | 185 |
| 8/26/2024 | 20 | 1099.29 | 1160 | 707.65 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 21 | 1099.31 | 1160 | 707.64 | 87 | 0 | 101 | 188 |
| 8/26/2024 | 22 | 1099.31 | 1170 | 707.84 | 87 | 0 | 100 | 187 |
| 8/26/2024 | 23 | 1099.28 | 60 | 707.97 | 87 | 0 | 101 | 188 |
| 8/26/2024 | 24 | 1099.29 | 20 | 708.29 | 88 | 0 | 102 | 189 |
| 8/27/2024 | 1 | 1099.30 | 20 | 708.77 | 87 | 0 | 101 | 188 |
| 8/27/2024 | 2 | 1099.30 | 20 | 708.69 | 87 | 0 | 102 | 189 |
| 8/27/2024 | 3 | 1099.31 | 20 | 708.35 | 87 | 0 | 102 | 189 |
| 8/27/2024 | 4 | 1099.32 | 20 | 708.33 | 87 | 0 | 100 | 187 |
| 8/27/2024 | 5 | 1099.33 | 20 | 708.61 | 87 | 0 | 99 | 187 |
| 8/27/2024 | 6 | 1099.34 | 20 | 708.64 | 87 | 0 | 99 | 187 |
| 8/27/2024 | 7 | 1099.34 | 20 | 708.67 | 87 | 0 | 99 | 187 |
| 8/27/2024 | 8 | 1099.36 | 20 | 708.98 | 88 | 0 | 100 | 187 |
| 8/27/2024 | 9 | 1099.36 | 20 | 709.17 | 88 | 0 | 100 | 188 |
| 8/27/2024 | 10 | 1099.36 | 20 | 709.34 | 88 | 0 | 99 | 187 |
| 8/27/2024 | 11 | 1099.36 | 20 | 709.58 | 88 | 0 | 99 | 187 |
| 8/27/2024 | 12 | 1099.36 | 20 | 709.46 | 88 | 0 | 100 | 188 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/27/2024 | 13 | 1099.36 | 20 | 708.97 | 88 | 0 | 99 | 186 |
| 8/27/2024 | 14 | 1099.37 | 20 | 708.43 | 88 | 0 | 98 | 186 |
| 8/27/2024 | 15 | 1099.37 | 20 | 708.19 | 88 | 0 | 97 | 185 |
| 8/27/2024 | 16 | 1099.37 | 20 | 707.72 | 88 | 0 | 97 | 185 |
| 8/27/2024 | 17 | 1099.37 | 20 | 707.48 | 87 | 0 | 96 | 184 |
| 8/27/2024 | 18 | 1099.39 | 20 | 707.31 | 87 | 0 | 97 | 184 |
| 8/27/2024 | 19 | 1099.38 | 20 | 707.10 | 87 | 0 | 98 | 185 |
| 8/27/2024 | 20 | 1099.38 | 20 | 707.54 | 87 | 0 | 100 | 187 |
| 8/27/2024 | 21 | 1099.37 | 20 | 707.83 | 87 | 0 | 101 | 188 |
| 8/27/2024 | 22 | 1099.37 | 20 | 708.26 | 87 | 0 | 101 | 188 |
| 8/27/2024 | 23 | 1099.37 | 20 | 708.43 | 87 | 0 | 101 | 187 |
| 8/27/2024 | 24 | 1099.37 | 20 | 708.49 | 87 | 0 | 101 | 187 |
| 8/28/2024 | 1 | 1099.37 | 20 | 708.75 | 87 | 0 | 100 | 187 |
| 8/28/2024 | 2 | 1099.37 | 20 | 708.54 | 87 | 0 | 100 | 187 |
| 8/28/2024 | 3 | 1099.38 | 20 | 708.40 | 88 | 0 | 100 | 188 |
| 8/28/2024 | 4 | 1099.37 | 20 | 708.73 | 87 | 0 | 101 | 188 |
| 8/28/2024 | 5 | 1099.37 | 20 | 709.04 | 87 | 0 | 100 | 188 |
| 8/28/2024 | 6 | 1099.37 | 230 | 709.45 | 88 | 0 | 102 | 190 |
| 8/28/2024 | 7 | 1099.37 | 1170 | 709.90 | 87 | 0 | 102 | 189 |
| 8/28/2024 | 8 | 1099.37 | 1170 | 710.03 | 87 | 0 | 101 | 189 |
| 8/28/2024 | 9 | 1099.37 | 1180 | 709.79 | 87 | 0 | 101 | 188 |
| 8/28/2024 | 10 | 1099.37 | 1180 | 708.95 | 87 | 0 | 101 | 188 |
| 8/28/2024 | 11 | 1099.35 | 1170 | 708.57 | 87 | 0 | 100 | 187 |
| 8/28/2024 | 12 | 1099.29 | 1170 | 708.38 | 87 | 0 | 101 | 188 |
| 8/28/2024 | 13 | 1099.28 | 1170 | 708.04 | 87 | 0 | 100 | 188 |
| 8/28/2024 | 14 | 1099.28 | 1170 | 707.93 | 87 | 0 | 100 | 188 |
| 8/28/2024 | 15 | 1099.27 | 1170 | 708.27 | 87 | 0 | 102 | 189 |
| 8/28/2024 | 16 | 1099.28 | 1170 | 708.39 | 87 | 0 | 101 | 188 |
| 8/28/2024 | 17 | 1099.27 | 1170 | 708.32 | 87 | 0 | 101 | 189 |
| 8/28/2024 | 18 | 1099.26 | 1170 | 708.31 | 87 | 0 | 100 | 188 |
| 8/28/2024 | 19 | 1099.26 | 1170 | 708.63 | 87 | 0 | 101 | 189 |
| 8/28/2024 | 20 | 1099.27 | 1160 | 708.68 | 87 | 0 | 102 | 189 |
| 8/28/2024 | 21 | 1099.27 | 1160 | 708.58 | 87 | 0 | 102 | 189 |
| 8/28/2024 | 22 | 1099.26 | 1080 | 708.67 | 87 | 0 | 101 | 188 |
| 8/28/2024 | 23 | 1099.26 | 20 | 708.14 | 88 | 0 | 101 | 189 |
| 8/28/2024 | 24 | 1099.26 | 20 | 707.88 | 88 | 0 | 101 | 189 |
| 8/29/2024 | 1 | 1099.27 | 20 | 707.40 | 87 | 0 | 100 | 188 |
| 8/29/2024 | 2 | 1099.26 | 20 | 706.98 | 87 | 0 | 100 | 187 |
| 8/29/2024 | 3 | 1099.25 | 20 | 706.74 | 87 | 0 | 99 | 186 |
| 8/29/2024 | 4 | 1099.26 | 20 | 706.71 | 87 | 0 | 99 | 187 |
| 8/29/2024 | 5 | 1099.26 | 20 | 706.67 | 87 | 0 | 99 | 186 |
| 8/29/2024 | 6 | 1099.26 | 80 | 706.61 | 155 | 0 | 99 | 254 |
| 8/29/2024 | 7 | 1099.27 | 1170 | 707.46 | 165 | 0 | 99 | 264 |
| 8/29/2024 | 8 | 1099.25 | 1160 | 707.58 | 151 | 0 | 24 | 176 |
| 8/29/2024 | 9 | 1099.25 | 1170 | 707.77 | 145 | 0 | 0 | 145 |
| 8/29/2024 | 10 | 1099.26 | 1170 | 708.11 | 129 | 0 | 0 | 129 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/29/2024 | 11 | 1099.25 | 1170 | 708.37 | 113 | 0 | 0 | 113 |
| 8/29/2024 | 12 | 1099.25 | 1170 | 708.48 | 96 | 0 | 0 | 96 |
| 8/29/2024 | 13 | 1099.25 | 1170 | 708.62 | 87 | 0 | 0 | 87 |
| 8/29/2024 | 14 | 1099.25 | 1180 | 708.70 | 87 | 0 | 0 | 87 |
| 8/29/2024 | 15 | 1099.25 | 1180 | 708.67 | 87 | 0 | 0 | 87 |
| 8/29/2024 | 16 | 1099.25 | 1170 | 708.96 | 88 | 0 | 0 | 88 |
| 8/29/2024 | 17 | 1099.24 | 1180 | 708.98 | 88 | 0 | 0 | 88 |
| 8/29/2024 | 18 | 1099.24 | 1180 | 708.97 | 87 | 0 | 0 | 87 |
| 8/29/2024 | 19 | 1099.24 | 1170 | 709.27 | 87 | 0 | 0 | 87 |
| 8/29/2024 | 20 | 1099.24 | 1170 | 709.26 | 87 | 0 | 0 | 87 |
| 8/29/2024 | 21 | 1099.24 | 1170 | 709.15 | 87 | 0 | 0 | 87 |
| 8/29/2024 | 22 | 1099.24 | 1090 | 709.06 | 87 | 0 | 0 | 87 |
| 8/29/2024 | 23 | 1099.25 | 20 | 708.56 | 88 | 0 | 0 | 88 |
| 8/29/2024 | 24 | 1099.25 | 20 | 707.72 | 88 | 0 | 0 | 88 |
| 8/30/2024 | 1 | 1099.24 | 20 | 707.53 | 87 | 0 | 0 | 87 |
| 8/30/2024 | 2 | 1099.24 | 20 | 707.24 | 87 | 0 | 0 | 87 |
| 8/30/2024 | 3 | 1099.25 | 20 | 707.00 | 88 | 0 | 0 | 88 |
| 8/30/2024 | 4 | 1099.25 | 20 | 707.11 | 88 | 0 | 0 | 88 |
| 8/30/2024 | 5 | 1099.25 | 20 | 707.60 | 88 | 0 | 0 | 88 |
| 8/30/2024 | 6 | 1099.25 | 370 | 707.78 | 88 | 0 | 0 | 88 |
| 8/30/2024 | 7 | 1099.25 | 2310 | 708.63 | 87 | 0 | 0 | 87 |
| 8/30/2024 | 8 | 1099.25 | 2300 | 708.59 | 87 | 0 | 0 | 87 |
| 8/30/2024 | 9 | 1099.25 | 2330 | 708.56 | 87 | 0 | 0 | 87 |
| 8/30/2024 | 10 | 1099.24 | 2320 | 708.52 | 88 | 0 | 0 | 88 |
| 8/30/2024 | 11 | 1099.24 | 2310 | 708.57 | 88 | 0 | 0 | 88 |
| 8/30/2024 | 12 | 1099.24 | 2310 | 708.65 | 87 | 0 | 0 | 88 |
| 8/30/2024 | 13 | 1099.24 | 2340 | 708.70 | 87 | 0 | 0 | 88 |
| 8/30/2024 | 14 | 1099.22 | 2340 | 708.63 | 87 | 0 | 0 | 87 |
| 8/30/2024 | 15 | 1099.22 | 2340 | 708.63 | 88 | 0 | 74 | 161 |
| 8/30/2024 | 16 | 1099.22 | 2340 | 708.79 | 87 | 0 | 97 | 184 |
| 8/30/2024 | 17 | 1099.21 | 2350 | 708.93 | 87 | 0 | 97 | 184 |
| 8/30/2024 | 18 | 1099.22 | 2340 | 709.27 | 87 | 0 | 97 | 184 |
| 8/30/2024 | 19 | 1099.22 | 2320 | 709.87 | 87 | 0 | 98 | 185 |
| 8/30/2024 | 20 | 1099.22 | 2320 | 709.92 | 87 | 0 | 98 | 186 |
| 8/30/2024 | 21 | 1099.22 | 2340 | 710.19 | 87 | 0 | 99 | 186 |
| 8/30/2024 | 22 | 1099.18 | 2290 | 710.48 | 87 | 0 | 99 | 186 |
| 8/30/2024 | 23 | 1099.19 | 110 | 710.21 | 88 | 0 | 99 | 187 |
| 8/30/2024 | 24 | 1099.21 | 20 | 710.15 | 87 | 0 | 99 | 186 |
| 8/31/2024 | 1 | 1099.19 | 20 | 709.75 | 87 | 0 | 98 | 185 |
| 8/31/2024 | 2 | 1099.18 | 20 | 708.82 | 87 | 0 | 98 | 184 |
| 8/31/2024 | 3 | 1099.16 | 20 | 708.22 | 87 | 0 | 96 | 183 |
| 8/31/2024 | 4 | 1099.19 | 20 | 707.92 | 87 | 0 | 96 | 183 |
| 8/31/2024 | 5 | 1099.18 | 20 | 707.87 | 87 | 0 | 97 | 184 |
| 8/31/2024 | 6 | 1099.21 | 150 | 707.91 | 87 | 0 | 97 | 183 |
| 8/31/2024 | 7 | 1099.17 | 2310 | 708.64 | 86 | 0 | 97 | 183 |
| 8/31/2024 | 8 | 1099.16 | 2310 | 708.64 | 88 | 0 | 97 | 185 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 8/31/2024 | 9 | 1099.16 | 2340 | 708.59 | 87 | 0 | 97 | 185 |
| 8/31/2024 | 10 | 1099.15 | 2340 | 708.67 | 88 | 0 | 97 | 185 |
| 8/31/2024 | 11 | 1099.13 | 2360 | 708.92 | 87 | 0 | 98 | 185 |
| 8/31/2024 | 12 | 1099.14 | 2330 | 709.00 | 87 | 0 | 99 | 186 |
| 8/31/2024 | 13 | 1099.14 | 2340 | 709.04 | 87 | 0 | 99 | 186 |
| 8/31/2024 | 14 | 1099.13 | 2350 | 709.05 | 87 | 0 | 99 | 187 |
| 8/31/2024 | 15 | 1099.12 | 2350 | 709.22 | 87 | 0 | 99 | 186 |
| 8/31/2024 | 16 | 1099.13 | 2350 | 709.40 | 88 | 0 | 99 | 187 |
| 8/31/2024 | 17 | 1099.12 | 2360 | 709.63 | 87 | 0 | 100 | 187 |
| 8/31/2024 | 18 | 1099.12 | 2350 | 709.78 | 87 | 0 | 99 | 187 |
| 8/31/2024 | 19 | 1099.12 | 2330 | 709.86 | 88 | 0 | 99 | 187 |
| 8/31/2024 | 20 | 1099.12 | 2320 | 709.97 | 87 | 0 | 98 | 186 |
| 8/31/2024 | 21 | 1099.12 | 2330 | 709.55 | 87 | 0 | 98 | 186 |
| 8/31/2024 | 22 | 1099.12 | 2260 | 709.05 | 87 | 0 | 98 | 185 |
| 8/31/2024 | 23 | 1099.12 | 70 | 708.73 | 88 | 0 | 97 | 185 |
| 8/31/2024 | 24 | 1099.12 | 20 | 708.04 | 87 | 0 | 97 | 184 |
| 9/1/2024 | 1 | 1099.12 | 20 | 707.44 | 87 | 0 | 96 | 182 |
| 9/1/2024 | 2 | 1099.12 | 20 | 706.98 | 87 | 0 | 95 | 182 |
| 9/1/2024 | 3 | 1099.12 | 20 | 707.61 | 87 | 0 | 96 | 183 |
| 9/1/2024 | 4 | 1099.12 | 20 | 708.15 | 87 | 0 | 96 | 183 |
| 9/1/2024 | 5 | 1099.12 | 20 | 708.15 | 87 | 0 | 97 | 184 |
| 9/1/2024 | 6 | 1099.12 | 20 | 708.36 | 87 | 0 | 97 | 184 |
| 9/1/2024 | 7 | 1099.12 | 20 | 708.80 | 87 | 0 | 97 | 184 |
| 9/1/2024 | 8 | 1099.12 | 20 | 708.50 | 87 | 0 | 98 | 184 |
| 9/1/2024 | 9 | 1099.12 | 20 | 708.52 | 87 | 0 | 98 | 185 |
| 9/1/2024 | 10 | 1099.12 | 20 | 708.68 | 88 | 0 | 98 | 186 |
| 9/1/2024 | 11 | 1099.12 | 20 | 708.94 | 88 | 0 | 99 | 186 |
| 9/1/2024 | 12 | 1099.12 | 20 | 708.74 | 88 | 0 | 98 | 186 |
| 9/1/2024 | 13 | 1099.12 | 20 | 708.61 | 88 | 0 | 97 | 185 |
| 9/1/2024 | 14 | 1099.12 | 20 | 708.17 | 88 | 0 | 97 | 185 |
| 9/1/2024 | 15 | 1099.12 | 20 | 708.10 | 87 | 0 | 96 | 184 |
| 9/1/2024 | 16 | 1099.12 | 20 | 707.70 | 87 | 0 | 96 | 183 |
| 9/1/2024 | 17 | 1099.12 | 20 | 707.74 | 87 | 0 | 95 | 182 |
| 9/1/2024 | 18 | 1099.12 | 20 | 707.82 | 87 | 0 | 96 | 183 |
| 9/1/2024 | 19 | 1099.13 | 20 | 707.68 | 88 | 0 | 96 | 183 |
| 9/1/2024 | 20 | 1099.13 | 20 | 707.63 | 87 | 0 | 95 | 183 |
| 9/1/2024 | 21 | 1099.12 | 20 | 707.16 | 87 | 0 | 95 | 182 |
| 9/1/2024 | 22 | 1099.13 | 20 | 706.96 | 87 | 0 | 95 | 182 |
| 9/1/2024 | 23 | 1099.13 | 20 | 706.92 | 87 | 0 | 95 | 182 |
| 9/1/2024 | 24 | 1099.13 | 20 | 706.37 | 87 | 0 | 94 | 181 |
| 9/2/2024 | 1 | 1099.13 | 20 | 706.20 | 87 | 0 | 94 | 181 |
| 9/2/2024 | 2 | 1099.13 | 20 | 706.10 | 87 | 0 | 94 | 181 |
| 9/2/2024 | 3 | 1099.13 | 20 | 706.37 | 87 | 0 | 95 | 182 |
| 9/2/2024 | 4 | 1099.13 | 20 | 706.57 | 87 | 0 | 95 | 182 |
| 9/2/2024 | 5 | 1099.12 | 20 | 706.83 | 87 | 0 | 95 | 183 |
| 9/2/2024 | 6 | 1099.13 | 80 | 707.26 | 88 | 0 | 96 | 183 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/2/2024 | 7 | 1099.14 | 1150 | 708.05 | 87 | 0 | 96 | 183 |
| 9/2/2024 | 8 | 1099.13 | 1150 | 707.96 | 87 | 0 | 96 | 183 |
| 9/2/2024 | 9 | 1099.13 | 1160 | 708.18 | 87 | 0 | 97 | 184 |
| 9/2/2024 | 10 | 1099.13 | 1160 | 708.41 | 87 | 0 | 97 | 184 |
| 9/2/2024 | 11 | 1099.14 | 1160 | 708.29 | 87 | 0 | 97 | 184 |
| 9/2/2024 | 12 | 1099.13 | 1150 | 708.16 | 87 | 0 | 97 | 185 |
| 9/2/2024 | 13 | 1099.13 | 1150 | 708.22 | 87 | 0 | 97 | 185 |
| 9/2/2024 | 14 | 1099.13 | 1150 | 708.18 | 88 | 0 | 96 | 183 |
| 9/2/2024 | 15 | 1099.14 | 1160 | 707.94 | 87 | 0 | 96 | 183 |
| 9/2/2024 | 16 | 1099.13 | 1150 | 707.79 | 87 | 0 | 96 | 183 |
| 9/2/2024 | 17 | 1099.12 | 1160 | 707.88 | 87 | 0 | 98 | 185 |
| 9/2/2024 | 18 | 1099.13 | 1160 | 707.81 | 87 | 0 | 98 | 186 |
| 9/2/2024 | 19 | 1099.14 | 1160 | 708.00 | 87 | 0 | 98 | 185 |
| 9/2/2024 | 20 | 1099.12 | 1150 | 707.75 | 87 | 0 | 97 | 184 |
| 9/2/2024 | 21 | 1099.12 | 1150 | 707.50 | 88 | 0 | 96 | 183 |
| 9/2/2024 | 22 | 1099.13 | 1150 | 707.45 | 87 | 0 | 96 | 183 |
| 9/2/2024 | 23 | 1099.13 | 40 | 706.42 | 87 | 0 | 94 | 181 |
| 9/2/2024 | 24 | 1099.15 | 20 | 705.86 | 87 | 0 | 94 | 181 |
| 9/3/2024 | 1 | 1099.14 | 20 | 705.85 | 87 | 0 | 93 | 181 |
| 9/3/2024 | 2 | 1099.14 | 20 | 705.99 | 87 | 0 | 93 | 181 |
| 9/3/2024 | 3 | 1099.14 | 20 | 706.32 | 87 | 0 | 93 | 180 |
| 9/3/2024 | 4 | 1099.15 | 20 | 706.57 | 87 | 0 | 94 | 181 |
| 9/3/2024 | 5 | 1099.15 | 20 | 706.83 | 87 | 0 | 94 | 182 |
| 9/3/2024 | 6 | 1099.14 | 130 | 707.32 | 87 | 0 | 95 | 183 |
| 9/3/2024 | 7 | 1099.15 | 1160 | 707.81 | 87 | 0 | 96 | 183 |
| 9/3/2024 | 8 | 1099.15 | 1160 | 708.10 | 87 | 0 | 96 | 183 |
| 9/3/2024 | 9 | 1099.15 | 1170 | 708.05 | 87 | 0 | 95 | 182 |
| 9/3/2024 | 10 | 1099.13 | 1170 | 708.31 | 86 | 0 | 96 | 182 |
| 9/3/2024 | 11 | 1099.13 | 1170 | 708.24 | 87 | 0 | 96 | 182 |
| 9/3/2024 | 12 | 1099.13 | 1170 | 708.28 | 87 | 0 | 96 | 183 |
| 9/3/2024 | 13 | 1099.13 | 1170 | 708.10 | 87 | 0 | 97 | 184 |
| 9/3/2024 | 14 | 1099.12 | 1180 | 708.06 | 87 | 0 | 97 | 184 |
| 9/3/2024 | 15 | 1099.12 | 1170 | 708.06 | 87 | 0 | 96 | 184 |
| 9/3/2024 | 16 | 1099.13 | 1170 | 708.17 | 87 | 0 | 96 | 184 |
| 9/3/2024 | 17 | 1099.12 | 1170 | 708.22 | 87 | 0 | 96 | 184 |
| 9/3/2024 | 18 | 1099.12 | 1180 | 708.19 | 87 | 0 | 96 | 183 |
| 9/3/2024 | 19 | 1099.12 | 1170 | 708.49 | 87 | 0 | 97 | 184 |
| 9/3/2024 | 20 | 1099.12 | 1170 | 708.10 | 87 | 0 | 97 | 184 |
| 9/3/2024 | 21 | 1099.13 | 1160 | 707.77 | 87 | 0 | 96 | 183 |
| 9/3/2024 | 22 | 1099.13 | 1160 | 707.84 | 87 | 0 | 96 | 183 |
| 9/3/2024 | 23 | 1099.12 | 150 | 707.08 | 88 | 0 | 95 | 183 |
| 9/3/2024 | 24 | 1099.13 | 20 | 706.41 | 87 | 0 | 94 | 182 |
| 9/4/2024 | 1 | 1099.12 | 20 | 706.67 | 87 | 0 | 95 | 182 |
| 9/4/2024 | 2 | 1099.12 | 20 | 706.80 | 88 | 0 | 95 | 183 |
| 9/4/2024 | 3 | 1099.12 | 20 | 707.06 | 88 | 0 | 95 | 183 |
| 9/4/2024 | 4 | 1099.11 | 20 | 707.22 | 87 | 0 | 95 | 183 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/4/2024 | 5 | 1099.12 | 20 | 707.32 | 87 | 0 | 96 | 183 |
| 9/4/2024 | 6 | 1099.12 | 90 | 707.68 | 87 | 0 | 97 | 184 |
| 9/4/2024 | 7 | 1099.12 | 1160 | 708.01 | 87 | 0 | 96 | 183 |
| 9/4/2024 | 8 | 1099.11 | 1160 | 707.79 | 87 | 0 | 96 | 183 |
| 9/4/2024 | 9 | 1099.11 | 1160 | 707.67 | 87 | 0 | 96 | 183 |
| 9/4/2024 | 10 | 1099.11 | 1160 | 707.80 | 87 | 0 | 96 | 183 |
| 9/4/2024 | 11 | 1099.11 | 1170 | 707.89 | 87 | 0 | 96 | 183 |
| 9/4/2024 | 12 | 1099.10 | 1170 | 707.88 | 87 | 0 | 96 | 183 |
| 9/4/2024 | 13 | 1099.10 | 1170 | 707.83 | 87 | 0 | 97 | 184 |
| 9/4/2024 | 14 | 1099.10 | 1170 | 707.77 | 87 | 0 | 98 | 185 |
| 9/4/2024 | 15 | 1099.10 | 1170 | 707.67 | 87 | 0 | 97 | 184 |
| 9/4/2024 | 16 | 1099.10 | 1170 | 707.63 | 87 | 0 | 97 | 184 |
| 9/4/2024 | 17 | 1099.09 | 1180 | 707.69 | 87 | 0 | 97 | 184 |
| 9/4/2024 | 18 | 1099.08 | 1180 | 707.95 | 87 | 0 | 97 | 184 |
| 9/4/2024 | 19 | 1099.08 | 1170 | 707.73 | 87 | 0 | 96 | 184 |
| 9/4/2024 | 20 | 1099.09 | 1160 | 707.57 | 87 | 0 | 96 | 183 |
| 9/4/2024 | 21 | 1099.09 | 1160 | 707.34 | 87 | 0 | 96 | 184 |
| 9/4/2024 | 22 | 1099.10 | 1160 | 707.55 | 87 | 0 | 96 | 183 |
| 9/4/2024 | 23 | 1099.10 | 260 | 706.77 | 87 | 0 | 94 | 182 |
| 9/4/2024 | 24 | 1099.10 | 20 | 706.78 | 88 | 0 | 94 | 182 |
| 9/5/2024 | 1 | 1099.10 | 20 | 706.92 | 87 | 0 | 95 | 182 |
| 9/5/2024 | 2 | 1099.09 | 20 | 707.19 | 88 | 0 | 95 | 182 |
| 9/5/2024 | 3 | 1099.07 | 20 | 707.37 | 88 | 0 | 95 | 183 |
| 9/5/2024 | 4 | 1099.09 | 20 | 707.20 | 87 | 0 | 96 | 183 |
| 9/5/2024 | 5 | 1099.09 | 20 | 707.84 | 87 | 0 | 96 | 183 |
| 9/5/2024 | 6 | 1099.07 | 270 | 707.97 | 87 | 0 | 96 | 183 |
| 9/5/2024 | 7 | 1099.04 | 2330 | 708.60 | 87 | 0 | 97 | 183 |
| 9/5/2024 | 8 | 1099.03 | 2320 | 708.55 | 87 | 0 | 97 | 184 |
| 9/5/2024 | 9 | 1099.03 | 2340 | 708.56 | 87 | 0 | 97 | 184 |
| 9/5/2024 | 10 | 1099.03 | 2330 | 708.59 | 88 | 0 | 97 | 185 |
| 9/5/2024 | 11 | 1099.01 | 2330 | 708.58 | 87 | 0 | 98 | 184 |
| 9/5/2024 | 12 | 1099.02 | 2330 | 708.65 | 161 | 0 | 98 | 259 |
| 9/5/2024 | 13 | 1099.02 | 2360 | 708.72 | 184 | 0 | 98 | 282 |
| 9/5/2024 | 14 | 1099.02 | 2340 | 708.84 | 168 | 0 | 8 | 176 |
| 9/5/2024 | 15 | 1099.01 | 2360 | 708.88 | 152 | 0 | 0 | 152 |
| 9/5/2024 | 16 | 1099.00 | 2360 | 709.05 | 136 | 0 | 0 | 136 |
| 9/5/2024 | 17 | 1099.01 | 2350 | 709.22 | 121 | 0 | 0 | 121 |
| 9/5/2024 | 18 | 1099.01 | 2360 | 708.99 | 105 | 0 | 0 | 105 |
| 9/5/2024 | 19 | 1099.00 | 2340 | 708.81 | 92 | 0 | 0 | 92 |
| 9/5/2024 | 20 | 1099.00 | 2320 | 708.63 | 88 | 0 | 0 | 88 |
| 9/5/2024 | 21 | 1099.00 | 2320 | 708.55 | 87 | 0 | 0 | 87 |
| 9/5/2024 | 22 | 1099.00 | 2300 | 708.46 | 87 | 0 | 0 | 87 |
| 9/5/2024 | 23 | 1099.00 | 210 | 706.83 | 88 | 0 | 0 | 88 |
| 9/5/2024 | 24 | 1099.00 | 20 | 707.23 | 88 | 0 | 0 | 88 |
| 9/6/2024 | 1 | 1099.00 | 20 | 707.28 | 88 | 0 | 0 | 88 |
| 9/6/2024 | 2 | 1099.01 | 20 | 707.97 | 88 | 0 | 0 | 88 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/6/2024 | 3 | 1099.01 | 20 | 708.18 | 88 | 0 | 0 | 88 |
| 9/6/2024 | 4 | 1099.00 | 20 | 708.10 | 88 | 0 | 0 | 88 |
| 9/6/2024 | 5 | 1099.00 | 20 | 708.24 | 88 | 0 | 0 | 88 |
| 9/6/2024 | 6 | 1099.00 | 180 | 708.27 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 7 | 1099.00 | 2330 | 708.91 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 8 | 1099.00 | 2330 | 708.92 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 9 | 1099.00 | 2350 | 708.81 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 10 | 1099.00 | 2340 | 708.69 | 88 | 0 | 0 | 88 |
| 9/6/2024 | 11 | 1099.00 | 2330 | 708.68 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 12 | 1098.99 | 2350 | 708.78 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 13 | 1098.99 | 2340 | 708.83 | 88 | 0 | 0 | 88 |
| 9/6/2024 | 14 | 1098.98 | 2350 | 709.01 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 15 | 1098.99 | 2360 | 709.52 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 16 | 1098.98 | 2330 | 709.77 | 88 | 0 | 0 | 88 |
| 9/6/2024 | 17 | 1098.97 | 2360 | 709.67 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 18 | 1098.97 | 2360 | 709.44 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 19 | 1098.97 | 2320 | 709.63 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 20 | 1098.97 | 2310 | 709.56 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 21 | 1098.97 | 2330 | 709.28 | 87 | 0 | 0 | 87 |
| 9/6/2024 | 22 | 1098.97 | 2170 | 709.16 | 88 | 0 | 0 | 88 |
| 9/6/2024 | 23 | 1098.96 | 60 | 709.09 | 88 | 0 | 0 | 88 |
| 9/6/2024 | 24 | 1098.97 | 20 | 708.90 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 1 | 1098.97 | 20 | 709.20 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 2 | 1098.97 | 20 | 709.05 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 3 | 1098.95 | 20 | 708.73 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 4 | 1098.93 | 20 | 707.95 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 5 | 1098.94 | 20 | 707.77 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 6 | 1098.93 | 40 | 707.90 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 7 | 1098.93 | 2150 | 708.50 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 8 | 1098.91 | 2310 | 708.51 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 9 | 1098.90 | 2340 | 708.57 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 10 | 1098.90 | 2340 | 708.56 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 11 | 1098.90 | 2350 | 708.54 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 12 | 1098.88 | 2340 | 708.52 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 13 | 1098.89 | 2340 | 708.58 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 14 | 1098.88 | 2330 | 708.59 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 15 | 1098.88 | 2330 | 708.62 | 88 | 0 | 0 | 88 |
| 9/7/2024 | 16 | 1098.88 | 2340 | 709.03 | 88 | 0 | 0 | 88 |
| 9/7/2024 | 17 | 1098.88 | 2350 | 709.27 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 18 | 1098.87 | 2350 | 709.79 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 19 | 1098.87 | 2330 | 709.65 | 88 | 0 | 0 | 88 |
| 9/7/2024 | 20 | 1098.88 | 2320 | 709.40 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 21 | 1098.88 | 2330 | 709.28 | 88 | 0 | 0 | 88 |
| 9/7/2024 | 22 | 1098.87 | 2340 | 709.36 | 87 | 0 | 0 | 87 |
| 9/7/2024 | 23 | 1098.87 | 170 | 708.48 | 88 | 0 | 0 | 88 |
| 9/7/2024 | 24 | 1098.87 | 20 | 708.19 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/8/2024 | 1 | 1098.87 | 20 | 707.79 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 2 | 1098.87 | 20 | 707.35 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 3 | 1098.87 | 20 | 707.15 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 4 | 1098.87 | 20 | 707.09 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 5 | 1098.87 | 20 | 707.33 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 6 | 1098.87 | 20 | 707.54 | 88 | 0 | 0 | 88 |
| 9/8/2024 | 7 | 1098.87 | 20 | 707.58 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 8 | 1098.87 | 20 | 707.73 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 9 | 1098.87 | 20 | 708.01 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 10 | 1098.87 | 20 | 708.25 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 11 | 1098.87 | 20 | 708.28 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 12 | 1098.87 | 20 | 708.54 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 13 | 1098.88 | 20 | 708.64 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 14 | 1098.88 | 20 | 708.69 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 15 | 1098.88 | 20 | 708.41 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 16 | 1098.88 | 20 | 708.47 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 17 | 1098.88 | 20 | 708.02 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 18 | 1098.88 | 20 | 707.87 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 19 | 1098.88 | 20 | 707.57 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 20 | 1098.88 | 20 | 707.20 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 21 | 1098.89 | 20 | 706.63 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 22 | 1098.89 | 20 | 706.55 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 23 | 1098.90 | 20 | 706.64 | 87 | 0 | 0 | 87 |
| 9/8/2024 | 24 | 1098.90 | 20 | 706.90 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 1 | 1098.90 | 20 | 706.92 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 2 | 1098.91 | 20 | 707.24 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 3 | 1098.90 | 20 | 707.33 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 4 | 1098.90 | 20 | 707.30 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 5 | 1098.89 | 20 | 707.25 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 6 | 1098.90 | 100 | 707.33 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 7 | 1098.90 | 2290 | 708.56 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 8 | 1098.89 | 2300 | 708.77 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 9 | 1098.88 | 2340 | 708.77 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 10 | 1098.88 | 2330 | 708.94 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 11 | 1098.88 | 2330 | 709.04 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 12 | 1098.88 | 2330 | 709.22 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 13 | 1098.88 | 2330 | 709.08 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 14 | 1098.88 | 2340 | 709.04 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 15 | 1098.88 | 2340 | 709.08 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 16 | 1098.89 | 2350 | 708.94 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 17 | 1098.88 | 2370 | 709.00 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 18 | 1098.88 | 2360 | 709.08 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 19 | 1098.88 | 2350 | 709.13 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 20 | 1098.88 | 2330 | 709.08 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 21 | 1098.87 | 2320 | 709.00 | 87 | 0 | 0 | 87 |
| 9/9/2024 | 22 | 1098.88 | 2320 | 708.89 | 88 | 0 | 0 | 88 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/9/2024 | 23 | 1098.87 | 220 | 707.62 | 88 | 0 | 0 | 88 |
| 9/9/2024 | 24 | 1098.87 | 20 | 706.90 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 1 | 1098.87 | 20 | 706.33 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 2 | 1098.86 | 20 | 706.61 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 3 | 1098.87 | 20 | 706.71 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 4 | 1098.87 | 20 | 706.76 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 5 | 1098.87 | 20 | 706.69 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 6 | 1098.87 | 210 | 706.87 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 7 | 1098.86 | 2320 | 708.46 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 8 | 1098.85 | 2330 | 708.50 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 9 | 1098.81 | 2320 | 708.47 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 10 | 1098.80 | 2350 | 708.49 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 11 | 1098.80 | 2340 | 708.50 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 12 | 1098.78 | 2340 | 708.49 | 88 | 0 | 0 | 88 |
| 9/10/2024 | 13 | 1098.78 | 2320 | 708.50 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 14 | 1098.78 | 2330 | 708.50 | 88 | 0 | 0 | 88 |
| 9/10/2024 | 15 | 1098.78 | 2350 | 708.58 | 88 | 0 | 0 | 88 |
| 9/10/2024 | 16 | 1098.76 | 2340 | 708.78 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 17 | 1098.76 | 2350 | 708.92 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 18 | 1098.76 | 2360 | 709.26 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 19 | 1098.76 | 2320 | 709.19 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 20 | 1098.75 | 2340 | 709.07 | 88 | 0 | 0 | 88 |
| 9/10/2024 | 21 | 1098.75 | 2320 | 708.82 | 87 | 0 | 0 | 87 |
| 9/10/2024 | 22 | 1098.75 | 2260 | 708.58 | 88 | 0 | 0 | 88 |
| 9/10/2024 | 23 | 1098.76 | 100 | 706.66 | 88 | 0 | 0 | 88 |
| 9/10/2024 | 24 | 1098.75 | 20 | 705.68 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 1 | 1098.76 | 20 | 705.83 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 2 | 1098.76 | 20 | 706.10 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 3 | 1098.78 | 20 | 706.07 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 4 | 1098.76 | 20 | 706.10 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 5 | 1098.76 | 20 | 706.50 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 6 | 1098.76 | 140 | 706.73 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 7 | 1098.77 | 1160 | 707.57 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 8 | 1098.75 | 1150 | 707.72 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 9 | 1098.75 | 1150 | 707.73 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 10 | 1098.75 | 1150 | 707.93 | 88 | 0 | 0 | 88 |
| 9/11/2024 | 11 | 1098.75 | 1160 | 707.89 | 88 | 0 | 0 | 88 |
| 9/11/2024 | 12 | 1098.74 | 1150 | 707.84 | 88 | 0 | 0 | 88 |
| 9/11/2024 | 13 | 1098.74 | 1150 | 707.82 | 88 | 0 | 0 | 88 |
| 9/11/2024 | 14 | 1098.74 | 1160 | 707.84 | 88 | 0 | 0 | 88 |
| 9/11/2024 | 15 | 1098.76 | 1160 | 707.94 | 88 | 0 | 0 | 88 |
| 9/11/2024 | 16 | 1098.76 | 1150 | 708.00 | 88 | 0 | 0 | 88 |
| 9/11/2024 | 17 | 1098.75 | 1160 | 708.12 | 88 | 0 | 0 | 88 |
| 9/11/2024 | 18 | 1098.75 | 1160 | 708.18 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 19 | 1098.74 | 1160 | 707.98 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 20 | 1098.74 | 1160 | 707.89 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/11/2024 | 21 | 1098.74 | 1160 | 707.72 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 22 | 1098.74 | 1150 | 707.46 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 23 | 1098.74 | 40 | 706.06 | 87 | 0 | 0 | 87 |
| 9/11/2024 | 24 | 1098.75 | 20 | 706.21 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 1 | 1098.75 | 20 | 706.16 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 2 | 1098.74 | 20 | 705.80 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 3 | 1098.75 | 20 | 705.80 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 4 | 1098.75 | 20 | 706.12 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 5 | 1098.74 | 20 | 706.19 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 6 | 1098.74 | 70 | 706.08 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 7 | 1098.74 | 1170 | 707.33 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 8 | 1098.74 | 1160 | 707.51 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 9 | 1098.74 | 1160 | 707.37 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 10 | 1098.73 | 1170 | 707.39 | 88 | 0 | 0 | 88 |
| 9/12/2024 | 11 | 1098.74 | 1160 | 707.55 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 12 | 1098.75 | 1170 | 707.49 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 13 | 1098.75 | 1170 | 707.50 | 88 | 0 | 0 | 88 |
| 9/12/2024 | 14 | 1098.75 | 1170 | 707.63 | 88 | 0 | 0 | 88 |
| 9/12/2024 | 15 | 1098.75 | 1170 | 707.75 | 88 | 0 | 0 | 88 |
| 9/12/2024 | 16 | 1098.75 | 1160 | 707.65 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 17 | 1098.75 | 1170 | 707.68 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 18 | 1098.75 | 1180 | 707.75 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 19 | 1098.75 | 1160 | 707.72 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 20 | 1098.74 | 1160 | 707.59 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 21 | 1098.75 | 1160 | 707.57 | 87 | 0 | 0 | 87 |
| 9/12/2024 | 22 | 1098.75 | 1160 | 707.43 | 88 | 0 | 0 | 88 |
| 9/12/2024 | 23 | 1098.75 | 20 | 705.99 | 88 | 0 | 0 | 88 |
| 9/12/2024 | 24 | 1098.74 | 20 | 705.97 | 88 | 0 | 0 | 88 |
| 9/13/2024 | 1 | 1098.74 | 20 | 706.41 | 88 | 0 | 0 | 88 |
| 9/13/2024 | 2 | 1098.75 | 20 | 706.07 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 3 | 1098.74 | 20 | 705.85 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 4 | 1098.74 | 20 | 706.32 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 5 | 1098.73 | 20 | 706.50 | 88 | 0 | 0 | 88 |
| 9/13/2024 | 6 | 1098.74 | 150 | 706.30 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 7 | 1098.73 | 2300 | 708.34 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 8 | 1098.73 | 2330 | 708.51 | 88 | 0 | 0 | 88 |
| 9/13/2024 | 9 | 1098.70 | 2330 | 708.48 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 10 | 1098.68 | 2330 | 708.50 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 11 | 1098.65 | 2330 | 708.55 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 12 | 1098.63 | 2330 | 708.61 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 13 | 1098.63 | 2340 | 708.66 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 14 | 1098.63 | 2340 | 708.79 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 15 | 1098.63 | 2340 | 708.98 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 16 | 1098.62 | 2330 | 709.09 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 17 | 1098.62 | 2340 | 709.06 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 18 | 1098.63 | 2370 | 709.11 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/13/2024 | 19 | 1098.63 | 2310 | 709.27 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 20 | 1098.62 | 2320 | 709.17 | 88 | 0 | 0 | 88 |
| 9/13/2024 | 21 | 1098.61 | 2320 | 709.02 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 22 | 1098.61 | 2310 | 708.87 | 87 | 0 | 0 | 87 |
| 9/13/2024 | 23 | 1098.61 | 620 | 708.13 | 88 | 0 | 0 | 88 |
| 9/13/2024 | 24 | 1098.61 | 20 | 707.68 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 1 | 1098.60 | 20 | 707.39 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 2 | 1098.60 | 20 | 706.98 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 3 | 1098.60 | 20 | 706.99 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 4 | 1098.61 | 20 | 706.80 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 5 | 1098.60 | 20 | 706.98 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 6 | 1098.60 | 90 | 707.06 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 7 | 1098.61 | 2230 | 708.37 | 86 | 0 | 0 | 86 |
| 9/14/2024 | 8 | 1098.60 | 2290 | 708.46 | 88 | 0 | 0 | 88 |
| 9/14/2024 | 9 | 1098.61 | 2320 | 708.50 | 88 | 0 | 0 | 88 |
| 9/14/2024 | 10 | 1098.59 | 2320 | 708.52 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 11 | 1098.58 | 2310 | 708.56 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 12 | 1098.54 | 2330 | 708.53 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 13 | 1098.55 | 2350 | 708.54 | 88 | 0 | 0 | 88 |
| 9/14/2024 | 14 | 1098.55 | 2340 | 708.50 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 15 | 1098.51 | 2330 | 708.51 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 16 | 1098.52 | 2350 | 708.52 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 17 | 1098.53 | 2350 | 708.49 | 88 | 0 | 0 | 88 |
| 9/14/2024 | 18 | 1098.52 | 2370 | 708.50 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 19 | 1098.51 | 2330 | 708.49 | 88 | 0 | 0 | 88 |
| 9/14/2024 | 20 | 1098.51 | 2300 | 708.45 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 21 | 1098.53 | 2330 | 708.48 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 22 | 1098.52 | 2330 | 708.47 | 87 | 0 | 0 | 87 |
| 9/14/2024 | 23 | 1098.51 | 130 | 706.98 | 88 | 0 | 0 | 88 |
| 9/14/2024 | 24 | 1098.52 | 20 | 706.80 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 1 | 1098.52 | 20 | 706.97 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 2 | 1098.52 | 20 | 706.57 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 3 | 1098.51 | 20 | 706.55 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 4 | 1098.51 | 20 | 706.49 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 5 | 1098.51 | 20 | 706.36 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 6 | 1098.50 | 20 | 706.18 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 7 | 1098.51 | 20 | 706.54 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 8 | 1098.51 | 20 | 706.50 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 9 | 1098.51 | 20 | 706.57 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 10 | 1098.50 | 20 | 706.61 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 11 | 1098.51 | 20 | 706.76 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 12 | 1098.50 | 20 | 706.63 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 13 | 1098.50 | 20 | 706.65 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 14 | 1098.50 | 20 | 706.65 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 15 | 1098.50 | 20 | 706.64 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 16 | 1098.50 | 20 | 706.53 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/15/2024 | 17 | 1098.50 | 20 | 706.43 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 18 | 1098.50 | 20 | 706.57 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 19 | 1098.50 | 20 | 707.10 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 20 | 1098.51 | 20 | 707.03 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 21 | 1098.52 | 20 | 707.29 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 22 | 1098.51 | 20 | 707.66 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 23 | 1098.52 | 20 | 707.66 | 87 | 0 | 0 | 87 |
| 9/15/2024 | 24 | 1098.51 | 20 | 707.28 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 1 | 1098.51 | 20 | 707.22 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 2 | 1098.51 | 20 | 707.86 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 3 | 1098.50 | 20 | 708.01 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 4 | 1098.52 | 20 | 708.29 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 5 | 1098.51 | 20 | 708.16 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 6 | 1098.50 | 300 | 708.32 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 7 | 1098.50 | 2340 | 708.93 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 8 | 1098.51 | 2340 | 708.93 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 9 | 1098.50 | 2340 | 708.72 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 10 | 1098.49 | 2340 | 708.87 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 11 | 1098.48 | 2360 | 708.79 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 12 | 1098.46 | 2310 | 708.66 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 13 | 1098.49 | 2330 | 708.56 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 14 | 1098.46 | 2330 | 708.56 | 88 | 0 | 0 | 88 |
| 9/16/2024 | 15 | 1098.47 | 2320 | 708.54 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 16 | 1098.44 | 2330 | 708.54 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 17 | 1098.41 | 2340 | 708.53 | 88 | 0 | 0 | 88 |
| 9/16/2024 | 18 | 1098.44 | 2350 | 708.51 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 19 | 1098.47 | 2330 | 708.50 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 20 | 1098.44 | 2320 | 708.48 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 21 | 1098.43 | 2320 | 708.48 | 88 | 0 | 0 | 88 |
| 9/16/2024 | 22 | 1098.43 | 2140 | 708.39 | 87 | 0 | 0 | 87 |
| 9/16/2024 | 23 | 1098.43 | 20 | 706.75 | 88 | 0 | 0 | 88 |
| 9/16/2024 | 24 | 1098.43 | 20 | 706.57 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 1 | 1098.41 | 20 | 706.60 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 2 | 1098.41 | 10 | 706.84 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 3 | 1098.40 | 10 | 706.41 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 4 | 1098.39 | 10 | 706.47 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 5 | 1098.40 | 20 | 706.74 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 6 | 1098.40 | 220 | 706.79 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 7 | 1098.40 | 2340 | 708.46 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 8 | 1098.39 | 2320 | 708.53 | 88 | 0 | 0 | 88 |
| 9/17/2024 | 9 | 1098.40 | 2320 | 708.49 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 10 | 1098.39 | 2330 | 708.55 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 11 | 1098.38 | 2320 | 708.57 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 12 | 1098.38 | 2310 | 708.52 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 13 | 1098.38 | 2320 | 708.51 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 14 | 1098.38 | 2330 | 708.55 | 88 | 0 | 0 | 88 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/17/2024 | 15 | 1098.37 | 2320 | 708.53 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 16 | 1098.37 | 2330 | 708.51 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 17 | 1098.38 | 2340 | 708.52 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 18 | 1098.38 | 2370 | 708.54 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 19 | 1098.38 | 2320 | 708.57 | 88 | 0 | 0 | 88 |
| 9/17/2024 | 20 | 1098.38 | 2320 | 708.63 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 21 | 1098.38 | 2340 | 708.65 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 22 | 1098.39 | 2320 | 708.65 | 87 | 0 | 0 | 87 |
| 9/17/2024 | 23 | 1098.38 | 190 | 707.53 | 88 | 0 | 0 | 88 |
| 9/17/2024 | 24 | 1098.37 | 20 | 707.04 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 1 | 1098.38 | 20 | 707.08 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 2 | 1098.38 | 20 | 706.97 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 3 | 1098.39 | 20 | 706.82 | 88 | 0 | 0 | 88 |
| 9/18/2024 | 4 | 1098.38 | 20 | 706.92 | 88 | 0 | 0 | 88 |
| 9/18/2024 | 5 | 1098.38 | 20 | 707.01 | 88 | 0 | 0 | 88 |
| 9/18/2024 | 6 | 1098.38 | 160 | 707.06 | 88 | 0 | 0 | 88 |
| 9/18/2024 | 7 | 1098.38 | 2330 | 708.61 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 8 | 1098.37 | 2320 | 708.62 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 9 | 1098.37 | 2310 | 708.75 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 10 | 1098.38 | 2330 | 708.87 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 11 | 1098.37 | 2370 | 708.83 | 86 | 0 | 0 | 86 |
| 9/18/2024 | 12 | 1098.35 | 2320 | 709.03 | 86 | 0 | 0 | 86 |
| 9/18/2024 | 13 | 1098.34 | 2340 | 709.03 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 14 | 1098.33 | 2350 | 709.23 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 15 | 1098.33 | 2340 | 709.37 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 16 | 1098.33 | 2340 | 709.49 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 17 | 1098.30 | 2350 | 709.13 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 18 | 1098.31 | 2360 | 708.84 | 88 | 0 | 0 | 88 |
| 9/18/2024 | 19 | 1098.29 | 2330 | 708.75 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 20 | 1098.33 | 2330 | 708.55 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 21 | 1098.31 | 2330 | 708.51 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 22 | 1098.29 | 2320 | 708.48 | 87 | 0 | 0 | 87 |
| 9/18/2024 | 23 | 1098.28 | 160 | 706.48 | 88 | 0 | 0 | 88 |
| 9/18/2024 | 24 | 1098.29 | 20 | 706.00 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 1 | 1098.31 | 20 | 706.37 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 2 | 1098.28 | 20 | 706.72 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 3 | 1098.28 | 20 | 706.26 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 4 | 1098.30 | 20 | 706.82 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 5 | 1098.27 | 20 | 706.79 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 6 | 1098.27 | 250 | 706.60 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 7 | 1098.27 | 2320 | 708.43 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 8 | 1098.26 | 2330 | 708.55 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 9 | 1098.25 | 2330 | 708.52 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 10 | 1098.26 | 2330 | 708.57 | 88 | 0 | 0 | 88 |
| 9/19/2024 | 11 | 1098.25 | 2330 | 708.60 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 12 | 1098.23 | 2330 | 708.57 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/19/2024 | 13 | 1098.22 | 2320 | 708.56 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 14 | 1098.23 | 2330 | 708.59 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 15 | 1098.23 | 2340 | 708.57 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 16 | 1098.23 | 2340 | 708.56 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 17 | 1098.22 | 2340 | 708.56 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 18 | 1098.22 | 2360 | 708.56 | 88 | 0 | 0 | 88 |
| 9/19/2024 | 19 | 1098.23 | 2330 | 708.67 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 20 | 1098.24 | 2330 | 708.63 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 21 | 1098.22 | 2310 | 708.52 | 88 | 0 | 0 | 88 |
| 9/19/2024 | 22 | 1098.21 | 2310 | 708.50 | 87 | 0 | 0 | 87 |
| 9/19/2024 | 23 | 1098.23 | 560 | 707.11 | 88 | 0 | 0 | 88 |
| 9/19/2024 | 24 | 1098.22 | 20 | 705.93 | 88 | 0 | 0 | 88 |
| 9/20/2024 | 1 | 1098.22 | 20 | 706.46 | 88 | 0 | 0 | 88 |
| 9/20/2024 | 2 | 1098.22 | 20 | 706.64 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 3 | 1098.20 | 20 | 706.36 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 4 | 1098.19 | 20 | 706.46 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 5 | 1098.16 | 20 | 706.80 | 88 | 0 | 0 | 88 |
| 9/20/2024 | 6 | 1098.17 | 20 | 706.90 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 7 | 1098.14 | 2070 | 708.25 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 8 | 1098.16 | 2320 | 708.52 | 88 | 0 | 0 | 88 |
| 9/20/2024 | 9 | 1098.15 | 2330 | 708.57 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 10 | 1098.13 | 2350 | 708.59 | 88 | 0 | 0 | 88 |
| 9/20/2024 | 11 | 1098.12 | 2330 | 708.62 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 12 | 1098.13 | 2330 | 708.57 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 13 | 1098.13 | 2330 | 708.61 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 14 | 1098.12 | 2340 | 708.63 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 15 | 1098.11 | 2350 | 708.58 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 16 | 1098.11 | 2340 | 708.53 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 17 | 1098.12 | 2350 | 708.56 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 18 | 1098.11 | 2370 | 708.57 | 88 | 0 | 0 | 88 |
| 9/20/2024 | 19 | 1098.11 | 2320 | 708.50 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 20 | 1098.10 | 2310 | 708.51 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 21 | 1098.11 | 2330 | 708.49 | 87 | 0 | 0 | 87 |
| 9/20/2024 | 22 | 1098.11 | 2240 | 708.45 | 88 | 0 | 0 | 88 |
| 9/20/2024 | 23 | 1098.11 | 20 | 706.66 | 88 | 0 | 0 | 88 |
| 9/20/2024 | 24 | 1098.10 | 10 | 706.87 | 87 | 0 | 0 | 87 |
| 9/21/2024 | 1 | 1098.09 | 10 | 706.90 | 87 | 0 | 0 | 87 |
| 9/21/2024 | 2 | 1098.08 | 10 | 707.21 | 87 | 0 | 0 | 87 |
| 9/21/2024 | 3 | 1098.08 | 10 | 707.17 | 87 | 0 | 0 | 87 |
| 9/21/2024 | 4 | 1098.09 | 10 | 707.41 | 87 | 0 | 0 | 87 |
| 9/21/2024 | 5 | 1098.07 | 10 | 707.51 | 87 | 0 | 0 | 87 |
| 9/21/2024 | 6 | 1098.04 | 320 | 707.94 | 87 | 0 | 0 | 87 |
| 9/21/2024 | 7 | 1098.04 | 2330 | 708.79 | 87 | 0 | 0 | 87 |
| 9/21/2024 | 8 | 1098.03 | 2310 | 708.63 | 87 | 0 | 0 | 87 |
| 9/21/2024 | 9 | 1098.01 | 2320 | 708.58 | 87 | 0 | 0 | 87 |
| 9/21/2024 | 10 | 1098.02 | 2350 | 708.57 | 87 | 0 | 0 | 87 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/21/2024 | 11 | 1098.03 | 2340 | 708.59 | 343 | 0 | 0 | 343 |
| 9/21/2024 | 12 | 1098.01 | 2330 | 708.57 | 375 | 0 | 0 | 375 |
| 9/21/2024 | 13 | 1098.01 | 2340 | 708.62 | 375 | 0 | 0 | 375 |
| 9/21/2024 | 14 | 1098.00 | 2350 | 708.68 | 375 | 0 | 0 | 375 |
| 9/21/2024 | 15 | 1098.00 | 2330 | 708.66 | 375 | 0 | 0 | 375 |
| 9/21/2024 | 16 | 1098.00 | 2340 | 708.64 | 375 | 0 | 0 | 375 |
| 9/21/2024 | 17 | 1098.00 | 2360 | 708.68 | 362 | 0 | 0 | 362 |
| 9/21/2024 | 18 | 1097.99 | 2360 | 708.69 | 341 | 0 | 0 | 341 |
| 9/21/2024 | 19 | 1098.00 | 2350 | 708.68 | 323 | 0 | 0 | 323 |
| 9/21/2024 | 20 | 1098.00 | 2340 | 708.65 | 315 | 0 | 0 | 315 |
| 9/21/2024 | 21 | 1097.98 | 2340 | 708.62 | 315 | 0 | 0 | 315 |
| 9/21/2024 | 22 | 1097.98 | 2260 | 708.59 | 315 | 0 | 0 | 315 |
| 9/21/2024 | 23 | 1097.97 | 30 | 706.70 | 315 | 0 | 0 | 315 |
| 9/21/2024 | 24 | 1097.99 | 10 | 706.81 | 315 | 0 | 0 | 315 |
| 9/22/2024 | 1 | 1097.97 | 10 | 707.18 | 315 | 0 | 0 | 315 |
| 9/22/2024 | 2 | 1097.97 | 10 | 706.87 | 315 | 0 | 0 | 315 |
| 9/22/2024 | 3 | 1097.97 | 10 | 706.81 | 315 | 0 | 0 | 315 |
| 9/22/2024 | 4 | 1097.96 | 10 | 707.08 | 315 | 0 | 0 | 315 |
| 9/22/2024 | 5 | 1097.95 | 10 | 706.91 | 315 | 0 | 0 | 315 |
| 9/22/2024 | 6 | 1097.93 | 10 | 706.69 | 315 | 0 | 0 | 315 |
| 9/22/2024 | 7 | 1097.94 | 10 | 706.84 | 315 | 0 | 0 | 315 |
| 9/22/2024 | 8 | 1097.92 | 10 | 706.74 | 310 | 0 | 0 | 310 |
| 9/22/2024 | 9 | 1097.92 | 10 | 706.76 | 290 | 0 | 0 | 290 |
| 9/22/2024 | 10 | 1097.94 | 10 | 707.04 | 270 | 0 | 0 | 270 |
| 9/22/2024 | 11 | 1097.93 | 10 | 707.02 | 390 | 0 | 0 | 390 |
| 9/22/2024 | 12 | 1097.94 | 10 | 707.03 | 401 | 0 | 0 | 401 |
| 9/22/2024 | 13 | 1097.94 | 10 | 707.10 | 400 | 0 | 0 | 400 |
| 9/22/2024 | 14 | 1097.94 | 10 | 707.11 | 400 | 0 | 0 | 400 |
| 9/22/2024 | 15 | 1097.94 | 10 | 707.08 | 398 | 0 | 0 | 398 |
| 9/22/2024 | 16 | 1097.96 | 10 | 707.12 | 378 | 0 | 0 | 378 |
| 9/22/2024 | 17 | 1097.97 | 10 | 707.34 | 358 | 0 | 0 | 358 |
| 9/22/2024 | 18 | 1097.97 | 10 | 707.61 | 337 | 0 | 0 | 337 |
| 9/22/2024 | 19 | 1097.97 | 10 | 708.04 | 318 | 0 | 0 | 318 |
| 9/22/2024 | 20 | 1097.97 | 10 | 707.75 | 301 | 0 | 0 | 301 |
| 9/22/2024 | 21 | 1097.98 | 10 | 708.20 | 300 | 0 | 0 | 300 |
| 9/22/2024 | 22 | 1097.98 | 20 | 708.37 | 300 | 0 | 0 | 300 |
| 9/22/2024 | 23 | 1097.99 | 20 | 708.06 | 301 | 0 | 0 | 301 |
| 9/22/2024 | 24 | 1097.99 | 20 | 707.82 | 300 | 0 | 0 | 300 |
| 9/23/2024 | 1 | 1097.99 | 20 | 707.40 | 301 | 0 | 0 | 301 |
| 9/23/2024 | 2 | 1097.98 | 20 | 707.04 | 300 | 0 | 0 | 300 |
| 9/23/2024 | 3 | 1097.98 | 10 | 707.17 | 300 | 0 | 0 | 300 |
| 9/23/2024 | 4 | 1097.98 | 10 | 707.57 | 301 | 0 | 0 | 301 |
| 9/23/2024 | 5 | 1097.98 | 20 | 707.51 | 300 | 0 | 0 | 300 |
| 9/23/2024 | 6 | 1097.97 | 150 | 707.69 | 300 | 0 | 0 | 300 |
| 9/23/2024 | 7 | 1097.96 | 2350 | 708.92 | 298 | 0 | 0 | 298 |
| 9/23/2024 | 8 | 1097.96 | 2310 | 708.90 | 277 | 0 | 0 | 277 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/23/2024 | 9 | 1097.94 | 2330 | 708.74 | 256 | 0 | 0 | 256 |
| 9/23/2024 | 10 | 1097.95 | 2340 | 708.82 | 236 | 0 | 0 | 236 |
| 9/23/2024 | 11 | 1097.92 | 2340 | 708.99 | 218 | 0 | 0 | 218 |
| 9/23/2024 | 12 | 1097.90 | 2330 | 708.89 | 202 | 0 | 0 | 202 |
| 9/23/2024 | 13 | 1097.90 | 2340 | 708.85 | 186 | 0 | 0 | 186 |
| 9/23/2024 | 14 | 1097.90 | 2350 | 708.83 | 170 | 0 | 0 | 170 |
| 9/23/2024 | 15 | 1097.89 | 2360 | 708.73 | 153 | 0 | 0 | 153 |
| 9/23/2024 | 16 | 1097.90 | 2350 | 708.71 | 136 | 0 | 0 | 136 |
| 9/23/2024 | 17 | 1097.90 | 2360 | 708.71 | 122 | 0 | 0 | 122 |
| 9/23/2024 | 18 | 1097.90 | 2370 | 708.85 | 105 | 0 | 0 | 105 |
| 9/23/2024 | 19 | 1097.88 | 2340 | 709.06 | 91 | 0 | 0 | 91 |
| 9/23/2024 | 20 | 1097.89 | 2330 | 709.01 | 86 | 0 | 0 | 86 |
| 9/23/2024 | 21 | 1097.90 | 2360 | 708.96 | 87 | 0 | 0 | 87 |
| 9/23/2024 | 22 | 1097.90 | 2250 | 709.05 | 86 | 0 | 0 | 86 |
| 9/23/2024 | 23 | 1097.88 | 120 | 708.58 | 87 | 0 | 0 | 87 |
| 9/23/2024 | 24 | 1097.88 | 10 | 708.99 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 1 | 1097.89 | 10 | 708.87 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 2 | 1097.90 | 10 | 708.45 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 3 | 1097.88 | 10 | 708.23 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 4 | 1097.87 | 10 | 707.82 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 5 | 1097.88 | 10 | 707.55 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 6 | 1097.89 | 120 | 707.65 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 7 | 1097.87 | 2280 | 708.73 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 8 | 1097.86 | 2260 | 708.98 | 87 | 0 | 0 | 87 |
| 9/24/2024 | 9 | 1097.86 | 2280 | 708.74 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 10 | 1097.86 | 2280 | 708.78 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 11 | 1097.86 | 2280 | 708.78 | 87 | 0 | 0 | 87 |
| 9/24/2024 | 12 | 1097.84 | 2290 | 708.74 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 13 | 1097.81 | 2280 | 708.63 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 14 | 1097.81 | 2290 | 708.55 | 87 | 0 | 0 | 87 |
| 9/24/2024 | 15 | 1097.83 | 2280 | 708.59 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 16 | 1097.82 | 2280 | 708.61 | 87 | 0 | 0 | 87 |
| 9/24/2024 | 17 | 1097.78 | 2300 | 708.64 | 87 | 0 | 0 | 87 |
| 9/24/2024 | 18 | 1097.79 | 2300 | 708.67 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 19 | 1097.79 | 2260 | 708.82 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 20 | 1097.79 | 2260 | 708.68 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 21 | 1097.76 | 2270 | 708.56 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 22 | 1097.77 | 2090 | 708.45 | 86 | 0 | 0 | 86 |
| 9/24/2024 | 23 | 1097.78 | 180 | 707.30 | 87 | 0 | 0 | 87 |
| 9/24/2024 | 24 | 1097.78 | 10 | 706.99 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 1 | 1097.76 | 10 | 707.34 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 2 | 1097.77 | 10 | 707.88 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 3 | 1097.77 | 10 | 707.72 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 4 | 1097.78 | 10 | 707.76 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 5 | 1097.78 | 10 | 707.98 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 6 | 1097.77 | 250 | 708.21 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/25/2024 | 7 | 1097.77 | 2330 | 709.12 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 8 | 1097.76 | 2310 | 709.11 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 9 | 1097.76 | 2340 | 708.91 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 10 | 1097.76 | 2360 | 709.20 | 87 | 0 | 0 | 87 |
| 9/25/2024 | 11 | 1097.74 | 2260 | 709.60 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 12 | 1097.75 | 2340 | 709.90 | 87 | 0 | 0 | 87 |
| 9/25/2024 | 13 | 1097.75 | 2340 | 710.03 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 14 | 1097.79 | 2340 | 709.38 | 87 | 0 | 0 | 87 |
| 9/25/2024 | 15 | 1097.77 | 2320 | 708.95 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 16 | 1097.77 | 2340 | 708.84 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 17 | 1097.76 | 2340 | 708.65 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 18 | 1097.76 | 2360 | 708.57 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 19 | 1097.73 | 2310 | 708.63 | 87 | 0 | 0 | 87 |
| 9/25/2024 | 20 | 1097.70 | 2340 | 708.59 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 21 | 1097.72 | 2340 | 708.57 | 86 | 0 | 0 | 86 |
| 9/25/2024 | 22 | 1097.77 | 2160 | 708.44 | 87 | 0 | 0 | 87 |
| 9/25/2024 | 23 | 1097.76 | 30 | 706.77 | 87 | 0 | 0 | 87 |
| 9/25/2024 | 24 | 1097.73 | 20 | 706.46 | 87 | 0 | 0 | 87 |
| 9/26/2024 | 1 | 1097.75 | 10 | 706.68 | 87 | 0 | 0 | 87 |
| 9/26/2024 | 2 | 1097.77 | 10 | 706.58 | 87 | 0 | 0 | 87 |
| 9/26/2024 | 3 | 1097.76 | 10 | 706.69 | 87 | 0 | 0 | 87 |
| 9/26/2024 | 4 | 1097.74 | 10 | 706.81 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 5 | 1097.75 | 10 | 706.86 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 6 | 1097.77 | 50 | 706.98 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 7 | 1097.77 | 2050 | 708.30 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 8 | 1097.74 | 2310 | 708.54 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 9 | 1097.74 | 2340 | 708.50 | 87 | 0 | 0 | 87 |
| 9/26/2024 | 10 | 1097.75 | 2350 | 708.56 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 11 | 1097.74 | 2340 | 708.64 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 12 | 1097.72 | 2340 | 708.62 | 87 | 0 | 0 | 87 |
| 9/26/2024 | 13 | 1097.71 | 2360 | 708.63 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 14 | 1097.71 | 2360 | 708.60 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 15 | 1097.73 | 2350 | 708.63 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 16 | 1097.71 | 2350 | 708.63 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 17 | 1097.69 | 2360 | 708.63 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 18 | 1097.68 | 2350 | 708.63 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 19 | 1097.67 | 2330 | 708.65 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 20 | 1097.69 | 2330 | 708.61 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 21 | 1097.67 | 2340 | 708.66 | 87 | 0 | 0 | 87 |
| 9/26/2024 | 22 | 1097.67 | 2190 | 708.50 | 86 | 0 | 0 | 86 |
| 9/26/2024 | 23 | 1097.65 | 50 | 707.39 | 87 | 0 | 0 | 87 |
| 9/26/2024 | 24 | 1097.65 | 10 | 707.26 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 1 | 1097.64 | 10 | 707.08 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 2 | 1097.65 | 10 | 707.59 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 3 | 1097.65 | 10 | 706.92 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 4 | 1097.64 | 10 | 707.18 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/27/2024 | 5 | 1097.66 | 10 | 707.41 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 6 | 1097.65 | 30 | 707.16 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 7 | 1097.64 | 2270 | 708.48 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 8 | 1097.64 | 2330 | 708.58 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 9 | 1097.64 | 2340 | 708.49 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 10 | 1097.63 | 2360 | 708.55 | 87 | 0 | 0 | 87 |
| 9/27/2024 | 11 | 1097.63 | 2350 | 708.56 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 12 | 1097.63 | 2340 | 708.51 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 13 | 1097.62 | 2340 | 708.50 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 14 | 1097.62 | 2360 | 708.54 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 15 | 1097.62 | 2340 | 708.51 | 87 | 0 | 0 | 87 |
| 9/27/2024 | 16 | 1097.61 | 2330 | 708.52 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 17 | 1097.62 | 2340 | 708.54 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 18 | 1097.62 | 2330 | 708.56 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 19 | 1097.61 | 2280 | 708.63 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 20 | 1097.61 | 2310 | 708.52 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 21 | 1097.62 | 2320 | 708.61 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 22 | 1097.61 | 2320 | 708.68 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 23 | 1097.61 | 280 | 708.02 | 86 | 0 | 0 | 86 |
| 9/27/2024 | 24 | 1097.61 | 20 | 708.50 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 1 | 1097.61 | 20 | 708.62 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 2 | 1097.59 | 20 | 708.09 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 3 | 1097.55 | 20 | 707.58 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 4 | 1097.58 | 20 | 707.32 | 87 | 0 | 0 | 87 |
| 9/28/2024 | 5 | 1097.59 | 20 | 707.53 | 87 | 0 | 0 | 87 |
| 9/28/2024 | 6 | 1097.59 | 50 | 707.71 | 87 | 0 | 0 | 87 |
| 9/28/2024 | 7 | 1097.56 | 2200 | 708.71 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 8 | 1097.54 | 2290 | 708.85 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 9 | 1097.54 | 2330 | 708.76 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 10 | 1097.52 | 2330 | 708.63 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 11 | 1097.51 | 2340 | 708.62 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 12 | 1097.52 | 2350 | 708.61 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 13 | 1097.52 | 2340 | 708.52 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 14 | 1097.50 | 2350 | 708.52 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 15 | 1097.50 | 2330 | 708.50 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 16 | 1097.51 | 2340 | 708.50 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 17 | 1097.52 | 2360 | 708.50 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 18 | 1097.52 | 2340 | 708.50 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 19 | 1097.50 | 2290 | 708.51 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 20 | 1097.51 | 2300 | 708.46 | 86 | 0 | 0 | 86 |
| 9/28/2024 | 21 | 1097.51 | 2340 | 708.51 | 87 | 0 | 0 | 87 |
| 9/28/2024 | 22 | 1097.50 | 2330 | 708.54 | 87 | 0 | 0 | 87 |
| 9/28/2024 | 23 | 1097.48 | 210 | 706.97 | 87 | 0 | 0 | 87 |
| 9/28/2024 | 24 | 1097.50 | 20 | 707.00 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 1 | 1097.51 | 10 | 706.78 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 2 | 1097.52 | 10 | 706.88 | 86 | 0 | 0 | 86 |

| Date | Hour | Lake Chelan Elevation (ft) | Powerhouse Tailrace Flow (cfs) | Powerhouse Tailwater Elevation (ft) | Low Level Outlet Flow (cfs) | Spillway Flow (cfs) | Pump Station Flow (cfs) | Chelan River Flow Reach 4 (cfs) |
|-----------|------|----------------------------|--------------------------------|-------------------------------------|-----------------------------|---------------------|-------------------------|---------------------------------|
| 9/29/2024 | 3 | 1097.50 | 10 | 706.90 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 4 | 1097.50 | 10 | 706.72 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 5 | 1097.51 | 10 | 706.79 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 6 | 1097.52 | 20 | 707.12 | 87 | 0 | 0 | 87 |
| 9/29/2024 | 7 | 1097.54 | 20 | 707.67 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 8 | 1097.53 | 20 | 707.73 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 9 | 1097.53 | 10 | 708.18 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 10 | 1097.54 | 10 | 708.61 | 87 | 0 | 0 | 87 |
| 9/29/2024 | 11 | 1097.55 | 10 | 708.57 | 87 | 0 | 0 | 87 |
| 9/29/2024 | 12 | 1097.53 | 10 | 708.40 | 87 | 0 | 0 | 87 |
| 9/29/2024 | 13 | 1097.52 | 10 | 707.91 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 14 | 1097.54 | 10 | 707.55 | 87 | 0 | 0 | 87 |
| 9/29/2024 | 15 | 1097.58 | 10 | 707.37 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 16 | 1097.57 | 10 | 707.24 | 87 | 0 | 0 | 87 |
| 9/29/2024 | 17 | 1097.54 | 10 | 707.37 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 18 | 1097.53 | 10 | 707.53 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 19 | 1097.53 | 20 | 707.98 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 20 | 1097.51 | 20 | 707.76 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 21 | 1097.51 | 20 | 707.62 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 22 | 1097.51 | 20 | 707.24 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 23 | 1097.51 | 20 | 707.27 | 86 | 0 | 0 | 86 |
| 9/29/2024 | 24 | 1097.50 | 20 | 707.09 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 1 | 1097.50 | 20 | 707.56 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 2 | 1097.51 | 20 | 707.79 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 3 | 1097.51 | 20 | 708.07 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 4 | 1097.50 | 20 | 708.01 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 5 | 1097.49 | 20 | 708.24 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 6 | 1097.50 | 220 | 708.60 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 7 | 1097.50 | 2360 | 709.22 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 8 | 1097.49 | 2310 | 709.11 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 9 | 1097.47 | 2330 | 709.02 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 10 | 1097.45 | 2340 | 709.06 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 11 | 1097.44 | 2350 | 709.06 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 12 | 1097.44 | 2360 | 709.09 | 87 | 0 | 0 | 87 |
| 9/30/2024 | 13 | 1097.41 | 2350 | 709.22 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 14 | 1097.39 | 2360 | 709.28 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 15 | 1097.40 | 2360 | 709.32 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 16 | 1097.40 | 2350 | 709.25 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 17 | 1097.37 | 2370 | 709.16 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 18 | 1097.38 | 2360 | 709.20 | 87 | 0 | 0 | 87 |
| 9/30/2024 | 19 | 1097.39 | 2330 | 709.45 | 87 | 0 | 0 | 87 |
| 9/30/2024 | 20 | 1097.38 | 2320 | 709.21 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 21 | 1097.38 | 2350 | 709.05 | 87 | 0 | 0 | 87 |
| 9/30/2024 | 22 | 1097.37 | 2340 | 708.83 | 86 | 0 | 0 | 86 |
| 9/30/2024 | 23 | 1097.38 | 100 | 707.33 | 87 | 0 | 0 | 87 |
| 9/30/2024 | 24 | 1097.37 | 20 | 707.07 | 86 | 0 | 0 | 86 |